

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

As individuals go through treatment for their cancer they sometimes experience different symptoms and side effects. For each question, please select the one response that best describes your experiences over the past 7 days...

Abantu ssekinnoomu bwebaba bafuna obujjanjabi bwabwe obwa kookolo oluusi bafuna obubonero n'obuzibu obuva ku ddagala obw'enjawulo. Ku buli kibuzo londako ekinnyonnyola obulungi by'oyiseemu ennaku musanvu eziyise...

1. PRO-CTCAE® Symptom Term: Dry mouth				
OMUMWA OGUKEZE				
a. Mu nnaku 7 eziyise, AKAMWA KAAKALA KYENKANA wa lwe KAASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

2. PRO-CTCAE® Symptom Term: Difficulty swallowing				
OKUKALUBIRIRWA MU KUMIRA				
a. Mu nnaku 7 eziyise, WAKALUBIRIRWA KYENKANA wa OKUMIRA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

3. PRO-CTCAE® Symptom Term: Mouth/throat sores				
AMABWA G'OMUMWA/OMUMIRO				
a. Mu nnaku 7 eziyise, AMABWA G'AKAMWA OBA OMUMIRO gaakuluma KYENKANA WA lwe GAASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, AMABWA AG'OMUMWA OBA OMUMIRO GAATAATAAGANYA kyenkana ki emirimu gyo egya bulijjo?				
<input type="radio"/> Yade nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

4. PRO-CTCAE® Symptom Term: Cracking at the corners of the mouth (cheilosis/cheilitis)				
OKWATIKA ENSONDA Z'EMIMWA (CHEILOSIS/CHEILITIS)				
a. Mu nnaku 7 eziyise, OLUSUSU KU NSONDA Z'EMIMWA GYO LWAYATIKA KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

5. PRO-CTCAE® Symptom Term: Voice quality changes	
OKUKYUKA KW'OMUTINDO GW'EDDOBOOZI	
a. Mu nnaku 7 eziyise, wafuna ENKYUKAKYUKA MU DDOBOOZI yonna?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

6. PRO-CTCAE® Symptom Term: Hoarseness				
OBUSAAKAAVU				
a. Mu nnaku 7 eziyise, EDDOBOOZI LYASAAKAALA KYENKANA KI lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

7. PRO-CTCAE® Symptom Term: Taste changes				
ENKYUKAKYUKA MU MPOOMERWA				
a. Mu nnaku 7 eziyise, OBUZIBU BWO MU KUWOOMERWA EMMERE OBA EBY'OKUNYWA bwali BWENKANA WA lwe bwasinga OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

8. PRO-CTCAE® Symptom Term: Decreased appetite				
OBWAGAZI BW'OKULYA OKUKENDEERA				
a. Mu nnaku 7 eziyise, OBUTAYAGALA KULYA kwo BWASUKULUMA KWENKANA wa lwe wasinga OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, OKUKENDEERA KW'OBWAGAZI BW'OKULYA KWATAATAAGANYA kyenkana wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

9. PRO-CTCAE® Symptom Term: Nausea				
OKUSINDUUKIRIRWA EMMEEME				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye wafuna OKUSINDUUKIRIRWA EMMEEME?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, WASINDUUKIRIRWA EMMEEME kyenkana wa lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

10. PRO-CTCAE® Symptom Term: Vomiting				
OKUSESEMA				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye wafuna OKUSESEMA?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKUSESEMA kwo kwali KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

11. PRO-CTCAE® Symptom Term: Heartburn				
EKIKEETO				
a. Mu nnaku 7 eziyise, wafuna EKIKEETO EMIRUNDI EMEKA?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, EKIKEETO kyo kyayitirira BUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

12. PRO-CTCAE® Symptom Term: Gas	
OMUKKA	
a. Mu nnaku 7 eziyise, wafuna OKWEYONGERA MU KUFULUMYA OMUKKA kwonna?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

13. PRO-CTCAE® Symptom Term: Bloating				
OKUZIMBA OLUBUTO				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye wafuna OKUZIMBA OLUBUTO?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKUZIMBA OLUBUTO KWALI KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

14. PRO-CTCAE® Symptom Term: Hiccups				
KASIKONDA				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye wafuna KASIKONDA?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, KASIKONDA wo yali MUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

15. PRO-CTCAE® Symptom Term: Constipation				
OKWESIBA MU LUBUTO/OBUTAFULUMA				
a. Mu nnaku 7 eziyise, OKWESIBA KW'OLUBUTO LWO kwali KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

16. PRO-CTCAE® Symptom Term: Diarrhea				
OKUDDUKANA				
a. Mu nnaku 7 eziyise, WADDUKANA EMIRUDI EMEKA?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

17. PRO-CTCAE® Symptom Term: Abdominal pain				
OKULUMIZIBWA MU LUBUTO				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye WALUMIZIBWA MU LUBUTO?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKULUMIZIBWA MU LUBUTO lwo KWAYITIRIRA OBUBI KYENKANA wa lwe wasinga okuba obubi?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, OKULUMIZIBWA MU LUBUTO KWATAATAAGANYA kyenkana wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

18. PRO-CTCAE® Symptom Term: Fecal incontinence				
OKUYITIRA				
a. Mu nnaku 7 eziyise, MIRUNDI emeka gye WALEMERERWA OKUSIBA OBUBI?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKULEMERERWA OKUSIBA OBUBI KWATAATAAGANYA KYENKANA KI emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

19. PRO-CTCAE® Symptom Term: Shortness of breath				
OKUBAKA OМУKKA				
a. Mu nnaku 7 eziyise, OKUBAKA OМУKKA NG'OSSA kwali KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, OKUBAKA OМУKKA NG'OSSA KWATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

20. PRO-CTCAE® Symptom Term: Cough				
OKUKOLOLA				
a. Mu nnaku 7 eziyise, OKUKOLOLA kwo kwali KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
O Tewali	O Kitono	O Kigero	O Bubi	O Bubi nnyo
b. Mu nnaku musanvu eziyise, OKUKOLOLA KWATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
O Yadde nakatono	O Katonotono	O Katono mu	O Nnyo	O Nnyo ddala

21. PRO-CTCAE® Symptom Term: Wheezing				
OKUYIRIITIRA				
a. Mu nnaku 7 eziyise, OBUNGI BW'OKUYIRIITIRA KWO BWALI BUBI NNYO KWENKANA wa lwe WASINGA OKUBA OBUBI?				
O Tewali	O Kitono	O Kigero	O Bubi	O Bubi nnyo

22. PRO-CTCAE® Symptom Term: Swelling				
OKUZIMBA				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye WAZIMBA EMIKONO OBA AMAGULU?				
O Tekibeerangawo	O Bbalirirwe	O Lumu na lumu	O Kyateranga	O Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKUZIMBA KW'OMUKONO OBA OMUGULU GWO KWALI KUNGI KWENKANA wa lwe WASINGA OKUBA OBUBI?				
O Tewali	O Kutono	O Kigero	O Kubi	O Kubi nnyo
c. Mu nnaku 7 eziyise, OKUZIMBA EMIKONO OBA AMAGULU KWATAATAAGANYA kyenkana wa emirimu gyo egya bulijjo?				
O Yadde nakatono	O Katonotono	O Katono mu	O Nnyo	O Nnyo ddala

23. PRO-CTCAE® Symptom Term: Heart palpitations				
OMUTIMA OKUTUNDUGGA				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA omutima lwe GWAKUTUNDUGGA?				
O Tekibeerangawo	O Bbalirirwe	O Lumu na lumu	O Kyateranga	O Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, omutima GWAKUTUNDUGGA KYENKANA WA lwe WASINGA OKUBA OBUBI?				
O Tewali	O Kitono	O Kigero	O Bubi	O Bubi nnyo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

24. PRO-CTCAE® Symptom Term: Rash	
OLUSOLO	
a. Mu nnaku 7 eziyise, wafunako ku LUSOLO lwonna?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

25. PRO-CTCAE® Symptom Term: Skin dryness				
OKUKALA OLUSUSU				
a. Mu nnaku 7 eziyise, OLUSUSU LWO LWAKALA KYENKANA KI lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

26. PRO-CTCAE® Symptom Term: Acne				
EMBALABE				
a. Mu nnaku 7 eziyise, OBUNGI BWEMBALABE MU MAASO ne MUKIFUBA BWALI BUNGI KWENKANA wa lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

27. PRO-CTCAE® Symptom Term: Hair loss				
OKUKUTUKA ENVIIRI				
a. Mu nnaku 7 eziyise, WAKUTUKAKO KU NVIIRI zonna?				
<input type="radio"/> Yade nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

28. PRO-CTCAE® Symptom Term: Itching				
OKUSIIYIBWA				
a. Mu nnaku 7 eziyise, OLUSUSU LWAKUSIIWA BUBI KYENKANA wa lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

29. PRO-CTCAE® Symptom Term: Hives	
EBITULUTUTTU	
a. Mu nnaku 7 eziyise, wafuna ku BITULUTUTTU bwonna?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

30. PRO-CTCAE® Symptom Term: Hand-foot syndrome				
OBUBONERO BW'EMIKONO N'EBIGERE				
a. Mu nnaku 7 eziyise, OBUBONERO KU MIKONO N'EBIGERE byali BIBI KYENKANA WA Iwe WASINGA OKUBA OBUBI (OKUBUTUKA KU MIKONO OBA EBIGERE OKULEETA OKWATIKA, OKUSUSUMBUKA, OKUMYUKIRIRA OBA OBULUMI)?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

31. PRO-CTCAE® Symptom Term: Nail loss	
OKUKUUKA KW'ENJALA	
a. Mu nnaku 7 eiyise, WAKUUKAMU KKO KU NJALA Z'EBIGERE OBA EZ'ENGALO?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

32. PRO-CTCAE® Symptom Term: Nail ridging	
OKUZIMBA ENJALA	
a. Mu nnaku 7 eziyise, wafuna ku KUZIMBA ENJALA Z'ENGALO OBA EZ'EBIGERE?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

33. PRO-CTCAE® Symptom Term: Nail discoloration	
ENJALA OKUKYUKA LANGI	
a. Mu nnaku 7 eziyise WAFUNAKO KU NKYUKAKYUKA MU LANGI Z'ENJALA Z'ENGALO OBA EZ'EBIGERE?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

34. PRO-CTCAE® Symptom Term: Sensitivity to sunlight	
OKUKOSEBWA OMUSANA	
a. Mu nnaku 7 eziyise, OLUSUSU LWO LWEYONGERA OKUYISIBWA OBUBI OMUSANA?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

35. PRO-CTCAE® Symptom Term: Bed/pressure sores	
AMABWA AGAVA MU KUNYIGIBWA NGA WEEBASE WANSI	
a. Mu nnaku 7 eziyise, wafuna ku MABWA AGAVA MU KUNYIGIBWA EKITANDA?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

36. PRO-CTCAE® Symptom Term: Radiation skin reaction					
AMASANNYALAZE OKUKOSA OLUSUSU					
a. Mu nnaku 7 eziyise, OLUSUSU LWABABUKA BUBI KYENKANA KI OLUVANNYUMA LW'OKUFUNA OBU-JJANJABI BW'OKUKALIRIRWA?					
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo	<input type="radio"/> Tekigenderawo

37. PRO-CTCAE® Symptom Term: Skin darkening	
OKUDDUGALA OLUSUSU	
a. Mu nnaku 7 eziyise, wafunako OKUDDUGALA KW'OLUSUSU OKUTALI KWA BULIJJO?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

38. PRO-CTCAE® Symptom Term: Stretch marks	
MUGABA	
a. Mu nnaku 7 eziyise, wafunako ku MUGABA yenna?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

39. PRO-CTCAE® Symptom Term: Numbness & tingling				
OKUSANNYALALA N'OKUWULIRA OBUFUMITA				
a. Mu nnaku 7 eziyise, OKUSANNYALALA KWO N'OKUWULIRA EBIKUFUMITA MU MIKONO OBA EBIGERE BYALI BIBI KWENKANA wa?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, OKUSANNYALALA N'OKUWULIRA NGA OFUMITIBWA MU MIKONO N'EBIGERE BYAKOSA kyenkana wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

40. PRO-CTCAE® Symptom Term: Dizziness				
KAMUNGULUZE				
a. Mu nnaku 7 eziyise, KAMUNGULUZE WO YALI MUBI KYENKANA walwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, KAMUNGULUZE YATAATAGANYA kyenkana ki emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

41. PRO-CTCAE® Symptom Term: Blurred vision				
EKIFU KU MAASO				
a. Mu nnaku 7 eziyise, OBUNGI BW'EKIFU KU MAASO GO BWASUKKULUMA KWENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, EKIFU KU MAASO GO KYATAATAAGANYA kitya emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

42. PRO-CTCAE® Symptom Term: Flashing lights				
EBIMYANSO				
a. Mu nnaku 7 eziyise, wafunako EBIMYANSO ku MAASO GO?				
<input type="radio"/> Yee		<input type="radio"/> Nedda		

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

43. PRO-CTCAE® Symptom Term: Visual floaters	
OBUSOTA MU MAASO	
a. Mu nnaku 7 eziyise, wafuna ku BUSOTA OBA OBUSAZE OBUTAMBULIRA MU MAASO GO?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

44. PRO-CTCAE® Symptom Term: Watery eyes				
AMAZIGA MU MAASO				
a. Mu nnaku 7 eziyise, AMAZIGA MU MAASO GO GAALI MANGI KYENKANA WA Iwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, AMAZIGA MU MAASO GO GAATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

45. PRO-CTCAE® Symptom Term: Ringing in ears				
AMATU OKUWUUMA				
a. Mu nnaku 7 eziyise, OKUWUUMA KW'AMATU KWALI KUBI KYENKANA WA Iwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

46. PRO-CTCAE® Symptom Term: Concentration				
OKWETEGEREZA				
a. Mu nnaku 7 eziyise, OBUZIBU BW'OKWETEGEREZA BWALI BUBI KYENKANA WA Iwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, OBUZIBU BW'OKWETEGEREZA BWATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

47. PRO-CTCAE® Symptom Term: Memory				
OKUJJUKIRA				
a. Mu nnaku 7 eziyise, OBUZIBU BWO MU KUJJUKIRA BWALI BUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, EBIZIBU BY'OKUJJUKIRA KWO BYATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

48. PRO-CTCAE® Symptom Term: General pain				
OBULUMI				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye wafuna OBULUMI?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OBULUMI BWO BWALI BUBI KWENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, OBULUMI BWATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

49. PRO-CTCAE® Symptom Term: Headache				
OKULUMWA OMUTWE				
a. Mu nnaku 7 eziyise, OMUTWE GWAKULUMA EMIRUNDI EMEKA?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OBULUMI BW'OMUTWE BWALI BUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, OBULUMI BW'OMUTWE BWATAATAGANYA kyenkana wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

50. PRO-CTCAE® Symptom Term: Muscle pain				
NAKANYAMA				
a. Mu nnaku 7 eziyise, wafuna NAKANYAMA EMIRUNDI emeka?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OBULUMI MU BINYWA BWALI BWENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, okulumwa kwa NAKANYAMA KWATAATAAGANYA kyenkana wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

51. PRO-CTCAE® Symptom Term: Joint pain				
ENNYINGO EZIRUMA				
a. Mu nnaku 7 eziyise, watera OKULUMWA ENNYINGO EMIRUNDI EMEKA (NGA ENKOKOLA, AMAVVIIVI, EBIBEGABEGA)?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OBULUMI MU NNYINGO (NGA ENKOKOLA, AMAVVIIVI, EBIBEGABEGA) BWALI BUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, ENNYINGO EZIRUMA (NGA ENKOKOLA, AMAVVIIVI, EBIBEGABEGA) BYATAATAAGANYA kyenkana wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

52. PRO-CTCAE® Symptom Term: Insomnia				
OKUBULWA OTULO				
a. Mu nnaku 7 eziyise, WABULWA OTULO KYENKANA WA (OMULI OKUZIBUWALIRWA OKWEBAKA, OKUSIGALA NGA WEEBASE, OBA OKUZUUKUKA AMANGU) lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, OKUBULWA OTULO (OMULI OKUZIBUWALIRWA OKWEBAKA, OKUSIGALA NGA WEEBASE OBA N'OKUZUUKUKA NGA BUKYALI) KWATAATAAGANYA kutya emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

53. PRO-CTCAE® Symptom Term: Fatigue				
OBUKOOWU				
a. Mu nnaku 7 eziyise, NAKANYAMA, OBUKOOWU, OBA OBUTABA NA MAANYI BYALI BIBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
b. Mu nnaku 7 eziyise, NAKANYAMA, OBUKOOWU, OBA OBUTABA NA MAANYI BYATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

54. PRO-CTCAE® Symptom Term: Anxious				
OKWERALIIKIRIRA				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye wawulira OKWERALIIKIRIRA?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKWERALIIKIRIRA KWALI KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, OKWERALIIKIRIRA KWATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

55. PRO-CTCAE® Symptom Term: Discouraged				
OKUGGWAAMU ESSUUBI				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA GYE WAWULIRA NGA TEWALI KISOBOLA KUKUZZAAMU SSUUBI?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKUWULIRA NGA TEWALI KISOBOLA KUKUZZAAMU MAANYI KWALI KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, OKUWULIRA NGA TEWALI KIYINZA KUKUZZAAMU SSUUBI KYATAATAAGANYA kwenkana wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

56. PRO-CTCAE® Symptom Term: Sad				
OKUNAKUWALA				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA gye wafuna okunakuwala N'OKUWULIRA NGA TOLINA SSANYU?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKUNAKUWALA N'OBUTASANYUKA BYALI BIBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo
c. Mu nnaku 7 eziyise, OKUNAKUWALA N'OBUTAWULIRA SSANYU BYATAATAAGANYA KWENKANA wa emirimu gyo egya bulijjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

57. PRO-CTCAE® Symptom Term: Irregular periods/vaginal bleeding		
OKUDDINGANA MU NSONGA		
a. Mu nnaku 7 eziyise, WADDINGANAKO KKO MU NSONGA?		
<input type="radio"/> Yee	<input type="radio"/> Nedda	<input type="radio"/> Tekinkwatako

58. PRO-CTCAE® Symptom Term: Missed expected menstrual period		
OBUTAGENDA MU NSONGA		
a. Mu nnaku 7 eziyise, WABUUKAMU MU NSONGA ZEVALI OLINDIRIDDE?		
<input type="radio"/> Yee	<input type="radio"/> Nedda	<input type="radio"/> Tekinkwatako

59. PRO-CTCAE® Symptom Term: Vaginal discharge				
OKUBUNDULA AMAZZI				
a. Mu nnaku 7 eziyise, WAFUNAKO KU KUBUNDULA AMAZZI OKUTALI KWA BULIJJO?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

60. PRO-CTCAE® Symptom Term: Vaginal dryness				
OKUKALA MU BUKYALA				
a. Mu nnaku 7 eziyise, WAKALA MU BUKYALA KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

61. PRO-CTCAE® Symptom Term: Painful urination				
OBULUMI NGA OFUUYISA				
a. Mu nnaku 7 eziyise, OKULUMIZIBWA OBA OKUBABUUKIRIRWA NG'OFUUYISA KYALI KIBI KWENKANA WA lwe WASINGA OKUBA OBUBI?				
O Tewali	O Kitono	O Kigero	O Bubi	O Bubi nnyo

62. PRO-CTCAE® Symptom Term: Urinary urgency				
OKWAGALA OKUFUUYISA AMANGU				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA GYEWAFUNA OBWAGAZI BW'OKUFUKA AMANGU?				
O Tekibeerangawo	O Bbalirirwe	O Lumu na lumu	O Kyateranga	O Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKWAGALA OKUFUUYISA AMANGU KWATAATAAGANYA kyenkana wa emirimu gyo egya bulijjo?				
O Yadde nakatono	O Katonotono	O Katono mu	O Nnyo	O Nnyo ddala

63. PRO-CTCAE® Symptom Term: Urinary frequency				
OKUFUUYISA OKUMUKUMU				
a. Mu nnaku 7 eziyise, waaliwo ebiseera lwe walina OKUFUUYISA OKUMUKUMU?				
O Tekibeerangawo	O Bbalirirwe	O Lumu na lumu	O Kyateranga	O Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKUFUKA OKUMUKUMU KWATAATAAGANYA KYENKANA WA emirimu gyo egya bulijjo?				
O Yadde nakatono	O Katonotono	O Katono mu	O Nnyo	O Nnyo ddala

64. PRO-CTCAE® Symptom Term: Change in usual urine color	
ENKYUKAKYUKA MU LANGI Y'OMUSOLO EYA BULIJJO	
a. Mu nnaku 7 eziyise, WAFUNAKO ENKYUKAKYUKA MU LANGI Y'OMUSULO?	
O Yee	O Nedda

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

65. PRO-CTCAE® Symptom Term: Urinary incontinence				
OBUTASOBOLA KUSIBA MUSULO				
a. Mu nnaku 7 eziyise, MIRUNDI EMEKA GYOOTAAASOBOLA KUSIBA MUSULO?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OBUTASOBOLA KUSIBA MUSULO KWATAATAAGANYA KUTYA emirimu gyo egya buli- jjo?				
<input type="radio"/> Yadde nakatono	<input type="radio"/> Katonotono	<input type="radio"/> Katono mu	<input type="radio"/> Nnyo	<input type="radio"/> Nnyo ddala

66. PRO-CTCAE® Symptom Term: Achieve and maintain erection						
OKWEREEGA KW'OBUSAJJA N'OKUSIGALA NGA BWEREEZE						
a. Mu nnaku 7 eziyise, OBUZIBU MU KWEREEGA KW'OBUSAJJA N'OKUBUKUUMA NGA BWEREEZE bwali BUBI KWENKANA WA lwe WASINGA OKUBA OBUBI?						
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo	<input type="radio"/> Ssetaba mu nsonga za kwegatta	<input type="radio"/> Nalyagadde obutakid-damu

67. PRO-CTCAE® Symptom Term: Ejaculation						
OKUMALA						
a. Mu nnaku 7 eziyise, EMIRUNDI EMEKA gye WAFUNA OBUZIBU MU KUMALA?						
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera	<input type="radio"/> Ssetaba mu nsonga za kwegatta	<input type="radio"/> Nalyagadde obutakid-damu

68. PRO-CTCAE® Symptom Term: Decreased libido						
OKUKENDEERA OBWAGAZI BW'OKWEGATTA						
a. Mu nnaku 7 eziyise, OKUKENDEERA KW'OBWAGAZI BW'OKWEGATTA kwali KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?						
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo	<input type="radio"/> Seetaba mu nsonga za kwegatta	<input type="radio"/> Nalyagadde obutakid-damu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

69. PRO-CTCAE® Symptom Term: Delayed orgasm			
OKULWAWO OKUTUUKA KU NTIKKO			
a. Mu nnaku 7 eziyise, wawulira nga KITUTTE EKISEERA KIWANVU NNYO OKUTUUKA KU NTIKKO?			
<input type="radio"/> Yee	<input type="radio"/> Nedda	<input type="radio"/> Seetaba mu nsonga za kwegatta	<input type="radio"/> Nalyagadde obutakid-damu

70. PRO-CTCAE® Symptom Term: Unable to have orgasm			
OBUTASOBOLA KUTUUKA KU NTIKKO			
a. Mu nnaku 7 eziyise, WALEMERERWAKO OKUTUUKA KU NTIKKO?			
<input type="radio"/> Yee	<input type="radio"/> Nedda	<input type="radio"/> Seetaba mu nsonga za kwegatta	<input type="radio"/> Nalyagadde obutakid-damu

71. PRO-CTCAE® Symptom Term: Pain w/sexual intercourse						
OKULUMIZIBWA NGA WEGATTA						
a. Mu nnaku 7 eziyise, OBULUMI NGA WEGATTA OKUYITA MU BUKYALA BWALI BUNGI KWENKANA WA lwe WASINGA OKUBA OBUBI?						
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo	<input type="radio"/> Seetaba mu nsonga za kwegatta	<input type="radio"/> Nalyagadde obutakid-damu

72. PRO-CTCAE® Symptom Term: Breast swelling and tenderness				
OKUZIMBA KW'AMABEERE N'OKULUMIZIBWA				
a. Mu nnaku 7 eziyise, OKUZIMBA AMABEERE N'OKULUMIZIBWA BYALI BUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

73. PRO-CTCAE® Symptom Term: Bruising	
OKULUNGUUKA	
a. Mu nnaku 7 eziyise, WALUNGUKANGA MANGU?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

74. PRO-CTCAE® Symptom Term: Chills				
OKUTINTIMA				
a. Mu nnaku 7 eziyise, wafuna OKUKANKANA OBA OKUTINTIMA EMIRUNDI EMEKA?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKUKANKANA OBA OKUTINTIMA KWALI KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

75. PRO-CTCAE® Symptom Term: Increased sweating				
OKUTUUYANA OKUSUSSE				
a. Mu nnnaku 7 eziyise, EMIRUNDI EMEKA GYE WAFUNA OKUTUUYANA OKUTASUUBIRWA OBA OKUSUSSE EMISANA OBA EKIRO (TEKYEKUUSA KU BBUGUMU)?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OBUBI BW'OKUTUUYANA OKUTASUUBIRWA OKUSUSSE OBA OKUYITIRIDDE EMISANA OBA EKIRO (TEKYEKUUSA KU BBUGUMU) BWASUKKULUMA KWENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

76. PRO-CTCAE® Symptom Term: Decreased sweating	
OKUKENDEERA OKUTUUYANA	
a. Mu nnaku 7 eziyise, wafuna ko ku KUKENDEERA OKUTUUYANA OKUTAASUUBIRWA?	
<input type="radio"/> Yee	<input type="radio"/> Nedda

77. PRO-CTCAE® Symptom Term: Hot flashes				
OKUYIIBWA EBBUGUMU				
a. Mu nnaku 7 eziyise, EMIRUNDI EMEKA GYE WAYIIBWA EBBUGUMU?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Buli kaseera	<input type="radio"/> Olutatadde
b. Mu nnaku 7 eziyise, OKUYIIBWA EBBUGUMU KWALI KUBI KYENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

78. PRO-CTCAE® Symptom Term: Nosebleed				
OKWERUMIKA				
a. Mu nnaku 7 eziyise, WERUMIKA mu EMIRUNDI emeka?				
<input type="radio"/> Tekibeerangawo	<input type="radio"/> Bbalirirwe	<input type="radio"/> Lumu na lumu	<input type="radio"/> Kyateranga	<input type="radio"/> Kyenkana buli kiseera
b. Mu nnaku 7 eziyise, OKWERUMIKA kwali KUBI kwenkana wa lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

79. PRO-CTCAE® Symptom Term: Pain and swelling at injection site		
OBULUMI N'OKUZIMBA AWAKUBIDDWA EMPISO		
a. Mu nnaku 7 eziyise, wafunako ku BULUMI, OKUZIMBA AWAKUBIDDWA EMPISO OBA OKUMYUKIRIRA?		
<input type="radio"/> Yee	<input type="radio"/> Nedda	<input type="radio"/> Tekinkwatako

80. PRO-CTCAE® Symptom Term: Body odor				
OLUSU				
a. Mu nnaku 7 eziyise obubi bw'olusu lwo BWASUKKULUMA KWENKANA WA lwe WASINGA OKUBA OBUBI?				
<input type="radio"/> Tewali	<input type="radio"/> Kitono	<input type="radio"/> Kigero	<input type="radio"/> Bubi	<input type="radio"/> Bubi nnyo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023

NCI- PRO-CTCAE® ITEMS-LUGANDA

Item Library Version 1.0

OTHER SYMPTOMS	
OBUBONERO OBULALA	
Do you have any other symptoms that you wish to report?	
Olina obubonero bwonna bwewandiyagadde okututegeeza?	
<input type="radio"/> Yes	<input type="radio"/> No
<input type="radio"/> Yee	<input type="radio"/> Nedda
Please list any other symptoms: Wandiika wano obubonero obulala bwonna:	
1.	Mu nnaku 7 eziyise, akabonero kano kaali KABI KYENKANA WA lwe WASINGA OKUBA OBUBI? <input type="radio"/> Tewali <input type="radio"/> Kitono <input type="radio"/> Kigero <input type="radio"/> Bubi <input type="radio"/> Bubi nnyo
2.	Mu nnaku 7 eziyise, akabonero kano kaali KABI KYENKANA WA lwe WASINGA OKUBA OBUBI? <input type="radio"/> Tewali <input type="radio"/> Kitono <input type="radio"/> Kigero <input type="radio"/> Bubi <input type="radio"/> Bubi nnyo
3.	Mu nnaku 7 eziyise, akabonero kano kaali KABI KYENKANA WA lwe WASINGA OKUBA OBUBI? <input type="radio"/> Tewali <input type="radio"/> Kitono <input type="radio"/> Kigero <input type="radio"/> Bubi <input type="radio"/> Bubi nnyo
4.	Mu nnaku 7 eziyise, akabonero kano kaali KABI KYENKANA WA lwe WASINGA OKUBA OBUBI? <input type="radio"/> Tewali <input type="radio"/> Kitono <input type="radio"/> Kigero <input type="radio"/> Bubi <input type="radio"/> Bubi nnyo
5.	Mu nnaku 7 eziyise, akabonero kano kaali KABI KYENKANA WA lwe WASINGA OKUBA OBUBI? <input type="radio"/> Tewali <input type="radio"/> Kitono <input type="radio"/> Kigero <input type="radio"/> Bubi <input type="radio"/> Bubi nnyo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

Version date: 3/23/2023