

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

As individuals go through treatment for their cancer they sometimes experience different symptoms and side effects. For each question, please select the one response that best describes your experiences over the past 7 days...

Ka ndị mmadụ na-eme ọgwụgwọ maka ọrịa kansa ha, mgbe ụfọdụ ha na-enweta mgbaama dị iche iche na mmetụta dị iche iche. Maka ajụjụ ọ bụla, biko họrọ otu nzaghachi nke kacha akọwa ahụmịhe gị n'ime ụbọchị asaa gara aga...

1. PRO-CTCAE® Symptom Term: Dry mouth				
ỌNỤ KPỌRỌ NKỤ				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke ỌNỤ ỊKPỌ NKỤ gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

2. PRO-CTCAE® Symptom Term: Difficulty swallowing				
NSI IKE N'ILO IHE				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke INWE IHE ISI IKE N'ILO IHE gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

3. PRO-CTCAE® Symptom Term: Mouth/throat sores				
ỌNYA ỌNỤ/AKPỊRỊ				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke ỌNYA ỌNỤ MAỌBU ỌNYA AKPỊRỊ gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
b. N'ime ụbọchị asaa gara aga, olee ka ỌNYA ỌNỤ MAỌBU ỌNYA AKPỊRỊ siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtu	O Otutu	O Nnukwu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

4. PRO-CTCAE® Symptom Term: Cracking at the corners of the mouth (cheilosis/cheilitis)				
MGBAWA N'AKUKU ONU (CHEILOSIS/CHEILITIS)				
a. N'ime ubochi asaa gara aga, kedu OKÉ IDI NJỌ nke MGBAWA ANUAHU N'AKUKU ONU GI mgbe o KACHA NJỌ?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo

5. PRO-CTCAE® Symptom Term: Voice quality changes	
MGBANWE N'ETU OLU DI	
a. N'ime ubochi asaa gara aga, i nwere MGBANWE o bu la N'UDA OLU?	
O Ee	O Mba

6. PRO-CTCAE® Symptom Term: Hoarseness				
MGBAKA OLU				
a. N'ime ubochi asaa gara aga, kedu OKÉ IDI NJỌ nke MGBAKA OLU gi mgbe o KACHA NJỌ?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo

7. PRO-CTCAE® Symptom Term: Taste changes				
MGBANWE N'UTỌ				
a. N'ime ubochi asaa gara aga, kedu OKÉ IDI NJỌ nke NSOGBU gi N'INWETA UTỌ NRI MA O BU UTỌ IHE ONUNU mgbe o KACHA NJỌ?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo

8. PRO-CTCAE® Symptom Term: Decreased appetite				
MBELATA N'AGUJU				
a. N'ime ubochi asaa gara aga, kedu OKÉ IDI NJỌ nke MBELATA N'AGUJU gi mgbe o KACHA NJỌ?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo
b. N'ime ubochi asaa gara aga, olee ka MBELATA N'AGUJU siri METUTA ihe omume ndi i na-emekarj ma o bu ihe ndi i na-eme kwa ubochi?				
O Onweghi ma ncha	O Ntakiri	O Ditu	O Otutu	O Nnukwu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

9. PRO-CTCAE® Symptom Term: Nausea				
AGBỌ ONUNU				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere AGBỌ ONUNU?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke ỌCHỊCHO gi ỊGBỌ AGBỌO mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njo	O Dị oke njo

10. PRO-CTCAE® Symptom Term: Vomiting				
ỌGBỤGBỌ				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị GBỌRỌ AGBỌO?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke ỌGBỤGBỌ gi mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njo	O Dị oke njo

11. PRO-CTCAE® Symptom Term: Heartburn				
IRE ỌKỤ N'OBỊ				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere ICHAA ỌKỤ N'OBỊ?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke ICHAA ỌKỤ N'OBỊ gi mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njo	O Dị oke njo

12. PRO-CTCAE® Symptom Term: Gas	
ỊNYỤ ARỤ	
a. N'ime ụbọchị asaa gara aga, ị nwere MMỤBA ọ bụla N'ỊNYỤ ARỤ (ỊNYỤ ARỤ)?	
O Ee	O Mba

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

13. PRO-CTCAE® Symptom Term: Bloating				
OKUKO AFỌ				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere OKUKO AFỌ?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKE IDỊ NJỌ nke OKUKO AFỌ gi mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njo	O Dị oke njo

14. PRO-CTCAE® Symptom Term: Hiccups				
UTUTURU				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka UTUTURU kporo gi?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKE IDỊ NJỌ nke UTUTURU ikpo gi mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njo	O Dị oke njo

15. PRO-CTCAE® Symptom Term: Constipation				
NSI ISI IKE ỌNYUNYU				
a. N'ime ụbọchị asaa gara aga, kedu OKE IDỊ NJỌ nke AFỌ ITACHI gi mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njo	O Dị oke njo

16. PRO-CTCAE® Symptom Term: Diarrhea				
AFỌ ỌSISA				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nyuru NSI N'ESIĞHI IKE MA Ọ BU NSI MMIRI MMIRI (AFỌ ỌSISA)?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

17. PRO-CTCAE® Symptom Term: Abdominal pain				
AFỌ MGBU				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere MGBU N'IME AFỌ (EBE AFỌ)?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke MGBU N'IME AFỌ (EBE AFỌ) gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
c. N'ime ụbọchị asaa gara aga, olee ka MGBU N'IME AFỌ (EBE AFỌ) siri METỤTA ihe omume ndị ị na-emekari ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakiri	O Dịtu	O Otutu	O Nnukwu

18. PRO-CTCAE® Symptom Term: Fecal incontinence				
ENWEGHỊ IKE IJIDE NSỊ				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị NA-ENWEGHỊ IKE IJIDE NSỊ?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, olee ka ENWEGHỊ IKE IJIDE NSỊ siri METỤTA ihe omume ndị ị na-emekari ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakiri	O Dịtu	O Otutu	O Nnukwu

19. PRO-CTCAE® Symptom Term: Shortness of breath				
IKPA UME				
a. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke IKPA UME gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
b. N'ime ụbọchị asaa gara aga, olee ka IKPA UME siri METỤTA ihe omume ndị ị na-emekari ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakiri	O Dịtu	O Otutu	O Nnukwu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

20. PRO-CTCAE® Symptom Term: Cough				
ỤKWARA				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ IDỊ NJỌ nke ỤKWARA gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
b. N'ime ụbọchị asaa gara aga, olee ka ỤKWARA siri METỤTA ihe omume ndị i na-emekarị ma ọ bụ ihe ndị i na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtu	O Otutu	O Nnukwu

21. PRO-CTCAE® Symptom Term: Wheezing				
ỤDA MKPỌRỌQHỊHỊ MGBE A NA-EKU UME				
a. N'ime ụbọchị asaa gara aga, kedu OKE IDỊ NJỌ nke ỤDA MKPỌRỌQHỊHỊ N'IME OBI gị MGBE ỊNA-EKU UME mgbe Ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

22. PRO-CTCAE® Symptom Term: Swelling				
ỌZIZA				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka i nwere ỌZIZA N'OGWE AKA MAỌBU ỌKPA?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakịrị ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKE IDỊ NJỌ nke ỌZIZA N'OGWE AKA MA Ọ BU ỌKPA gị mgbe Ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
c. N'ime ụbọchị asaa gara aga, olee ka ỌZIZA N'OGWE AKA MA Ọ BU ỌKPA siri METỤTA ihe omume ndị i na-emekarị ma ọ bụ ihe ndị i na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtu	O Otutu	O Nnukwu

23. PRO-CTCAE® Symptom Term: Heart palpitations				
NKUOBI NGWANGWA				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka i na-enweta mmetụta OBI ỊKỤ KPUM KPUM MA Ọ BU ỊKỤ ỌSỊSỌ (NKUOBI NGWANGWA)?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakịrị ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKE IDỊ NJỌ nke OBI ỊKỤ KPUM KPUM MA Ọ BU ỊKỤ ỌSỊSỌ (NKUOBI NGWANGWA) gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

24. PRO-CTCAE® Symptom Term: Rash	
ỌKỌ	
a. N'ime ụbọchị asaa gara aga, ị nwere ỌKỌ ọ bụla N'ANUAHỤ?	
O Ee	O Mba

25. PRO-CTCAE® Symptom Term: Skin dryness				
ANỤAHỤ ỊKPỌ NKỤ				
a. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke ANỤAHỤ gị ỊKPỌ NKỤ mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njoy	O Dị oke njoy

26. PRO-CTCAE® Symptom Term: Acne				
IHE OTUTU				
a. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke IHE OTUTU MA Ọ BỤ PỊMPỤLỤ N'IHU MA Ọ BỤ N'OBI gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njoy	O Dị oke njoy

27. PRO-CTCAE® Symptom Term: Hair loss				
DAPỤSỊ NTUTU ISI				
a. N'ime ụbọchị asaa gara aga, ị nwere NDAPỤSỊ NTUTU ISI ọ bụla?				
O Onweghị ma ncha	O Ntakịrị	O Dịtụ	O Otutu	O Nnukwu

28. PRO-CTCAE® Symptom Term: Itching				
NKỌRỊỌKỌ				
a. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke ỌKỌ ANỤAHỤ gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njoy	O Dị oke njoy

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

29. PRO-CTCAE® Symptom Term: Hives	
ỌZỊZA N'ANUAHỤ N'ACHA UHIE UHIE MA NA-AKỌ ỌKỌ	
a. N'ime ụbọchị asaa gara aga, i nwere ỌZỊZA NA-AKỌ ỌKỌ N'AHỤ ọbụla (ỌZỊZA NA-AHỤ NKE NA-AKỌ ỌKỌ MA NA-ACHA ỌBARA ỌBARA)?	
<input type="radio"/> Ee	<input type="radio"/> Mba

30. PRO-CTCAE® Symptom Term: Hand-foot syndrome				
ỌRỊA AKA NA UKWU				
a. N'ime ụbọchị asaa gara aga, kedu OKE IDỊ NJỌ nke OZIZA NA MGBATO UKWU NA AKA gị (IHE GHARA N'AKA MA Ọ BỤ UKWU NKE NWERE IKE IKPATA MGBAWA ANỤ AHỤ, NDACHAPỤ ANỤ AHỤ, ICHA ỌBARA ỌBARA MA Ọ BỤ IFỤ UFỤ) mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghị	<input type="radio"/> Dị obere	<input type="radio"/> Ogafeghị oke	<input type="radio"/> Dị njọ	<input type="radio"/> Dị oke njọ

31. PRO-CTCAE® Symptom Term: Nail loss	
NDAPỤ MBỌ	
a. N'ime ụbọchị asaa gara aga, o nwere MBỌ AKA MA Ọ BỤ MBỌ ỌKPA gị Ọ BỤLA nke DAPURỤ?	
<input type="radio"/> Ee	<input type="radio"/> Mba

32. PRO-CTCAE® Symptom Term: Nail ridging	
AKARA GBARA ELU NA MBỌ	
a. N'ime ụbọchị asaa gara aga, i nwere AHỊRỊ GBARA ELU MA Ọ BỤ NTOPỤTA ọbụla NA MBỌ AKA MA Ọ BỤ MBỌ ỌKPA GỊ?	
<input type="radio"/> Ee	<input type="radio"/> Mba

33. PRO-CTCAE® Symptom Term: Nail discoloration	
MBỌ IME NCHAGHARỊ	
a. N'ime ụbọchị asaa gara aga, i nwere MGBANWE ọbụla NA ỤCHA MBỌ AKA GỊ MA Ọ BỤ MBỌ ỌKPA GỊ?	
<input type="radio"/> Ee	<input type="radio"/> Mba

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

34. PRO-CTCAE® Symptom Term: Sensitivity to sunlight	
MMETỤTA IHE ANYANWỤ	
a. N'ime ụbọchị asaa gara aga, i nwere MBAWANYE na MMETỤTA N'ANỤ AHỤ MAKA IHE ANYANWỤ?	
<input type="radio"/> Ee	<input type="radio"/> Mba

35. PRO-CTCAE® Symptom Term: Bed/pressure sores	
ỌNYA SITERE N'INỌ ỌDỤ/IDINA N'OGOLOGO OGE	
a. N'ime ụbọchị asaa gara aga, i nwere ỌNYA SITERE N'INỌ ỌDỤ/IDINA N'OGOLOGO OGE?	
<input type="radio"/> Ee	<input type="radio"/> Mba

36. PRO-CTCAE® Symptom Term: Radiation skin reaction					
MMEGHACHỊ OMUME AHỤ NKE RADIESHỌN					
a. N'ime ụbọchị asaa gara aga, kedụ OKE ỊDỊ NJỌ nke NREKASI ANỤ AHỤ gị SITE NA ỌKỤ RADIESHON mgbe ọ KACHA NJỌ?					
<input type="radio"/> Onweghị	<input type="radio"/> Dị obere	<input type="radio"/> Ogafeghị oke	<input type="radio"/> Dị njọ	<input type="radio"/> Dị oke njọ	<input type="radio"/> Ọ metụtaghị

37. PRO-CTCAE® Symptom Term: Skin darkening	
ANỤ AHỤ ỊGBA OJI	
a. N'ime ụbọchị asaa gara aga, ọ nwere ka ANỤ AHỤ gị si GBAA OJI N'ỤZỌ ANA-ANAGHI AHUKEBE?	
<input type="radio"/> Ee	<input type="radio"/> No

38. PRO-CTCAE® Symptom Term: Stretch marks	
AKARA MAỌBỤ AKARA OGOLOGO NỌ N'ELU ANỤ AHỤ	
a. N'ime ụbọchị asaa gara aga, i nwere AKARA MAỌBỤ AKARA OGOLOGO NỌ N'ELU ANỤ AHỤ ọbụla?	
<input type="radio"/> Ee	<input type="radio"/> Mba

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

39. PRO-CTCAE® Symptom Term: Numbness & tingling				
NKUNWU AHU NA IRI IZIZI				
a. N'ime ubochi asaa gara aga, kedu OKÉ IDI NJỌ nke NKUNWU AHU MAQBỤ IRI IZIZI N'AKA GI MA Ọ BU N'UKWU GI mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghi	<input type="radio"/> Di obere	<input type="radio"/> Ogafeghi oke	<input type="radio"/> Di njo	<input type="radio"/> Di oke njo
b. N'ime ubochi asaa gara aga, olee ka NKUNWU AHU MAQBỤ IRI IZIZI N'AKA MA Ọ BU N'UKWU GI siri METUTA ihe omume ndi i na-emekari ma ọ bu ihe ndi i na-eme kwa ubochi?				
<input type="radio"/> Onweghi ma ncha	<input type="radio"/> Ntakiri	<input type="radio"/> Ditu	<input type="radio"/> Otutu	<input type="radio"/> Nnukwu

40. PRO-CTCAE® Symptom Term: Dizziness				
ANYA AJU				
a. N'ime ubochi asaa gara aga, kedu OKE IDI NJỌ nke ANYA AJU gi mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghi	<input type="radio"/> Di obere	<input type="radio"/> Ogafeghi oke	<input type="radio"/> Di njo	<input type="radio"/> Di oke njo
b. N'ime ubochi asaa gara aga, olee ka ANYA AJU siri METUTA ihe omume ndi i na-emekari ma ọ bu ihe ndi i naeme kwa ubochi?				
<input type="radio"/> Onweghi ma ncha	<input type="radio"/> Ntakiri	<input type="radio"/> Ditu	<input type="radio"/> Otutu	<input type="radio"/> Nnukwu

41. PRO-CTCAE® Symptom Term: Blurred vision				
AHUCHAGHI UZO NKE OMA				
a. N'ime ubochi asaa gara aga, kedu OKÉ IDI NJỌ nke AHUCHAGHI UZO NKE OMA gi mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghi	<input type="radio"/> Di obere	<input type="radio"/> Ogafeghi oke	<input type="radio"/> Di njo	<input type="radio"/> Di oke njo
b. N'ime ubochi asaa gara aga, olee ka AHUCHAGHI UZO NKE OMA siri METUTA ihe omume ndi i na-emekari ma ọ bu ihe ndi i na-eme kwa ubochi?				
<input type="radio"/> Onweghi ma ncha	<input type="radio"/> Ntakiri	<input type="radio"/> Ditu	<input type="radio"/> Otutu	<input type="radio"/> Nnukwu

42. PRO-CTCAE® Symptom Term: Flashing lights	
OKU NA-EGBUKE EGBUKE	
a. N'ime ubochi asaa gara aga, i nwere OKU NA-EGBUKE EGBUKE obula N'IHU ANYA GI?	
<input type="radio"/> Ee	<input type="radio"/> Mba

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

43. PRO-CTCAE® Symptom Term: Visual floaters	
NTỤPỌ N'AHỤMỤZỌ	
a. N'ime ụbọchị asaa gara aga, ị nwere NTỤPỌ MA Ọ BỤ AKARA ọbụla (NTỤPỌ GBARA ỌCHỊCHIRỊ NA-AGAFE N'IHU ANYA GI) NDỊ NA-AGAFE N'IHU ANYA GI?	
<input type="radio"/> Ee	<input type="radio"/> Mba

44. PRO-CTCAE® Symptom Term: Watery eyes				
ANYA MMIRI MMIRI				
a. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke ANYA MMIRI MMIRI gị (ANYA MMIRI ỊPỤTA NA-ANYA GI) mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghị	<input type="radio"/> Dị obere	<input type="radio"/> Ogafeghị oke	<input type="radio"/> Dị njọ	<input type="radio"/> Dị oke njọ
b. N'ime ụbọchị asaa gara aga, olee ka ANYA MMIRI MMIRI (ANYA MMIRI ỊPỤTA NA-ANYA GI) siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
<input type="radio"/> Onweghị ma ncha	<input type="radio"/> Ntakịrị	<input type="radio"/> Dịtu	<input type="radio"/> Otutu	<input type="radio"/> Nnukwu

45. PRO-CTCAE® Symptom Term: Ringing in ears				
MKPỌTỤ GRIN GRIN NA NTỊ				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke MKPỌTỤ GRIN GRIN NA NTỊ GI mgbe Ọ KACHA NJỌ?				
<input type="radio"/> Onweghị	<input type="radio"/> Dị obere	<input type="radio"/> Ogafeghị oke	<input type="radio"/> Dị njọ	<input type="radio"/> Dị oke njọ

46. PRO-CTCAE® Symptom Term: Concentration				
NTINYE UCHE				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke NSOGBU gị N'ITINYE UCHE N'IHE mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghị	<input type="radio"/> Dị obere	<input type="radio"/> Ogafeghị oke	<input type="radio"/> Dị njọ	<input type="radio"/> Dị oke njọ
b. N'ime ụbọchị asaa gara aga, olee ka NSOGBU N'ITINYE UCHE N'IHE siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
<input type="radio"/> Onweghị ma ncha	<input type="radio"/> Ntakịrị	<input type="radio"/> Dịtu	<input type="radio"/> Otutu	<input type="radio"/> Nnukwu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

47. PRO-CTCAE® Symptom Term: Memory				
NCHETA IHE				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke NSOGBU gị N'ICHETA IHE mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
b. N'ime ụbọchị asaa gara aga, olee ka NSOGBU N'ICHETA IHE siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtu	O Otutu	O Nnukwu

48. PRO-CTCAE® Symptom Term: General pain				
IHE MGBU N'AHỤ NILE				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere IHE MGBU?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakịrị ka ọ bụrụ mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke IHE MGBU gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
c. N'ime ụbọchị asaa gara aga, olee ka IHE MGBU siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtu	O Otutu	O Nnukwu

49. PRO-CTCAE® Symptom Term: Headache				
ISI ỌWỤWA				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere ISI ỌWỤWA?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakịrị ka ọ bụrụ mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke ISI ỌWỤWA gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
c. N'ime ụbọchị asaa gara aga, olee ka ISI ỌWỤWA siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtu	O Otutu	O Nnukwu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

50. PRO-CTCAE® Symptom Term: Muscle pain				
MGBU N'AKWARA				
a. N'ime ubochi asaa gara aga, UGBORO OLE ka i nwere MGBU N'AKWARA?				
O Onweghi mgbe	O Di ukọ	O Mgbe ufodu	O Otutu mgbe	O Foro ntakiri ka o buru mgbe niile
b. N'ime ubochi asaa gara aga, kedu OKÉ DI NJỌ nke MGBU N'AKWARA gi mgbe o KACHA NJỌ?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo
c. N'ime ubochi asaa gara aga, olee ka MGBU N'AKWARA siri METUTA ihe omume ndi i na-emekari ma o bu ihe ndi i na-eme kwa ubochi?				
O Onweghi ma ncha	O Ntakiri	O Ditu	O Otutu	O Nnukwu

51. PRO-CTCAE® Symptom Term: Joint pain				
MGBU NA MBIAKO OKPUKPU				
a. N'ime ubochi asaa gara aga, UGBORO OLE ka i nwere MGBU NA MBIAKO OKPUKPU gi (DIKA IKPERE AKA, IKPERE, UBU)?				
O Onweghi mgbe	O Di ukọ	O Mgbe ufodu	O Otutu mgbe	O Foro ntakiri ka o buru mgbe niile
b. N'ime ubochi asaa gara aga, kedu OKE DI NJỌ nke MGBU NA MBIAKO OKPUKPU gi (DIKA IKPERE AKA, IKPERE, UBU)? mgbe o KACHA NJỌ?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo
c. N'ime ubochi asaa gara aga, olee ka MGBU NA MBIAKO OKPUKPU (DIKA IKPERE AKA, IKPERE, UBU) siri METUTA ihe omume ndi i na-emekari ma o bu ihe ndi i na-eme kwa ubochi?				
O Onweghi ma ncha	O Ntakiri	O Ditu	O Otutu	O Nnukwu

52. PRO-CTCAE® Symptom Term: Insomnia				
ENWEGHI IKE IHI URA				
a. N'ime ubochi asaa gara aga, kedu OKÉ DI NJỌ nke ENWEGHI IKE IHI URA gi (GUNYERE NSOGBU N'IDA URA, INO N'URA, MA O BU ITETA NGWA NGWA) mgbe o KACHA NJỌ?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo
b. N'ime ubochi asaa gara aga, kedu etu ENWEGHI IKE IHI URA (GUNYERE NSOGBU N'IDA URA, INO N'URA, MA O BU ITETA NGWA NGWA) siri METUTA ihe omume ndi i na-emekari ma o bu ihe ndi i na-eme kwa ubochi?				
O Onweghi ma ncha	O Ntakiri	O Ditu	O Otutu	O Nnukwu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

53. PRO-CTCAE® Symptom Term: Fatigue				
IKE ỌGWỤGWỤ				
a. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke IKE ỌGWỤGWỤ gị, MA Ọ BỤ ENWEGHỊ IKE gị mgbe Ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
b. N'ime ụbọchị asaa gara aga, olee ka IKE ỌGWỤGWỤ, MA Ọ BỤ ENWEGHỊ IKE siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtụ	O Otutu	O Nnukwu

54. PRO-CTCAE® Symptom Term: Anxious				
NCHEGBU				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị na-eche NCHEGBU?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakịrị ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke NCHEGBU gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
c. N'ime ụbọchị asaa gara aga, olee ka NCHEGBU siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtụ	O Otutu	O Nnukwu

55. PRO-CTCAE® Symptom Term: Discouraged				
NKUDA MMUỌ				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka Ọ DỊ gị KA O NWEHỊ IHE NWERE IKE IKPALI MMUO INWE ỌNỤ GỊ?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakịrị ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke MMETỤTA gị NA O NWEHỊ IHE NWERE IKE IKPALI MMUO INWE ỌNỤ GỊ mgbe ọ KA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ
c. N'ime ụbọchị asaa gara aga, olee ka MMETỤTA NA O NWEHỊ IHE NWERE IKE IKPALI MMUO INWE ỌNỤ GỊ siri METỤTA ihe omume ndị ị na-emekarị ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
O Onweghị ma ncha	O Ntakịrị	O Dịtụ	O Otutu	O Nnukwu

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

56. PRO-CTCAE® Symptom Term: Sad				
OBI MWUTE				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka i nwere MMETỤTA OBI MWUTE MA Ọ BỤ ENWEGHỊ OBI ỤTỌ?				
<input type="radio"/> Onweghị mgbe	<input type="radio"/> Dị ụkọ	<input type="radio"/> Mgbe ụfọdụ	<input type="radio"/> Ọtụtụ mgbe	<input type="radio"/> Fọrọ ntakiri ka ọ bụrụ mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ ỊDỊ NJỌ nke MMETỤTA OBI MWUTE MA Ọ BỤ ENWEGHỊ OBI ỤTỌ gị mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghị	<input type="radio"/> Dị obere	<input type="radio"/> Ogafeghị oke	<input type="radio"/> Dị njọ	<input type="radio"/> Dị oke njọ
c. N'ime ụbọchị asaa gara aga, olee ka MMETỤTA OBI MWUTE MA Ọ BỤ ENWEGHỊ OBI ỤTỌ siri METỤTA ihe omume ndị ị na-emekari ma ọ bụ ihe ndị ị na-eme kwa ụbọchị?				
<input type="radio"/> Onweghị ma ncha	<input type="radio"/> Ntakiri	<input type="radio"/> Dịtu	<input type="radio"/> Otutu	<input type="radio"/> Nnukwu

57. PRO-CTCAE® Symptom Term: Irregular periods/vaginal bleeding		
NSỌ ANAGHỊ AHỤ MGBE O KWESIRI/ỌBARA ỌGBỤGBA NKE IKPU		
a. N'ime ụbọchị asaa gara aga, i nwere NSỌ NKE NA-ANAGHỊ AGBA MGBE O KWESIRI?		
<input type="radio"/> Ee	<input type="radio"/> Mba	<input type="radio"/> Ọ metụtaghị

58. PRO-CTCAE® Symptom Term: Missed expected menstrual period		
ENWETAGHỊ NSỌ MGBE A TỤRỤ ANYA YA		
a. N'ime ụbọchị asaa gara aga, o nwere NSỌ nke INWETAGHỊ OGE Ị TỤRỤ ANYA YA?		
<input type="radio"/> Ee	<input type="radio"/> Mba	<input type="radio"/> Ọ metụtaghị

59. PRO-CTCAE® Symptom Term: Vaginal discharge				
MGBAPỤSỊ MMIRI NKE IKPU				
a. N'ime ụbọchị asaa gara aga, ị nwere MMIRI ỌBỤLA ANA-ANAGHỊ AHỤKEBE NA-ESI N'IKPU APỤTA?				
<input type="radio"/> Onweghị ma ncha	<input type="radio"/> Ntakiri	<input type="radio"/> Dịtu	<input type="radio"/> Otutu	<input type="radio"/> Nnukwu

60. PRO-CTCAE® Symptom Term: Vaginal dryness				
IKPU KPỌRỌ NKỤ				
a. N'ime ụbọchị asaa gara aga, kedu OKE ỊDỊ NJỌ nke IKPỌ NKỤ NKE IKPU gị mgbe ọ KACHA NJỌ?				
<input type="radio"/> Onweghị	<input type="radio"/> Dị obere	<input type="radio"/> Ogafeghị oke	<input type="radio"/> Dị njọ	<input type="radio"/> Dị oke njọ

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

61. PRO-CTCAE® Symptom Term: Painful urination				
INYU MMAMIRI NKE NA-AFU UFU				
a. N'ime ubochi asaa gara aga, kedu OKÉ IDI NJỌ nke MGBU MA O BU IKPO OKU N'INYU MMAMIRI gi mgbe O KACHA NJO?				
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo

62. PRO-CTCAE® Symptom Term: Urinary urgency				
AGUU INYU MMAMIRI NGWA NGWA				
a. N'ime ubochi asaa gara aga, UGBORO OLE ka MAMIRI KPARA GI NA MBEREDE?				
O Onweghi mgbe	O Di ukọ	O Mgbe ufodu	O Otutu mgbe	O Foro ntakiri ka o buru mgbe niile
b. N'ime ubochi asaa gara aga, olee ka AGUU INYU MMAMIRI OZUGBO siri METUTA ihe omume ndi i na-emekari ma o bu ihe ndi i na-eme kwa ubochi?				
O Onweghi ma ncha	O Ntakiri	O Ditu	O Otutu	O Nnukwu

63. PRO-CTCAE® Symptom Term: Urinary frequency				
INYU MMAMIRI UGBORO UGBORO				
a. N'ime ubochi asaa gara aga, enwere mgbe i NA-ANYU MMAMIRI OTUTU MGBE?				
O Onweghi mgbe	O Di ukọ	O Mgbe ufodu	O Otutu mgbe	O Foro ntakiri ka o buru mgbe niile
b. N'ime ubochi asaa gara aga, olee ka INYU MMAMIRI OTUTU MGBE siri METUTA ihe omume ndi i na-emekari ma o bu ihe ndi i na-eme kwa ubochi?				
O Onweghi ma ncha	O Ntakiri	O Ditu	O Otutu	O Nnukwu

64. PRO-CTCAE® Symptom Term: Change in usual urine color	
MGBANWE N'ETU MMAMIRI SI ACHABU	
a. N'ime ubochi asaa gara aga, i nwere MGBANWE N'OTU MAMIRI gi SI ACHA?	
O Ee	O Mba

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

65. PRO-CTCAE® Symptom Term: Urinary incontinence				
ENWEGHI IKE IJIDE MMAMIRI				
a. N'ime ubochi asaa gara aga, UGBORO OLE ka I NWEIGHI IKE IJIDE MMAMIRI gi (MMAMIRI ISI N'AHU GI APUTA N'ENWEGHI NJIKWA)?				
O Onweghi mgbe	O Di ukọ	O Mgbe ufodu	O Otutu mgbe	O Foro ntakiri ka o buru mgbe niile
b. N'ime ubochi asaa gara aga, olee ka ENWEGHI IKE IJIDE MMAMIRI (MMAMIRI ISI N'AHU GI APUTA N'ENWEGHI NJIKWA) siri METUTA ihe omume ndi i na-emekari ma o bu ihe ndi i na-eme kwa ubochi?				
O Onweghi ma ncha	O Ntakiri	O Ditu	O Otutu	O Nnukwu

66. PRO-CTCAE® Symptom Term: Achieve and maintain erection						
AHU NWOKE IKWURU OTO MA NOGIDE						
a. N'ime ubochi asaa gara aga, kedụ OKE IDI NJO nke IME KA AMU GI KWURU OTO MA O BU KA O NOGIDE OTO mgbe o KACHA NJO?						
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo	O Anaghi eme mmekọahụ	O O masighim iza

67. PRO-CTCAE® Symptom Term: Ejaculation						
MGBAPUTA OBARA OCHA						
a. N'ime ubochi asaa gara aga, UGBORO OLE ka i nwere NSOGBU NA MGBAPUTA AMU?						
O Onweghi mgbe	O Di ukọ	O Mgbe ufodu	O Otutu mgbe	O Foro ntakiri ka o buru mgbe niile	O Anaghi eme mmekọahụ	O O masighim iza

68. PRO-CTCAE® Symptom Term: Decreased libido						
MBELATA AGUU NKE MMEKOHU						
a. N'ime ubochi asaa gara aga, kedụ OKE IDI NJO nke MBELATA N'AGUU gi INWE MMEKOHU NWOKE NA NWANYI mgbe o KACHA NJO?						
O Onweghi	O Di obere	O Ogafeghi oke	O Di njo	O Di oke njo	O Anaghi eme mmekọahụ	O O masighim iza

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

69. PRO-CTCAE® Symptom Term: Delayed orgasm			
NSOGBU N'INWE AFỌOJUJU NA MMEKỌ			
a. N'ime ụbọchị asaa gara aga, ọ dị gị ka i GBURU OKE OGE N'INWE AFỌ OJUJU NA MMEKỌAHỤ NWOKE NA NWANYI?			
O Ee	O Mba	O Anaghị eme mmekeahụ	O Ọ masighim iza

70. PRO-CTCAE® Symptom Term: Unable to have orgasm			
ENWEGHỊ IKE INWE AFỌOJUJU NA MMEKỌ			
a. N'ime ụbọchị asaa gara aga, ọ nwere mgbe I NWEGHỊ IKE INWE AFỌ OJUJU NA MMEKỌ NWOKE NA NWAANYI MA NCHA?			
O Ee	O Mba	O Anaghị eme mmekeahụ	O Ọ masighim iza

71. PRO-CTCAE® Symptom Term: Pain w/sexual intercourse						
MGBU N'OGHE MMEKỌAHỤ						
a. N'ime ụbọchị asaa gara aga, kedụ OKÉ IDỊ NJỌ nke MGBU I NA-ENWE N'AHỤ gị MGBE I NA-EME MMEKỌAHỤ IKPU mgbe ọ KACHA NJỌ?						
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ	O Anaghị eme mmekeahụ	O Ọ masighim iza

72. PRO-CTCAE® Symptom Term: Breast swelling and tenderness				
ỌZỊZA NA IDỊ NRO ARA				
a. N'ime ụbọchị asaa gara aga, kedụ OKÉ IDỊ NJỌ nke ỌZỊZA ARA MA Ọ BỤ IDỊ NRO ARA gị mgbe Ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

73. PRO-CTCAE® Symptom Term: Bruising	
MMERỤ AHỤ NA ANU AHU	
a. N'ime ụbọchị asaa gara aga, i MERURỤ AHỤ NA ANU AHU gị NA ỌSỊSỌ (AKARA CHARA OJI NA ANUNỤ ANUNỤ)?	
O Ee	O Mba

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

74. PRO-CTCAE® Symptom Term: Chills				
AKPATA OYI				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere AKPATA OYI MA Ọ BỤ AHỤ !MA GỊ JIJILI?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedụ OKÉ !DỊ NJỌ nke AKPATA OYI gị MA Ọ BỤ AHỤ !MA GỊ JIJILI mgbe Ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

75. PRO-CTCAE® Symptom Term: Increased sweating				
MBAWANYE ỌSỤSỌ				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere ỌSỤSỌ NKE ATỤGHỊ ANYA MAỌBU OKE ỌSỤSỌ N'OGHE EHIHIE MAỌBU ABALI (NKE EMETỤTAGHỊ OKPOMỌKỤ MBEREDE NKE AMAGHỊ ISI MMALITE)?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedụ OKÉ !DỊ NJỌ nke ỌSỤSỌ NKE ATỤGHỊ ANYA MAỌBU OKE ỌSỤSỌ N'EHIHIE MA Ọ BỤ N'ABALI (NKE EMETỤTAGHỊ OKPOMỌKỤ MBEREDE NKE AMAGHỊ ISI MMALITE) mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

76. PRO-CTCAE® Symptom Term: Decreased sweating	
MBELATA ỌSỤSỌ	
a. N'ime ụbọchị asaa gara aga, ị nwere MBELATA ỌSỤSỌ NKE ATỤGHỊ ANYA?	
O Ee	O Mba

77. PRO-CTCAE® Symptom Term: Hot flashes				
OKPOMỌKỤ MBEREDE				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka ị nwere OKPOMỌKỤ MBEREDE?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedụ OKE !DỊ NJỌ nke OKPOMỌKỤ MBEREDE gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njọ	O Dị oke njọ

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

78. PRO-CTCAE® Symptom Term: Nosebleed				
ỌBARA ỌGBỤGBA NKE IMI				
a. N'ime ụbọchị asaa gara aga, UGBORO OLE ka i nwere ỌBARA ỌGBỤGBA NKE IMI?				
O Onweghị mgbe	O Dị ụkọ	O Mgbe ụfọdụ	O Ọtụtụ mgbe	O Fọrọ ntakiri ka ọ buru mgbe niile
b. N'ime ụbọchị asaa gara aga, kedu OKÉ DỊ NJỌ nke ỌBARA ỌGBỤGBA NKE IMI gị mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njoy	O Dị oke njoy

79. PRO-CTCAE® Symptom Term: Pain and swelling at injection site		
MGBU NA ỌZỊZA EBE A GBARA ỌGWỤ		
a. N'ime ụbọchị asaa gara aga, i nwere MGBU ỌBỤLA, ỌZỊZA, MA Ọ BỤ CHA ỌBARA ỌBARA N'EBE Á GBARA ỌGWỤ OGBUGBA MA Ọ BỤ DIRIPU?		
O Ee	O Mba	O Ọ metụtaghị

80. PRO-CTCAE® Symptom Term: Body odor				
AJỌ ÍSÌ AHỤ				
a. N'ime ụbọchị asaa gara aga, kedu OKE DỊ NJỌ nke AHỤ gị ÍSÌ-ÍSÌ mgbe ọ KACHA NJỌ?				
O Onweghị	O Dị obere	O Ogafeghị oke	O Dị njoy	O Dị oke njoy

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.

NCI- PRO-CTCAE® ITEMS-IGBO

Item Library Version 1.0

OTHER SYMPTOMS	
MGBAAMA ỌRỊA NDỊ ỌZỌ	
Do you have any other symptoms that you wish to report?	
I nwere mgbaama ọrịa ndị ọzọ i chọrọ iko?	
<input type="radio"/> Yes	<input type="radio"/> No
<input type="radio"/> Ee	<input type="radio"/> Mba
Please list any other symptoms: Biko deputa mgbaama ọrịa ndị ọzọ ọbụla:	
1.	N'ime ụbọchị asaa gara aga, kedu ihe bụ OKÉ [DỊ] NJỌ nke mgbaama ọrịa a mgbe ọ KACHA NJỌ? <input type="radio"/> Onweghị <input type="radio"/> Dị obere <input type="radio"/> Ogafeghị oke <input type="radio"/> Dị njo <input type="radio"/> Dị oke njo
2.	N'ime ụbọchị asaa gara aga, kedu ihe bụ OKÉ [DỊ] NJỌ nke mgbaama ọrịa a mgbe ọ KACHA NJỌ? <input type="radio"/> Onweghị <input type="radio"/> Dị obere <input type="radio"/> Ogafeghị oke <input type="radio"/> Dị njo <input type="radio"/> Dị oke njo
3.	N'ime ụbọchị asaa gara aga, kedu ihe bụ OKÉ [DỊ] NJỌ nke mgbaama ọrịa a mgbe ọ KACHA NJỌ? <input type="radio"/> Onweghị <input type="radio"/> Dị obere <input type="radio"/> Ogafeghị oke <input type="radio"/> Dị njo <input type="radio"/> Dị oke njo
4.	N'ime ụbọchị asaa gara aga, kedu ihe bụ OKÉ [DỊ] NJỌ nke mgbaama ọrịa a mgbe ọ KACHA NJỌ? <input type="radio"/> Onweghị <input type="radio"/> Dị obere <input type="radio"/> Ogafeghị oke <input type="radio"/> Dị njo <input type="radio"/> Dị oke njo
5.	N'ime ụbọchị asaa gara aga, kedu ihe bụ OKÉ [DỊ] NJỌ nke mgbaama ọrịa a mgbe ọ KACHA NJỌ? <input type="radio"/> Onweghị <input type="radio"/> Dị obere <input type="radio"/> Ogafeghị oke <input type="radio"/> Dị njo <input type="radio"/> Dị oke njo

The PRO-CTCAE® items and information herein were developed by the Division of Cancer Control and Population Sciences in the NATIONAL CANCER INSTITUTE at the NATIONAL INSTITUTES OF HEALTH, in Bethesda, Maryland, U.S.A. Use of the PRO-CTCAE® is subject to NCI's Terms of Use.