### SEER-MEDICAID CANCER FILE DATA DICTIONARY

CASES DIAGNOSED IN 1999-2019\*

Submission: November 2021

Follow-up Cutoff Date: December 31, 2020

**Documentation Version:** February 2025

**Diagnosis Years:** 1975-2019

#### Notes:

- The Massachusetts, New York, Idaho, and Texas registry data were more recently added to the SEER program. Not all SEER variables are available for these registries. The variables that are available for these registries are indicated in the data dictionary if "Research Plus Limited-Field: Yes". There is no SEER death data for Massachusetts. All other registries have death data from SEER and Medicaid through 12/31/2020. Requestors will need to use only Medicaid Max/TAF files or a combination of the SEER and Medicaid Max/TAF files to determine death data across all registries; in the data provided, information from Medicaid or SEER has not been used to update the other data source.
- 2. Not all persons included in this Cancer File will have Medicaid data, please refer to the <u>MEDICAID FLAG variable (pg 130)</u> for more details.

PATIENT ID	7
SEER REGISTRY	7
SEER REGISTRY (WITH CA AND GA AS WHOLE STATES)	8
LOUISIANA 2005 – 1 <sup>ST</sup> VS 2 <sup>ND</sup> HALF OF THE YEAR	9
MARITAL STATUS AT DIAGNOSIS	9
RACE/ETHNICITY	. 10
SEX	. 11
AGE RECODE WITH SINGLE AGES AND 100+	. 11
AGE RECODE WITH SINGLE AGES AND 85+	. 11
SEQUENCE NUMBER	. 12
MONTH OF DIAGNOSIS	
YEAR OF DIAGNOSIS	. 13
COC ACCREDITED FLAG (2018+)	. 13
MONTH OF DIAGNOSIS RECODE	
PRIMARY SITE	. 14
LATERALITY	. 15
HISTOLOGY ICD-O-2	. 16
BEHAVIOR CODE ICD-O-2	
HISTOLOGIC TYPE ICD-O-3	
BEHAVIOR CODE ICD-O-3	
GRADE (THRU 2017)	
SCHEMA ID (2018+)	
GRADE CLINICAL (2018+)	
GRADE PATHOLOGICAL (2018+)	
DIAGNOSTIC CONFIRMATION	
TYPE OF REPORTING SOURCE	
EOD 10— SIZE (1988-2003)	. 22
EOD 10—EXTENT (1988-2003)	
EOD 10—PROSTATE PATH EXT (1995-2003)	
EOD 10—NODES (1995-2003)	
REGIONAL NODES POSITIVE (1988+)	
REGIONAL NODES EXAMINED (1988+)	
EXPANDED EOD $(1)$ – EXPANDED EOD $(13)$	
EOD 4 – SIZE (1983-1987)	
EOD 4 – EXTENT (1983-1987)	
EOD 4 – NODES (1983-1987)	
CODING SYSTEM – EOD (1973-2003)	26
TUMOR MARKER 1 (1990-2003)	. 26
TUMOR MARKER 2 (1990-2003)	
TUMOR MARKER 3 (1998-2003)	
CS TUMOR SIZE (2004-2015)	
CS EXTENSION (2004-2015)	
CS LYMPH NODES (2004-2015)	
CS METS AT DX (2004-2015)	
CS SITE-SPECIFIC FACTOR 1 (2004-2017 VARYING BY SCHEMA)	32
CS SITE-SPECIFIC FACTOR 2 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 3 (2004-2017 VARIANO BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 4 (2004-2017 VARIANO BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 5 (2004-2017 VARIANO BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 6 (2004-2017 VARIANO BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 7 (2004-2017 VARTING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 8 (2004-2017 VARTING BY SCHEMA)	
COSTE STESTESTESTESTESTESTESTESTESTESTESTESTES	57

CS SITE-SPECIFIC FACTOR 9 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 10 (2004-2017 VARYING BY SCHEMA)	35
CS SITE-SPECIFIC FACTOR 11 (2004-2017 VARYING BY SCHEMA)	
CS SITE-SPECIFIC FACTOR 12 (2004-2017 VARYING BY SCHEMA)	35
CS SITE-SPECIFIC FACTOR 13 (2004-2017 VARYING BY SCHEMA)	36
CS SITE-SPECIFIC FACTOR 15 (2004-2017 VARYING BY SCHEMA)	36
CS SITE-SPECIFIC FACTOR 16 (2004-2017 VARYING BY SCHEMA)	36
CS SITE-SPECIFIC FACTOR 25 (2004-2017 VARYING BY SCHEMA)	37
DERIVED AJCC T, 6 <sup>™</sup> ED (2004-2015)	
DERIVED AJCC N, 6 <sup>TH</sup> ED (2004-2015)	39
DERIVED AJCC M, 6 <sup>TH</sup> ED (2004-2015)	
DERIVED AJCC STAGE GROUP, 6 <sup>TH</sup> ED (2004-2015)	40
SEER COMBINED SUMMARY STAGE 2000 (2004-2017)	42
COMBINED SUMMARY STAGE (2004+)	42
CS VERSION INPUT ORIGINAL (2004-2015)	42
CS VERSION DERIVED (2004-2015)	
CS VERSION INPUT CURRENT (2004-2015)	
RX SUMM—SURG PRIM SITE (1998+)	44
RX SUMM—SCOPE REG LN SUR (2003+)	
RX SUMM-SURG OTH REG/DIS (2003+)	
RX SUMM-REG LN EXAMINED (1998-2002)	
RX SUMM-SYSTEMIC SUR SEQ	
RX SUMMSURG/RAD SEQ	47
REASON NO CANCER-DIRECTED SURGERY	
RADIATION RECODE	49
CHEMOTHERAPY RECODE (YES, NO/UNK)	49
SITE SPECIFIC SURGERY (1973-1997 VARYING DETAIL BY YEAR AND SITE)	50
SCOPE OF REG LYMPH ND SURG (1998-2002)	50
SURGERY OF OTH REG/DIS SITES (1998-2002)	51
RECORD NUMBER RECODE	51
	52
AGE RECODE WITH <1 YEAR OLDS	
AGE RECODE WITH <1 YEAR OLDS SITE RECODE ICD-O-3/WHO 2008	53
SITE RECODE ICD-O-3/WHO 2008	53
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS	53 54
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS	53 54 55
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017	53 54 55 57 58
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017	53 54 55 57 58
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS	53 54 55 57 58 58 63
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS v0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER)	53 54 55 57 58 58 63 64
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS ICCC SITE RECODE —BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS v0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API)	53 54 55 57 58 58 63 64 64
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS V0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP)	53 54 55 57 58 63 64 64 65
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS v0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC)	53 54 55 57 58 63 64 64 65 65
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS V0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015)	53 54 55 57 58 58 63 64 65 65 66
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS V0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015) AJCC STAGE 3 <sup>RD</sup> EDITION (1988-2003)	53 54 55 57 58 63 64 64 65 65 66 66
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS v0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015) AJCC STAGE 3 <sup>RD</sup> EDITION (1988-2003) SEER MODIFIED AJCC STAGE 3 <sup>RD</sup> ED (1988-2003)	53 54 55 57 58 63 64 64 65 65 66 66 67
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS v0204+ SCHEMA (THRU 2017) TNM 7/CS v0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015) AJCC STAGE 3 <sup>RD</sup> EDITION (1988-2003) SEER MODIFIED AJCC STAGE 3 <sup>RD</sup> ED (1988-2003) FIRST MALIGNANT PRIMARY INDICATOR	53 54 55 57 58 58 63 64 64 65 65 66 66 67 67
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE—BROAD GROUPINGS HISTOLOGY RECODE—BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS v0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015) AJCC STAGE 3 <sup>RD</sup> EDITION (1988-2003) SEER MODIFIED AJCC STAGE 3 <sup>RD</sup> ED (1988-2003) FIRST MALIGNANT PRIMARY INDICATOR STATE-COUNTY.	$\begin{array}{c} 53\\ 54\\ 55\\ 57\\ 58\\ 63\\ 64\\ 64\\ 65\\ 66\\ 66\\ 67\\ 67\\ 67\\ 67\end{array}$
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE — BROAD GROUPINGS HISTOLOGY RECODE — BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS V0204+ SCHEMA (THRU 2017). TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015) AJCC STAGE 3 <sup>RD</sup> EDITION (1988-2003) SEER MODIFIED AJCC STAGE 3 <sup>RD</sup> ED (1988-2003) FIRST MALIGNANT PRIMARY INDICATOR STATE-COUNTY. COUNTY ATRRIBUTES	$\begin{array}{c} 53\\ 54\\ 55\\ 57\\ 58\\ 63\\ 64\\ 65\\ 66\\ 66\\ 67\\ 67\\ 67\\ 68\\ \end{array}$
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE — BROAD GROUPINGS ICCC SITE RECODE — BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS v0204+ SCHEMA (THRU 2017) TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015) AJCC STAGE 3 <sup>RD</sup> EDITION (1988-2003) SEER MODIFIED AJCC STAGE 3 <sup>RD</sup> ED (1988-2003) FIRST MALIGNANT PRIMARY INDICATOR STATE-COUNTY COUNTY ATRRIBUTES PRCDA 2017	$\begin{array}{c} 53\\ 54\\ 55\\ 57\\ 58\\ 63\\ 64\\ 65\\ 66\\ 67\\ 67\\ 67\\ 68\\ 68\end{array}$
SITE RECODE ICD-O-3/WHO 2008 SITE RECODE – RARE TUMORS BEHAVIOR RECODE FOR ANALYSIS HISTOLOGY RECODE — BROAD GROUPINGS HISTOLOGY RECODE — BRAIN GROUPINGS ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017 TNM 7/CS V0204+ SCHEMA (THRU 2017). TNM 7/CS V0204+ SCHEMA RECODE RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (WHITE, BLACK, OTHER) RACE RECODE (W, B, AI, API) ORIGIN RECODE NHIA (HISPANIC, NON-HISP) RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC) SEER HISTORIC STAGE A (1973-2015) AJCC STAGE 3 <sup>RD</sup> EDITION (1988-2003) SEER MODIFIED AJCC STAGE 3 <sup>RD</sup> ED (1988-2003) FIRST MALIGNANT PRIMARY INDICATOR STATE-COUNTY. COUNTY ATRRIBUTES	$\begin{array}{c} 53\\ 54\\ 55\\ 57\\ 58\\ 63\\ 64\\ 65\\ 66\\ 66\\ 67\\ 67\\ 67\\ 67\\ 68\\ 68\\ 69\\ \end{array}$

COD TO SITE REC KM	70
VITAL STATUS RECODE (STUDY CUTOFF USED)	70
IHS LINK	70
SUMMARY STAGE 2000 (1998-2017)	71
AYA SITE RECODE/WHO 2008	
AYA SITE RECODE 2020 REVISION	71
LYMPHOID NEOPLASM RECODE 2021 REVISION	72
LYMPHOMA SUBTYPE RECODE/WHO 2008 (THRU 2017)	72
SEER BRAIN AND CNS RECODE	73
ICCC SITE RECODE 3RD EDITION/IARC 2017	73
SEER CAUSE-SPECIFIC DEATH CLASSIFICATION	73
SEER OTHER CAUSE OF DEATH CLASSIFICATION	74
CS TUMOR SIZE/EXT EVAL (2004-2015)	74
CS REG NODE EVAL (2004-2015)	
CS METS EVAL (2004-2015)	
PRIMARY BY INTERNATIONAL RULES	
ER STATUS RECODE BREAST CANCER (1990+)	75
PR STATUS RECODE BREAST CANCER (1990+)	
CS SCHEMA—AJCC 6 <sup>TH</sup> EDITION.	76
LYMPH-VASCULAR INVASION (2004+ VARYING BY SCHEMA)	79
SURVIVAL MONTHS	79
SURVIVAL MONTHS FLAG	
DERIVED AJCC T, 7 <sup>TH</sup> ED (2010-2015)	
DERIVED AJCC N, 7 <sup>TH</sup> ED (2010-2015)	
DERIVED AJCC M, 7 <sup>TH</sup> ED (2010-2015)	
DERIVED AJCC STAGE GROUP, 7 <sup>TH</sup> ED (2010-2015)	
BREAST—ADJUSTED AJCC 6 <sup>TH</sup> T (1988-2015)	86
BREAST—ADJUSTED AJCC 6 <sup>TH</sup> N (1988-2015)	87
BREAST—ADJUSTED AJCC 6 <sup>TH</sup> M (1988-2015)	
BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015)	
DERIVED HER2 RECODE (2010+)	
BREAST SUBTYPE (2010+)	
LYMPHOMAS: ANN ARBOR STAGING (1983-2015)	
SEER COMBINED METS AT DX-BONE (2010+)	
SEER COMBINED METS AT DX-BRAIN (2010+)	
SEER COMBINED METS AT DX-LIVER (2010+)	
SEER COMBINED METS AT DX-LUNG (2010+)	93
T VALUE - BASED ON AJCC 3rd (1988-2003)	94
N VALUE - BASED ON AJCC 3RD (1988-2003)	
M VALUE - BASED ON AJCC 3rd (1988-2003)	
TOTAL NUMBER OF IN SITU/MALIGNANT TUMORS FOR PATIENT	
TOTAL NUMBER OF BENIGN/BORDERLINE TUMORS FOR PATIENT	
RADIATION TO BRAIN OR CNS RECODE (1988-1997)	
TUMOR SIZE SUMMARY (2016+)	
DERIVED SEER CMB STG GRP (2016-2017)	.96
DERIVED SEER COMBINED T (2016-2017)	96
DERIVED SEER COMBINED N (2016-2017)	97
DERIVED SEER COMBINED M (2016-2017)	97
DERIVED SEER COMBINED T SRC (2016-2017)	97
DERIVED SEER COMBINED N SRC (2016-2017)	
DERIVED SEER COMBINED M SRC (2016-2017)	
TNM EDITION NUMBER (2016-2017)	

METS AT DX—DISTANT LN (2016+)	99
METS AT DX—OTHER (2016+)	
AJCC ID (2018+)	100
EOD SCHEMA ID RECODE (2010+)	101
DERIVED EOD 2018 T (2018+)	101
DERIVED EOD 2018 N (2018+)	101
DERIVED EOD 2018 M (2018+)	
DERIVED EOD 2018 STAGE GROUP (2018+)	
EOD PRIMARY TUMOR (2018+)	102
EOD REGIONAL NODES (2018+)	102
EOD METS (2018+)	102
MONTHS FROM DIAGNOSIS TO TREATMENT.	103
CENSUS TRACT 1970/1980/1990	
CENSUS TRACT 2000	
CENSUS TRACT 2010	
CODING SYSTEM FOR CENSUS TRACT 1970/80/90	
CENSUS TRACT CERTAINTY 1970/80/90	
CENSUS TRACT CERTAINTY 2000.	105
CENSUS TRACT CERTAINTY 2010	
RURAL URBAN CONTINUUM 1993	
RURAL URBAN CONTINUUM 2003	
RURAL URBAN CONTINUUM 2013	
HEALTH SERVICE AREA	
HEALTH SERVICE AREA NCI MODIFIED	
COUNTY AT DX GEOCODE 1990	
COUNTY AT DX GEOCODE 2000	
COUNTY AT DX GEOCODE 2010	
DERIVED SS1977FLAG	
DERIVED SS2000FLAG	
RX SUMM—RADIATION	
RADIATION TO BRAIN OR CNS (1988-1997)	
SEER DATE OF DEATH	
SEER DATE OF FOLLOW-UP RECODE	
YEAR OF BIRTH	
DATE OF DIAGNOSIS FLAG	-
DATE OF THERAPY STARTED FLAG	
DATE OF BIRTH FLAG	
DATE OF LAST FOLLOW-UP FLAG	
DATE THERAPY STARTED	
RX SUMMOTHER	
DERIVED AJCC—FLAG	-
DERIVED SS1977	
DERIVED \$\$2000	
SEER SUMMARY STAGE 1977	
SEER SUMMARY STAGE 2000	
PRIMARY PAYER AT DX	
RECODE ICD-O-2 TO 9	
RECODE ICD-0-2 TO 10	
NHIA DERIVED HISPANIC ORIGIN	
OVER-RIDE AGE/SITE/MORPH	
OVER-RIDE AGE/SITE/MORPH OVER-RIDE SEQNO/DXCONF	
OVER-RIDE SIT/LAT/SEQNO	121

OVER-RIDE SURG/DXCONF	121
OVER-RIDE SITE/TYPE	122
OVER-RIDE HISTOLOGY	122
OVER-RIDE REPORT SOURCE	122
OVER-RIDE ILL-DEFINE SITE	122
OVER-RIDE LEUK, LYMPHOMA	123
OVER-RIDE SITE/BEHAVIOR	123
OVER-RIDE SITE/EOD/DX DT	123
OVER-RIDE SITE/LAT/EOD	124
OVER-RIDE SITE/LAT/MORPH	124
SUMMARY STAGE 2000	
INSURANCE RECODE 2007+	125
YOST (ACS 2006-2010)	125
YOST (ACS 2010-2014)	126
YOST (ACS 2013-2017)	
YOST (ACS 2006-2010) – STATE BASED	
YOST (ACS 2010-2014) – STATE BASED	126
YOST (ACS 2013-2017) – STATE BASED	
YOST (ACS 2006-2010) QUINTILE	
YOST (ACS 2010-2014) QUINTILE	
YOST (ACS 2013-2017) QUINTILE	
YOST (ACS 2006-2010) – STATE BASED QUINTILE	
YOST (ACS 2010-2014) – STATE BASED QUINTILE	128
YOST (ACS 2013-2017) – STATE BASED QUINTILE	
BRAIN MOLECULAR MARKERS 2018	-
SITE-SPECIFIC DATA ITEMS (SSDI)	
MEDICAID FLAG	
DATE OF DEATH FLAG CREATED	
DATE OF BIRTH FLAG CREATED	
ONCOTYPE DX BREAST RECURRENCE SCORE	
ONCOTYPE DX RS GROUP (RS < 18, RS 18-30, RS > 30)	
ONCOTYPE DX REASON NO SCORE LINKED	
ONCOTYPE DX DELIVERED DATE	
ONCOTYPE DX MONTHS SINCE DIAGNOSIS	133

#### **PATIENT ID**

## NAACCR Item #: 20 SAS Variable Name: Patient\_ID Research Plus Limited-Field: Yes

*Field Description:* This field is used to uniquely identify a person. One person can have multiple primaries but the same Patient ID. See the sequence number for more information about the primary. This is a dummy number and is not the number used by the registry to identify the patient. The same number is not used across all submissions for each patient.

### SEER REGISTRY

## NAACCR Item #: 40 SAS Variable Name: SEER\_registry Research Plus Limited-Field: Yes

*Field Description:* A unique code assigned to each participating SEER registry. The number identifies the registry sending the record and what population the data are based on. **Only the last two digits are in the file.** 

Code Description		
	*	
0000001501	San Francisco-Oakland SMSA (1975+)	
0000001502	Connecticut (1975+)	
0000001520	Metropolitan Detroit (1975+)	
0000001521	Hawaii (1975+)	
0000001522	Iowa (1975+)	
0000001523	New Mexico (1975+)	
0000001525	Seattle (Puget Sound) (1975+)	
0000001526	Utah (1975+)	
0000001527	Metropolitan Atlanta (1975+)	
0000001531	San Jose-Monterey (1992+)	
0000001535	Los Angeles (1992+)	
0000001537	Rural Georgia (1992+)	
0000001541	Greater California (excl. SF, Los Ang. & SJ) (2000+)	
0000001542	Kentucky (2000+)	
0000001543	Louisiana (2000+)	
0000001544	New Jersey (2000+)	
0000001547	Greater Georgia (excluding AT and RG)	
0000001561	Idaho* (2000+)	
0000001562	New York* (2000+)	
0000001563	Massachusetts* (2000+)	
0000001566	Texas* (2000+)	

(Year in parentheses refers to first diagnosis year of data available) \*Note: Registry data only available in limited-field databases.

# SEER REGISTRY (WITH CA AND GA AS WHOLE STATES)

### NAACCR Item #: N/A SAS Variable Name: SEERregistrywithCAandGAaswholes Research Plus Limited-Field: Yes

*Field Description:* SEER registries from California and Georgia are combined into state-level groupings representing those two entire states. This is the only geographic indicator available for analysis at the individual level.

Code	Description
06	California
09	Connecticut
13	Georgia
15	Hawaii
16	Idaho
19	Iowa
21	Kentucky
22	Louisiana
25	Massachusetts
26	Detroit (Metropolitan)
34	New Jersey
35	New Mexico
36	New York
48	Texas
49	Utah
53	Seattle (Puget Sound)

# LOUISIANA 2005 – $1^{ST}$ VS $2^{ND}$ HALF OF THE YEAR

### NAACCR Item #: N/A SAS Variable Name: Louisiana20051stvs2ndhalfofyear Research Plus Limited-Field: Yes

*Field Description:* This variable can be used to distinguish cases diagnosed in Louisiana between July and December of 2005, when reporting may have been affected by hurricanes Katrina and Rita.

Code	Description
0	Not applicable (not 2005 Louisiana)
1	Louisiana: January-June (includes unknown) 2005
2	Louisiana: July-December 2005

# MARITAL STATUS AT DIAGNOSIS

## NAACCR Item #: 150 SAS Variable Name: Marital\_status\_at\_diagnosis Research Plus Limited-Field: No

*Field Description:* This data item identifies the patient's marital status at the time of diagnosis for the reportable tumor.

Code	Description
1	Single (never married)
2	Married (including common law)
3	Separated
4	Divorced
5	Widowed
6	Unmarried or domestic partner (same sex or opposite sex or unregistered)
9	Unknown
14	Blank

### **RACE/ETHNICITY**

### NAACCR Item #: N/A SAS Variable Name: Race\_ethnicity Research Plus Limited-Field: Yes

*Field Description:* Recode which gives priority to non-white races for persons of mixed races. Note that not all codes were in effect for all years.

Code	Description	
01	White	
02	Black	
03	American Indian, Aleutian, Alaskan Native or Eskimo	
	(includes all indigenous populations of the Western	
	hemisphere)	
04	Chinese	
05	Japanese	
06	Filipino	
07	Hawaiian	
08	Korean (Effective with 1/1/1988 dx)	
10	Vietnamese (Effective with $1/1/1988 dx$ )	
11	Laotian (Effective with $1/1/1988 dx$ )	
12	Hmong (Effective with $1/1/1988 dx$ )	
13	Kampuchean (including Khmer and Cambodian) (Effective	
	with 1/1/1988 dx)	
14	Thai (Effective with $1/1/1994 dx$ )	
15	Asian Indian or Pakistani, NOS (Effective with 1/1/1988 dx)	
16	Asian Indian (Effective with $1/1/2010 dx$ )	
17	Pakistani (Effective with 1/1/2010 dx)	
20	Micronesian, NOS (Effective with 1/1/1991)	
21	Chamorran (Effective with 1/1/1991 dx)	
22	Guamanian, NOS (Effective with 1/1/1991 dx)	
25	Polynesian, NOS (Effective with 1/1/1991 dx)	
26	Tahitian (Effective with 1/1/1991 dx)	
27	Samoan (Effective with 1/1/1991 dx)	
28	Tongan (Effective with $1/1/1991 dx$ )	
30	Melanesian, NOS (Effective with $1/1/1991 dx$ )	
31	Fiji Islander (Effective with 1/1/1991 dx)	
32	New Guinean (Effective with 1/1/1991 dx)	
96	Other Asian, including Asian, NOS and Oriental, NOS	
	(Effective with $1/1/1991 dx$ )	
97	Pacific Islander, NOS (Effective with 1/1/1991 dx)	
98	Other	
99	Unknown	

SEER Participants San Francisco, San Jose-Monterey, and Los Angeles are permitted to use codes 14 and 20-97 for cases diagnosed after January 1, 1987. Greater California is permitted to use codes 14 and 20-97 for cases diagnosed after January 1, 1988. Other SEER participants may choose to recode cases diagnosed prior to 1991 using 14 and 20-97 if all cases in the following race codes are reviewed: 96 Other Asian; 97 Pacific Islander, NOS; 98 Other; and 99 unknown.

### SEX

## NAACCR Item #: 220 SAS Variable Name: Sex Research Plus Limited-Field: Yes

Field Description: This data item identifies the sex of the patient at diagnosis.

Code	Description	
1	Male	
2	Female	
9	Not stated (unknown)	

### AGE RECODE WITH SINGLE AGES AND 100+

### NAACCR Item #: N/A SAS Variable Name: Agerecodewithsingleages\_and\_100 Research Plus Limited-Field: Yes

*Field Description:* This data item represents the age of the patient at diagnosis **for this cancer**. The code is three digits and represents the patient's actual age in years up to age 99. Age 100 and over are grouped as 100+.

Code	Description
000-099	Actual age in years
100	100+ years
127	Unknown age

### AGE RECODE WITH SINGLE AGES AND 85+

## NAACCR Item #: N/A SAS Variable Name: Agerecodewithsingle\_ages\_and\_85 Research Plus Limited-Field: Yes

*Field Description:* This data item represents the age of the patient at diagnosis **for this cancer**. The code is three digits and represents the patient's actual age in years up to age 84. Age 85 and over are grouped as 85+.

Code	Description
000-084	Actual age in years
85	85+ years
127	Unknown age

### **SEQUENCE NUMBER**

### NAACCR Item #: 380 SAS Variable Name: Sequence\_number Research Plus Limited-Field: Yes

*Field Description:* Sequence Number-Central describes the number and sequence of all reportable malignant, in situ, benign, and borderline primary tumors, which occur over the lifetime of a patient. The sequence number may change over the lifetime of the patient. If an individual previously diagnosed with a single reportable malignant neoplasm is subsequently diagnosed with a second reportable malignant neoplasm, the sequence code for the first neoplasm changes from 00 to 01.

This sequence number counts all tumors that were reportable in the year they were diagnosed even if the tumors occurred before the registry existed, or before the registry participated in the SEER Program. The purpose of sequencing based on the patient's *lifetime* is to truly identify the patients for survival analysis who only had one malignant primary in their lifetimes.

Code	Description
00	One primary only in the patient's lifetime
01	First of two or more primaries
02	Second of two or more primaries
	(Actual number of this primary)
59	Fifty-ninth of fifty-nine or more primaries
99	Unspecified or unknown sequence number of Federally required in situ or malignant tumors. Sequence number 99 can be used if there is a malignant tumor and its sequence number is unknown. (If there is known to be more than one malignant tumor, then the tumors must be sequenced.)

#### In Situ/Malignant as Federally Required based on Diagnosis Year

#### Non-malignant Tumor as Federally Required based on Diagnosis Year

Code	Description
60	Only one non-malignant tumor or central registry-defined neoplasm
61	First of two or more non-malignant tumors or central registry-defined neoplasms
62	Second of two or more non-malignant tumors or central registry-defined neoplasms
87	Twenty-seventh of twenty-seven
88	Unspecified or unknown sequence number of non-malignant tumor or central-registry defined neoplasms. (Sequence number 88 can be used if there is a non-malignant tumor and its sequence number is unknown. If there is known to be more than one non-malignant tumor, then the tumors must be sequenced.)

#### **MONTH OF DIAGNOSIS**

### NAACCR Item #: 390 SAS Variable Name: Month\_of\_diagnosis Research Plus Limited-Field: Yes

*Field Description:* The month of diagnosis is the month the tumor was first diagnosed by a recognized medical practitioner, whether clinically or microscopically confirmed.

 $\frac{\text{Allowable values}}{\text{MM} = 01 - 12}$ 14=Blank

## YEAR OF DIAGNOSIS

### NAACCR Item #: 390 SAS Variable Name: Year\_of\_diagnosis Research Plus Limited-Field: Yes

*Field Description:* The year of diagnosis is the year the tumor was first diagnosed by a recognized medical practitioner, whether clinically or microscopically confirmed.

 $\frac{\text{Allowable values}}{\text{YYYY} = 1975 - \text{forward}}$ 

### COC ACCREDITED FLAG (2018+)

NAACCR Item #: 2152 SAS Variable Name: CoC\_Accredited\_Flag\_2018 Research Plus Limited-Field: Yes

*Field Description:* CoC Accredited Flag is assigned at the point and time of data abstraction to label an abstract being prepared for an analytic cancer case at a facility accredited by the Commission on Cancer (CoC). The flag may be assigned manually or can be defaulted by the registry's software.

#### MONTH OF DIAGNOSIS RECODE

### NAACCR Item #: N/A SAS Variable Name: Month\_of\_diagnosis\_recode Research Plus Limited-Field: Yes

*Field Description:* This field uses other known data points to input unknown month of diagnosis.

Code	Description
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

#### **PRIMARY SITE**

### NAACCR Item #: 400 SAS Variable Name: Primary\_Site Research Plus Limited-Field: Yes

*Field Description:* This data item identifies the site in which the primary tumor originated. See the *International Classification of Diseases for Oncology,* Third Edition (ICD-O-3) for topography codes. The decimal point is eliminated.

Cases diagnosed 1977-1991 were coded using the *International Classification of Diseases for Oncology*, 1976 Edition (ICD-O-1976). Prior to 1977 diagnoses, cases were coded using the *Manual of Tumor Nomenclature and Coding*, 1968 (MOTNAC).

All cases 1975-1991 were machine-converted to ICD-O-2 codes without complete hand review.

# LATERALITY

# NAACCR Item #: 410 SAS Variable Name: Laterality Research Plus Limited-Field: Yes

*Field Description:* Laterality describes the side of a paired organ or side of the body on which the reportable tumor originated. Starting with cases diagnosed January 1, 2004 and later, laterality is coded for select invasive, benign, and borderline primary intracranial and CNS tumors.

See <u>http://seer.cancer.gov/manuals/primsite.laterality.pdf</u> for a list of sites for which SEER requires information on laterality.

Code	Description
0	Not a paired site
1	Right: origin of primary
2	Left: origin of primary
3	Only one side involved, right or left origin unspecified
4	Bilateral involvement, lateral origin unknown; stated to be single primary
	• Both ovaries involved simultaneously, single histology
	Bilateral retinoblastomas
	Bilateral Wilms's tumors
5	Paired site: midline tumor
9	Paired site, but no information concerning laterality; midline tumor

### HISTOLOGY ICD-O-2

# NAACCR Item #: 420 SAS Variable Name: Histology\_ICD\_O\_2 Research Plus Limited-Field: No

## *Field Description:* NOTE: ALL CASES DIAGNOSED 1975-91 HAVE BEEN CONVERTED TO THE *INTERNATIONAL CLASSIFICATION OF DISEASES FOR ONCOLOGY*, SECOND EDITION (ICD-O-2, 1992).

The SEER program has used several different, but related, coding systems for morphology over time. One should be extremely careful when doing any analysis of trends related to morphology. It is suggested that these analyses start with diagnoses no earlier than 1977 and that special attention be paid to the changes for 1986-91 cases due to the use of the *International Classification of Disease for Oncology, Field Trial Edition, March 1988* and for 1992+ cases due to the use of ICD-O-2.

Analyses of morphology data are usually limited to microscopically confirmed cases only.

#### HISTOLOGY CODING

#### FOR CASES DIAGNOSED 1975-85:

Histologic types are defined in the morphology section of the *International Classification of Diseases for Oncology*, 1976 Edition (ICD-O, 1976). However prior to the introduction of ICD-O, 1976, morphology was coded using the *Manual of Tumor Nomenclature and Coding*, 1968 (MOTNAC). With the introduction of ICD-O, 1976, all cases previously coded using MOTNAC were machine converted without hand review using the conversion table, *Conversion of Morphology Sections (neoplasms) of 1968 Manual of Tumor Nomenclature and Coding (MOTNAC) and 1965 Systematized Nomenclature of Pathology (SNOP) to 1976 International Classification of Diseases for Oncology*, developed by Constance Percy. The morphology codes of ICD-O, 1976, are more specific than those of MOTNAC. Thus, less detailed information on morphology is available for cases diagnosed 1975-76. For example, when using MOTNAC large cell carcinoma is included with carcinoma, not otherwise specified (NOS); when using ICD-O, 1976, large cell carcinoma is a separate entity having its own code. All have been machine converted to ICD-O.2.

(Continued on next page)

# (Continued from HISTOLOGY ICD-O-2)

## FOR CASES DIAGNOSED 1975-85:

In addition, the following special morphology codes were used by the SEER Program:

Breast — All years

Code	Description
8522/3	Infiltrating duct carcinoma and lobular carcinoma
8523/3	Infiltrating duct carcinoma and lobular carcinoma in situ
8524/3	Intraductal carcinoma and lobular carcinoma
8522/2	Intraductal carcinoma and lobular carcinoma in situ
8543/3	Paget's disease with intraductal carcinoma

All sites — Introduced for coding in approximately 1982

Code	Description
9616/3	Lennert's lymphoma
9624/3	Malignant lymphoma, large cell, cleaved, diffuse
9634/3	Malignant lymphoma, large cell, non-cleaved, diffuse
9723/3	True histiocytic lymphoma

# FOR CASES DIAGNOSED 1986-91:

Histologic types are defined in the morphology section of the *International Classification of Diseases for Oncology, Field Trial Edition, 1986* (ICD-O FT). (This volume is no longer available. It was replaced by the *International Classification of Diseases for Oncology, Field Trial Edition, March 1988* (ICD-O FT 1988). Pages i-vi, 23 of the latter volume list the differences between the two Field Trials, present a summary of the changes to ICD-O, 1976, and define the symbols used in the morphology section. These were converted to ICD-O-2.

### FOR CASES DIAGNOSED 1992-2000:

Histologic types are defined in the morphology section of ICD-O-2. See pages 137+ in ICD-O-2 for additions and changes.

### FOR CASES DIAGNOSED AFTER 2000:

All cases diagnosed after 2000 were converted from ICD-O-3 to ICD-O-2.

#### **BEHAVIOR CODE ICD-O-2**

NAACCR Item #: 430 SAS Variable Name: Behavior\_code\_ICD\_O\_2 Research Plus Limited-Field: No

Field Description: Behavior codes are also defined in ICD-O-2, 1992.

Note: For bladder only, all in situs (/2) are converted to invasives (/3) before inclusion on this file.

Cervix in situ not required.

FOR CASES DIAGNOSED AFTER 2000:

All cases diagnosed after 2000 were converted from ICD-O-3 to ICD-O2.

### HISTOLOGIC TYPE ICD-O-3

#### NAACCR Item #: 522 SAS Variable Name: Histologic\_Type\_ICD\_O\_3 Research Plus Limited-Field: Yes

*Field Description:* The data item Histologic Type describes the microscopic composition of cells and/or tissue for a specific primary. The tumor type or histology is a basis for staging and determination of treatment options. It affects the prognosis and course of the disease. The *International Classification of Diseases for Oncology*, Third Edition (ICD-O-3) is the standard reference for coding the histology for tumors diagnosed in 2001 and later.

All ICD-O-2 histologies for 1975-2000 were converted to ICD-O-3.

### **BEHAVIOR CODE ICD-O-3**

### NAACCR Item #: 523 SAS Variable Name: Behavior\_code\_ICD\_O\_3 Research Plus Limited-Field: Yes

*Field Description:* SEER requires registries to collect malignancies with in situ /2 and malignant /3 behavior codes as described in ICD-O-3. SEER requires registries to collect benign /0 and borderline /1 intracranial and CNS tumors for cases diagnosed on or after 1/1/2004. Behavior is the fifth digit of the morphology code after the slash (/). See ICD-O-3 (page 66) for a discussion of the behavior code.

Code	Description
0	Benign (Reportable for intracranial and CNS sites only)
	Uncertain whether benign or malignant, borderline malignancy, low
1	malignant potential, and uncertain malignant potential (Reportable for
	intracranial and CNS sites only)
2	Carcinoma in situ; intraepithelial; noninfiltrating; noninvasive
3	Malignant, primary site (invasive)

All ICD-O-2 behaviors for 1975-2000 were converted to ICD-O-3.

### GRADE (THRU 2017)

### NAACCR Item #: 440 SAS Variable Name: Grade\_thru\_2017 Research Plus Limited-Field: Yes

*Field Description:* Grading and differentiation codes of 1-4, 9 are defined in ICD-O-2; 1992. Grade information may be incomplete for cases diagnosed before 1977.

In the early 1980's, additional codes specifying T-cell, B-cell, or null cell involvement in lymphomas and leukemias (histologies M9590-9940) were introduced by SEER. Because the reporting requirements and medical terminology have changed over time, care should be exercised when analyzing this information.

Code	Description
1	Grade I; grade i; grade 1; well differentiated; differentiated, NOS
2	Grade II; grade ii; grade 2; moderately differentiated; moderately differentiated; intermediate differentiation
3	Grade III; grade iii; grade 3; poorly differentiated; differentiated
4	Grade IV; grade iv; grade 4; undifferentiated; anaplastic
5	T-cell; T-precursor
6	B-cell; Pre-B; B-Precursor
7	Null cell; Non T-non B;
8	N K cell (natural killer cell)
9	cell type not determined, not stated or not applicable

### **SCHEMA ID (2018+)**

### NAACCR Item #: 3800 SAS Variable Name: Schema\_ID\_2018 Research Plus Limited-Field: Yes

*Field Description:* This variable allows the linkage of 2018+ Site-Specific Data Items (SSDIs), including grade data items, with the appropriate site/histology grouping.

### **GRADE CLINICAL (2018+)**

### NAACCR Item #: 3843 SAS Variable Name: Grade\_Clinical\_2018 Research Plus Limited-Field: Yes

*Field Description:* Refer to the most recent Grade Manual for additional site-specific instructions. <u>https://apps.naaccr.org/ssdi/list/</u>

# **GRADE PATHOLOGICAL (2018+)**

#### NAACCR Item #: 3844 SAS Variable Name: Grade\_Pathological\_2018 Research Plus Limited-Field: Yes

*Field Description:* Refer to the most recent Grade Manual for additional site-specific instructions. <u>https://apps.naaccr.org/ssdi/list/</u>

### **DIAGNOSTIC CONFIRMATION**

### NAACCR Item #: 490 SAS Variable Name: Diagnostic\_Confirmation Research Plus Limited-Field: Yes

*Field Description*: This data item records the best method used to confirm the presence of the cancer being reported. The data item is not limited to the confirmation at the time of diagnosis; it is the best method of confirmation during the entire course of the disease.

#### Microscopically Confirmed

Code	Description
1	Positive histology
2	Positive cytology
3	Positive histology PLUS - positive immunophenotyping
	AND/OR positive genetic studies (Used only for hematopoietic
	and lymphoid neoplasms M-9590/3-9992/3)
4	Positive microscopic confirmation, method not specified

(Continued on next page)

# (Continued from DIAGNOSTIC CONFIRMATION)

#### Not Microscopically Confirmed

Code	Description
5	Positive laboratory test/marker study
6	Direct visualization without microscopic confirmation
7	Radiology and other imaging techniques without microscopic
	confirmation
8	Clinical diagnosis only (other than 5, 6, or 7)

## Confirmation Unknown

Code	Description
9	Unknown whether microscopically confirmed; death
	certificate only

# **TYPE OF REPORTING SOURCE**

# NAACCR Item #: 500 SAS Variable Name: Type\_of\_Reporting\_Source Research Plus Limited-Field: Yes

*Field Description:* The Type of Reporting Source identifies the source documents used to abstract the case. This is not necessarily the original document that identified the case; rather, it is the source that provided the best information.

Code	Description
1	Hospital inpatient; Managed health plans with comprehensive, unified medical records
	(new code definition effective with diagnosis on or after $1/1/2006$ )
2	Radiation Treatment Centers or Medical Oncology Centers (hospital-affiliated or
	independent) (effective with diagnosis on or after 1/1/2006)
3	Laboratory Only (hospital-affiliated or independent)
4	Physician's Office/Private Medical Practitioner (LMD)
5	Nursing/Convalescent Home/Hospice
6	Autopsy Only
7	Death Certificate Only
8	Other hospital outpatient units/surgery centers (effective with diagnosis on or after
	1/1/2006)

#### EOD 10— SIZE (1988-2003)

### NAACCR Item #: 780 SAS Variable Name: EOD\_10\_size\_1988\_2003 Research Plus Limited-Field: No

*Field Description:* This item is part of the 10-digit EOD (Item #779). It records the largest dimension of the primary tumor in millimeters. Unknown size=999.

This field is only coded for cases diagnosed 1988-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at <a href="http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf">http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf</a>.

Note: For 2004-2015, similar type of information was collected in CS Tumor Size (2004-2015) in the collaborative stage variables.

#### EOD 10—EXTENT (1988-2003)

### NAACCR Item #: 790 SAS Variable Name: EOD\_10\_extent\_1988\_2003 Research Plus Limited-Field: No

*Field Description:* This item codes the farthest documented extension of tumor away from the primary site, either by contiguous extension or distant metastases. Allowable values = 00-99.

This field is only coded for cases diagnosed 1988-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at <a href="http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf">http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf</a>.

Note: For 2004-2015, similar type of information was collected in CS extension (2004-2015) and CS Mets at DX (2004-2015) in the collaborative stage variables.

#### EOD 10—PROSTATE PATH EXT (1995-2003)

### NAACCR Item #: 800 SAS Variable Name: EOD10Prostatepath\_ext\_1995\_2003 Research Plus Limited-Field: No

*Field Description:* This is an additional field for prostate cancer only to reflect information from radical prostatectomy, effective with 1995 diagnoses. The field is left blank for all other primaries. Allowable values = 00-99.

(Continued on next page)

### (Continued from EOD 10—PROSTATE PATH EXT (1995-2003))

This field is only coded for prostate cases diagnosed 1995-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf.

Note: For 2004+, similar type of information was collected in CS SSF 3 in the collaborative stage variables.

### EOD 10-NODES (1995-2003)

### NAACCR Item #: 810 SAS Variable Name: EOD\_10\_nodes\_1988\_2003 Research Plus Limited-Field: No

*Field Description:* This item records the highest specific lymph node chain that is involved by the tumor. Allowable values = 0-9.

This field is only coded for cases diagnosed 1988-2003. See *SEER Extent of Disease, 1988: Codes and Coding Instructions*, Third Edition for site-specific codes and coding rules, at <a href="http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf">http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf</a>.

Note: For 2004-2015, similar type of information was collected in CS Lymph Nodes (2004-2015) in the collaborative stage variables.

### **REGIONAL NODES POSITIVE (1988+)**

### NAACCR Item #: 820 SAS Variable Name: Regional\_nodes\_positive\_1988 Research Plus Limited-Field: No

*Field Description:* Records the exact number of regional lymph nodes examined by the pathologist that were found to contain metastases.

Code	Description
00	All nodes examined are negative
01-89	Exact number of nodes positive
90	90 or more nodes are positive
95	Positive aspiration of lymph node(s) was performed
97	Positive nodes are documented, but number is unspecified
98	No nodes were examined
99	Unknown whether nodes are positive; not applicable; not
	stated in patient record
126	Blank

#### **REGIONAL NODES EXAMINED (1988+)**

### NAACCR Item #: 830 SAS Variable Name: Regional\_nodes\_examined\_1988 Research Plus Limited-Field: No

*Field Description:* Records the total number of regional lymph nodes that were removed and examined by the pathologist.

Code	Description
00	No nodes were examined
01-89	Exact number of nodes examined
90	90 or more nodes were examined
95	No regional nodes were removed, but aspiration of regional nodes was performed
96	Regional lymph node removal was documented as a sampling, and the number of nodes is unknown/not stated
97	Regional lymph node removal was documented as a dissection, and the number of nodes is unknown/not stated
98	Regional lymph nodes were surgically removed, but the number of lymph nodes is unknown/not stated and not documented as a sampling or dissection; nodes were examined, but the number is unknown
99	Unknown whether nodes were examined; not applicable or negative; not stated in patient record
126	Blank

### EXPANDED EOD (1) – EXPANDED EOD (13)

### NAACCR Item #: 840 SAS Variable Name: Expanded\_EOD\_1\_CP53\_1973\_1982 --Expanded\_EOD\_13\_CP65\_1973\_1982 Research Plus Limited-Field: No

*Field Description:* Detailed site-specific codes for EOD used by SEER for selected sites of cancer for tumors diagnosed 1975-1982, except death-certificate-only cases.

For details, reference the following website: http://seer.cancer.gov/manuals/historic/EOD 1977.pdf

## EOD 4 – SIZE (1983-1987) EOD 4 – EXTENT (1983-1987) EOD 4 – NODES (1983-1987)

### NAACCR Item #: 860 SAS Variable Name: EOD\_4\_size\_1983\_1987 EOD\_4\_extent\_1983\_1987 EOD\_4\_nodes\_1983\_1987 Research Plus Limited-Field: No

*Field Description* Codes for site-specific EOD used by SEER for tumors diagnosed from January 1, 1983 to December 31, 1987 for all cancer sites. For details, reference the following website: http://seer.cancer.gov/manuals/historic/EOD\_1984.pdf

> First and second digit- EOD 4 – SIZE (1983-1987) Third digit- EOD 4 – EXTENT (1983-1987) Fourth digit- EOD 4 – NODES (1983-1987)

## CODING SYSTEM - EOD (1973-2003)

### NAACCR Item#: 870 SAS Variable Name: Coding\_system\_EOD\_1973\_2003 Research Plus Limited-Field: No

*Field Description:* Indicates the type of SEER EOD code applied to the tumor.

Code	Description
0	2-Digit Nonspecific Extent of Disease (1973-82)
1	2-Digit Site-Specific Extent of Disease (1973-82)
2	13-Digit (expanded) Site Specific Extent of Disease (1973-82)
3	4-Digit Extent of Disease (1983-87)
4	10-Digit Extent of Disease, 1988 (1988-2003)
6	Blank

## **TUMOR MARKER 1 (1990-2003)**

### NAACCR Item #: 1150 SAS Variable Name: Tumor\_marker\_1\_1990\_2003 Research Plus Limited-Field: No

*Field Description:* This data item records prognostic indicators for breast cases (ERA 1990-2003), prostate cases (PAP 1998-2003) and testis cases (AFP 1998-2003).

Code	Description
0	None Done
1	Positive
2	Negative
3	Borderline; undetermined whether
	positive or negative
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

(Continued on next page)

# (Continued from TUMOR MARKER 1 (1990-2003))

### For Testicular Cancer Cases (AFP 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <1,000 ng/ml
5	Range 2 (S2) 1,000 – 10,000 ng/ml
6	Range 3 (S3) >10,000 ng/ml
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

### For All Other Cases

Code	Description
9	Not applicable

All sites except Breast diagnosed 1990-1997 are coded 9.

All diagnoses before January 1, 1990 are coded 9.

All diagnoses after 2003 are blank.

For Breast and Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 1 (NAACCR Item #2880). For Prostate cases diagnosed 2004+, information is no longer collected.

For breast cancer cases, ERA over time is available in ER Status Recode Breast Cancer (1990+).

#### **TUMOR MARKER 2 (1990-2003)**

### NAACCR Item #: 1160 SAS Variable Name: Tumor\_marker\_2\_1990\_2003 Research Plus Limited-Field: No

*Field Description:* This data item records prognostic indicators for breast cases (PRA 1990-2003) and testis cases (hCG 1998-2003).

For Breast Cancer Cases (PRA 1990-2003)

Code	Description
0	None Done
1	Positive
2	Negative
3	Borderline; undetermined whether
	positive or negative
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

For Testicular Cancer Cases (hCG 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <5,000 mlU/ml
5	Range 2 (S2) 5,000 – 50,000 mlU/ml
6	Range 3 (S3) to >50,000 mlU/ml
8	Ordered, but results not in chart
9	Unknown or no information
14	Blank

For All Other Cases

Code	Description
9	Not applicable

All sites except Breast diagnosed 1990-1997 are coded 9.

All diagnoses before January 1, 1990 are coded 9.

All diagnoses after 2003 are blank.

For Breast and Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 2 (NAACCR Item #2890).

For breast cancer cases, PRA over time is available in PR Status Recode Breast Cancer (1990+).

### **TUMOR MARKER 3 (1998-2003)**

### NAACCR Item #: 1170 SAS Variable Name: Tumor\_marker\_3\_1998\_2003 Research Plus Limited-Field: No

*Field Description:* This data item records prognostic indicators for testis cases (LDH 1998-2003)

Code	Description
0	None Done (SX)
2	Within normal limits (S0)
4	Range 1 (S1) <1.5 x upper limit of normal for LDH assay
5	Range 2 (S2) 1.5 – 10 x upper limit of normal for LDH assay
6	Range 3 (S3) >10 x upper limit of normal for LDH assay
8	Ordered, results not in chart
9	Unknown or no information
14	Blank

All sites except testis diagnosed 1998-2003 are coded 9.

All diagnoses before 1998 are coded 9.

All diagnoses after 2003 are blank.

For Testis cases diagnosed 2004+, this information is collected using CS Site-Specific Factor 3 (NAACCR Item # 2900).

## **CS TUMOR SIZE (2004-2015)**

### NAACCR Item #: 2800 SAS Variable Name: CS\_tumor\_size\_2004\_2015 Research Plus Limited-Field: No

*Field Description:* Information on tumor size. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</u>.

Code	Description
000	Indicates no mass or no tumor found; for example, when a
	tumor of a stated primary site is not found, but the tumor has
	metastasized.
001-988	Exact size in millimeters
989	989 millimeters or larger
990	Microscopic focus or foci only; no size of focus is given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996-998	Site-specific codes where needed
999	Unknown; size not stated; not stated in patient record
888	Not applicable
1022	Blank

# **Examples:**

Mammogram shows 2.5 cm breast malignancy<br/>CT of chest shows 4 cm mass in RULCode as 025 (2.5 cm = 25 millimeters)<br/>Code as 040 (4 cm = 40 mm)Thyroidectomy specimen yields 8 mm carcinomaCode as 040 (4 cm = 40 mm)Prostate needle biopsy shows 0.6 mm carcinomaCode as 001 (round up six-tenths of mm)

#### **CS EXTENSION (2004-2015)**

### NAACCR Item #: 2810 SAS Variable Name: CS\_extension\_2004\_2015 Research Plus Limited-Field: No

*Field Description*: Information on extension of the tumor. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</u>.

Note: This item was originally a 2-digit field and was expanded to 3 digits during conversion. Generally, a zero was added to the right of the existing 2-digit field, except for 99 which became 999.

### **CS LYMPH NODES (2004-2015)**

### NAACCR Item #: 2830 SAS Variable Name: CS\_lymph\_nodes\_2004\_2015 Research Plus Limited-Field: No

*Field Description:* Information on involvement of lymph nodes. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <a href="http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage">http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</a>.

Note: This item was originally a 2-digit field and was expanded to 3 digits during conversion. Generally, a zero was added to the right of the existing 2-digit field, except for 99 which became 999.

#### **CS METS AT DX (2004-2015)**

NAACCR Item #: 2850 SAS Variable Name: CS\_mets\_at\_dx\_2004\_2015 Research Plus Limited-Field: No

*Field Description:* Information on distant metastasis. Available for 2004-2015 diagnosis years. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</u>.

#### CS SITE-SPECIFIC FACTOR 1 (2004-2017 varying by schema)

### NAACCR Item #: 2880 SAS Variable Name: CSsitespecificfactor120042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

### CS SITE-SPECIFIC FACTOR 2 (2004-2017 varying by schema)

### NAACCR Item #: 2890 SAS Variable Name: CSsitespecificfactor220042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

#### CS SITE-SPECIFIC FACTOR 3 (2004-2017 varying by schema)

NAACCR Item #: 2900 SAS Variable Name: CSsitespecificfactor320042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

### CS SITE-SPECIFIC FACTOR 4 (2004-2017 varying by schema)

### NAACCR Item #: 2910 SAS Variable Name: CSsitespecificfactor420042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

### CS SITE-SPECIFIC FACTOR 5 (2004-2017 varying by schema)

### NAACCR Item #: 2920 SAS Variable Name: CSsitespecificfactor520042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

### CS SITE-SPECIFIC FACTOR 6 (2004-2017 varying by schema)

### NAACCR Item #: 2930 SAS Variable Name: CSsitespecificfactor620042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

### CS SITE-SPECIFIC FACTOR 7 (2004-2017 varying by schema)

### NAACCR Item #: 2861 SAS Variable Name: CSsitespecificfactor720042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

### CS SITE-SPECIFIC FACTOR 8 (2004-2017 varying by schema)

### NAACCR Item #: 2862 SAS Variable Name: CSsitespecificfactor820042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

#### CS SITE-SPECIFIC FACTOR 9 (2004-2017 varying by schema)

### NAACCR Item #: 2863 SAS Variable Name: CSsitespecificfactor920042017va Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

### CS SITE-SPECIFIC FACTOR 10 (2004-2017 varying by schema)

### NAACCR Item #: 2864 SAS Variable Name: CSsitespecificfactor1020042017v Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

### CS SITE-SPECIFIC FACTOR 11 (2004-2017 varying by schema)

### NAACCR Item #: 2865 SAS Variable Name: CSsitespecificfactor1120042017v Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

#### CS SITE-SPECIFIC FACTOR 12 (2004-2017 varying by schema)

#### NAACCR Item #: 2866 SAS Variable Name: CSsitespecificfactor1220042017v Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

### CS SITE-SPECIFIC FACTOR 13 (2004-2017 varying by schema)

### NAACCR Item #: 2867 SAS Variable Name: CSsitespecificfactor1320042017v Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

### CS SITE-SPECIFIC FACTOR 15 (2004-2017 varying by schema)

### NAACCR Item #: 2869 SAS Variable Name: CSsitespecificfactor1520042017v Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

#### CS SITE-SPECIFIC FACTOR 16 (2004-2017 varying by schema)

### NAACCR Item #: 2870 SAS Variable Name: CSsitespecificfactor1620042017v Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

## CS SITE-SPECIFIC FACTOR 25 (2004-2017 varying by schema)

## NAACCR Item #: 2879 SAS Variable Name: CSsitespecificfactor2520042017v Research Plus Limited-Field: No

*Field Description:* Each CS site-specific factor (SSF) is schema dependent. They can provide information needed to stage the case, clinically relevant information, or prognostic information. Available for varying years and schemas depending on standard setter requirements. Earlier cases may be converted and new codes added which weren't available for use prior to the current version of CS.

For more information, see variable documentation.

# DERIVED AJCC T, 6<sup>th</sup> ED (2004-2015)

# NAACCR Item #: 2940 SAS Variable Name: Derived\_AJCC\_T\_6<sup>th</sup>\_ed\_2004\_2015 Research Plus Limited-Field: No

*Field Description:* This is the AJCC "T" component that is derived from CS coded fields, using the CS algorithm, effective with 2004-2015 diagnosis years. For more information, see <u>variable documentation</u>.

Code	Description
99	ТХ
00	Т0
01	Та
05	Tis
06	Tispu (Urethra only)
07	Tispd (Urethra only)
10	T1
11	T1mic
19	T1 NOS
12	T1a
13	Tlal
14	T1a2
15	T1b
16	T1b1
17	T1b2
18	T1c
20	T2
29	T2 NOS
21	T2a
22	T2b
23	T2c
30	T3
39	T3 NOS
31	T3a
32	T3b
33	T3c
40	T4
49	T4 NOS
41	T4a
42	T4b
43	T4c
44	T4d
80	Tla NOS
81	T1b NOS
88	Not applicable
126	Blank

# DERIVED AJCC N, 6<sup>th</sup> ED (2004-2015)

# NAACCR Item #: 2960 SAS Variable Name: Derived\_AJCC\_N\_6th\_ed\_2004\_2015 Research Plus Limited-Field: No

# *Field Description:* This is the AJCC "N" component that is derived from CS coded fields, using the CS algorithm, effective with 2004-2015 diagnosis years. For more information, see <u>variable documentation</u>.

Code	Description
99	NX
00	N0
01	N0(i-)
02	N0(i+)
03	N0(mol-)
04	N0(mol+)
10	N1
19	N1 NOS
11	Nla
12	N1b
13	N1c
18	N1mi
20	N2
29	N2 NOS
21	N2a
22	N2b
23	N2c
30	N3
39	N3 NOS
31	N3a
32	N3b
33	N3c
88	Not applicable
126	Blank

## DERIVED AJCC M, 6<sup>th</sup> ED (2004-2015)

## NAACCR Item #: 2980 SAS Variable Name: Derived\_AJCC\_M\_6th\_ed\_2004\_2015 Research Plus Limited-Field: No

*Field Description:* This is the AJCC "M" component that is derived from CS coded fields, using the CS algorithm, effective with 2004-2015 diagnosis years. For more information, see <u>variable documentation</u>.

Code	Description
99	MX
00	M0
10	M1
11	M1a
12	M1b
13	M1c
19	M1 NOS
88	Not applicable
126	Blank

## DERIVED AJCC STAGE GROUP, 6th ED (2004-2015)

## NAACCR Item #: 3000 SAS Variable Name: DerivedAJCCStageGroup6thed20042 Research Plus Limited-Field: No

*Field Description:* This is the AJCC "Stage Group" component that is derived from CS detailed site-specific codes, using the CS algorithm, effective with 2004-2015 diagnosis years. For more information, see <u>variable documentation</u>.

Code	Description
00	Stage 0
01	Stage 0a
02	Stage 0is
10	Stage I
11	Stage I NOS
12	Stage IA
13	Stage IA1
14	Stage IA2
15	Stage IB
16	Stage IB1
17	Stage IB2
18	Stage IC

Code	Description
19	Stage IS
23	Stage ISA (lymphoma only)
24	Stage ISB (lymphoma only)
20	Stage IEA (lymphoma only)
21	Stage IEB (lymphoma only)
22	Stage IE (lymphoma only)
30	Stage II
31	Stage II NOS
32	Stage IIA
33	Stage IIB
34	Stage IIC
35	Stage IIEA (lymphoma only)
36	Stage IIEB (lymphoma only)
37	Stage IIE (lymphoma only)
38	Stage IISA (lymphoma only)
39	Stage IISB (lymphoma only)
40	Stage IIS (lymphoma only)
41	Stage IIESA (lymphoma only)
42	Stage IIESB (lymphoma only)
43	Stage IIES (lymphoma only)
50	Stage III
51	Stage III NOS
52	Stage IIIA
53	Stage IIIB
54	Stage IIIC
55	Stage IIIEA (lymphoma only)
56	Stage IIIEB (lymphoma only)
57	Stage IIIE (lymphoma only)
58	Stage IIISA (lymphoma only)
59	Stage IIISB (lymphoma only)
60	Stage IIIS (lymphoma only)
61	Stage IIIESA (lymphoma only)
62	Stage IIIESB (lymphoma only)
63	Stage IIIES (lymphoma only)
70	Stage IV
71	Stage IV NOS
72	Stage IVA
73	Stage IVB
74	Stage IVC
88	Not applicable
90	Stage Occult
99	Stage Unknown
126	Blank

(Continued from DERIVED AJCC STAGE GROUP, 6th ED (2004-2015))

#### SEER COMBINED SUMMARY STAGE 2000 (2004-2017)

## NAACCR Item #: N/A SAS Variable Name: Summary\_stage\_2000\_2004 Research Plus Limited-Field: Yes

*Field Description:* Combination of NAACCR Items #759 and #3020. For 2004-2015 cases, it is copied from Derived SS2000 and for 2016+, it is the best available between Derived SS2000 and SEER Summary Stage 2000. All benign/borderline cases are set to NA.

#### COMBINED SUMMARY STAGE (2004+)

## NAACCR Item #: N/A SAS Variable Name: Combined\_Summary\_Stage\_2004 Research Plus Limited-Field: Yes

*Field Description:* Combined Summary Stage field to facilitate stage analyses over time. Created from SEER Combined Summary Stage 2000 (2004-2017) & Derived Summary Stage 2018 (2018+). For more information including sites, years and registries for which it isn't calculated, see <u>https://seer.cancer.gov/seerstat/variables/seer/lrd-stage/</u>

## CS VERSION INPUT ORIGINAL (2004-2015)

## NAACCR Item #: 2935 SAS Variable Name: CSversioninputoriginal2004\_2015 Research Plus Limited-Field: No

*Field Description:* This item indicates the number of the version used to initially code CS fields. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

This data item along with CS version input current gives info on what document to use for the CS codes. For more information, see <a href="http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage">http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</a>.

#### CS VERSION DERIVED (2004-2015)

## NAACCR Item #: 2936 SAS Variable Name: CS\_version\_derived\_2004\_2015 Research Plus Limited-Field: No

*Field Description:* This item indicates the number of the version of the CS used most recently to derive the CS output fields. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

#### CS VERSION INPUT CURRENT (2004-2015)

## NAACCR Item #: 2937 SAS Variable Name: CSversioninputcurrent\_2004\_2015 Research Plus Limited-Field: No

*Field Description:* This item indicates the number of the version of the CS after input fields have been updated or recoded. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

This data item along with CS version input original gives info on what document to use for the CS codes. For more information, see <a href="http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage">http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</a>.

## RX SUMM—SURG PRIM SITE (1998+)

# NAACCR Item #: 1290 SAS Variable Name: RX\_Summ\_Surg\_Prim\_Site\_1998 Research Plus Limited-Field: No

*Field Description:* Surgery of Primary Site describes a surgical procedure that removes and/or destroys tissue of the primary site performed as part of the initial work-up or first course of therapy. The actual coding schemes for individual sites and diagnosis years can be viewed here

Code	Description
00	None; no surgical procedure of primary site; diagnosed at autopsy only
10-19	Site-specific codes. Tumor destruction; no pathologic specimen or unknown whether there is a pathologic specimen
20-80	Site-specific codes. Resection; pathologic specimen
90	Surgery, NOS. A surgical procedure to the primary site was done, but no information on the type of surgical procedure is provided.
98	Special codes for hematopoietic, reticuloendothelial, immunoproliferative, myeloproliferative diseases; ill- defined sites; and unknown primaries (See site-specific codes for the sites and histologies), except death certificate only
99	Unknown if surgery performed; death certificate only
126	Blank
	For diagnosis years 1998-2002, SEER registries were required to convert field RX Summ—Surg Site 98-02 (NAACCR Item #1646) to RX Summ—Surg Prim Site.

## **General Coding Structure**

## RX SUMM—SCOPE REG LN SUR (2003+)

# NAACCR Item #: 1292 SAS Variable Name: RX\_Summ\_Scope\_Reg\_LN\_Sur\_2003 Research Plus Limited-Field: No

*Field Description:* Scope of Regional Lymph Node Surgery describes the procedure of removal, biopsy, or aspiration of **regional** lymph nodes performed during the initial work-up or first course of therapy at all facilities.

Changed to Unknown or Not Applicable for breast cancer cases. See <u>http://seer.cancer.gov/seerstat/variables/seer/regional\_ln/</u> for more information.

Code	Description
0	No regional lymph nodes removed or aspirated; diagnosed
	at autopsy.
1	Biopsy or aspiration of regional lymph node, NOS
2	Sentinel lymph node biopsy [only]
3	Number of regional lymph nodes removed unknown, not
	stated; regional lymph nodes removed, NOS
4	1 to 3 regional lymph nodes removed
5	4 or more regional lymph nodes removed
6	Sentinel node biopsy and code 3, 4, or 5 at same time or
	timing not noted
7	Sentinel node biopsy and code 3, 4, or 5 at different times
9	Unknown or not applicable; death certificate only
14	Blank

# RX SUMM-SURG OTH REG/DIS (2003+)

# NAACCR Item #: 1294 SAS Variable Name: RX\_Summ\_Surg\_Oth\_Reg\_Dis\_2003 Research Plus Limited-Field: No

*Field Description:* Surgical procedure of Other Site describes the surgical removal of distant lymph node(s) or other tissue(s) or organ(s) beyond the primary site.

Code	Description
0	None; diagnosed at autopsy
1	Nonprimary surgical procedure performed
2	Nonprimary surgical procedure to other regional sites
3	Non-primary surgical procedure to distant lymph node(s)
4	Nonprimary surgical procedure to distant site
5	Combination of codes 2, 3, or 4
9	Unknown; death certificate only
14	Blank

# RX SUMM-REG LN EXAMINED (1998-2002)

## NAACCR Item #: 1296 SAS Variable Name: RXSummReg\_LN\_Examined\_1998\_2002 Research Plus Limited-Field: No

*Field Description:* This data item records the number of regional lymph nodes examined in conjunction with surgery performed as part of the first course of treatment at all facilities. This item is only available for cases diagnosed 1998-2002.

Code	Description
00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
	(Actual number of lymph nodes examined)
90	90 or more regional lymph nodes examined
95	No regional lymph nodes examined
96	Regional lymph node removal documented as sampling, and number of lymph nodes unknown/not stated
97	Regional lymph node removal documented as dissection, and number of lymph nodes unknown/not stated
98	Regional lymph nodes surgically removed, but number of lymph nodes unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate-only
126	Blank

## **RX SUMM-SYSTEMIC SUR SEQ**

# NAACCR Item #: 1639 SAS Variable Name: RX\_Summ\_Systemic\_Sur\_Seq Research Plus Limited-Field: No

*Field Description:* This data item records the sequencing of systemic therapy and surgical procedures given as part of first course of treatment.

Code	Description
0	No systemic therapy and/or surgical procedures; unknown if
	surgery and/or systemic therapy given
2	Systemic therapy before surgery
3	Systemic therapy after surgery
4	Systemic therapy both before and after surgery
5	Intraoperative systemic therapy
6	Intraoperative systemic therapy with other therapy administered
	before and/or after surgery
7	Surgery both before and after systemic therapy
9	Sequence unknown, but both surgery and systemic therapy
	given

## RX SUMM--SURG/RAD SEQ

# NAACCR Item #: 1380 SAS Variable Name: RX\_Summ\_Surg\_Rad\_Seq Research Plus Limited-Field: No

*Field Description:* This field records the order in which surgery and radiation therapies were administered for those patients who had both surgery and radiation.

Code	Description
0	No radiation and/or surgery as defined above
2	Radiation before surgery
3	Radiation after surgery
4	Radiation both before and after surgery
5	Intraoperative radiation
6	Intraoperative radiation with other radiation given before and/or after surgery
7	Surgery both before and after radiation
9	Sequence unknown, but both surgery and radiation were given

# **REASON NO CANCER-DIRECTED SURGERY**

# NAACCR Item #: 1340 SAS Variable Name: Reasonnocancer\_directed\_surgery Research Plus Limited-Field: No

Field Description: This data item documents the reason that surgery was not performed.

Code	Description
0	Surgery performed

## No surgery

Code	Description
1*	Surgery not recommended
2*	Contraindicated due to other conditions; Autopsy Only case (1973-2002)
5	Patient died before recommended surgery
6	Unknown reason for no surgery
7*	Patient or patient's guardian refused

# Unknown if surgery performed

Code	Description
8	Recommended, unknown if done
9	Unknown if surgery performed; Death Certificate Only case; Autopsy only case (2003+)
14	Blank
* 0 1	

\*Codes not used prior to 1988. Code '2' used only for Autopsy Only cases prior to 1988.

# **RADIATION RECODE**

## NAACCR Item #: N/A SAS Variable Name: Radiation\_recode Research Plus Limited-Field: No

*Field Description:* This data item indicates the method of radiation therapy performed as part of the first course of treatment. It is a recode of NAACCR Item #1360.

Code	Description
0	None/Unknown; diagnosed at autopsy
1	Beam radiation
2	Radioactive implants
3	Radioisotopes
4	Combination of 1 with 2 or 3
5	Radiation, NOS-method or source not specified
6	Other radiation (1973-1987 cases only)
7	Patient or patient's guardian refused radiation therapy
8	Radiation recommended, unknown if administered

# **CHEMOTHERAPY RECODE (YES, NO/UNK)**

## NAACCR Item #: N/A SAS Variable Name: Chemotherapy\_recode\_yes\_no\_unk Research Plus Limited-Field: No

Field Description: This field records whether chemotherapy was given

Code	Description
0	None/Unknown
1	Yes

## SITE SPECIFIC SURGERY (1973-1997 VARYING DETAIL BY YEAR AND SITE)

## NAACCR Item #: 1640 SAS Variable Name: Sitespecificsurgery19731997vary Research Plus Limited-Field: No

*Field Description:* For detailed information on individual sites and time periods please see: <u>http://seer.cancer.gov/seerstat/variables/seer/surgery/</u>

> This field specifies information on surgery during first course of therapy whether it was cancer-directed or not. (Prior to 1988 SEER did not collect information on surgical procedures if not cancer-directed.) The Reason for No Cancer-directed Surgery field must be used to distinguish among no cancer-directed surgery performed; cancer-directed surgery recommended, unknown if performed; and unknown if cancer-directed surgery performed.

## SCOPE OF REG LYMPH ND SURG (1998-2002)

## NAACCR Item #: 1647 SAS Variable Name: Scopeofreglymphndsurg\_1998\_2002 Research Plus Limited-Field: No

*Field Description:* This field describes the removal, biopsy or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event at all facilities for cases diagnosed 1998-2002.

Changed to Unknown or Not Applicable for breast cancer cases. See <u>http://seer.cancer.gov/seerstat/variables/seer/regional\_ln/</u> for more information.

See <u>http://seer.cancer.gov/manuals/historic/AppendC.pdf</u> for a list of valid codes.

## SURGERY OF OTH REG/DIS SITES (1998-2002)

# NAACCR Item #: 1648 SAS Variable Name: Surgeryofothregdissites19982002 Research Plus Limited-Field: No

*Field Description:* This field records the removal of distant lymph nodes or other tissue(s)/organ(s) beyond the primary site given at all facilities as part of the first course of treatment for cases diagnosed 1998-2002.

See <u>http://seer.cancer.gov/manuals/historic/AppendC.pdf</u> for a list of valid codes.

## **RECORD NUMBER RECODE**

# NAACCR Item #: 1775 SAS Variable Name: Record\_number\_recode Research Plus Limited-Field: Yes

*Field Description:* This variable sequentially numbers a person's tumors. The ordered values are based on date of diagnosis and then sequence number. This variable is used as part of the algorithm for calculating the survival time recode variables (NAACCR items 1782-1788) and is used for survival, prevalence, and multiple primary – standardized incidence ratio analyses in SEER\*Stat.

Code	Description
01	Record number 01 for patient
02	Record number 02 for patient
99	Record number 99 for patient

## AGE RECODE WITH <1 YEAR OLDS

# NAACCR Item #: N/A SAS Variable Name: Age\_recode\_with\_1\_year\_olds Research Plus Limited-Field: Yes

*Field Description*: The age recode variable is based on Age at Diagnosis (single-year ages). The groupings used in the age recode variable are determined by the age groupings in the population data. This recode has 19 age groups in the age recode variable (< 1 year, 1-4 years, 5-9 years, ..., 85+ years).

Code	Description
00	Age 00
01	Ages 01-04
02	Ages 05-09
03	Ages 10-14
04	Ages 15-19
05	Ages 20-24
06	Ages 25-29
07	Ages 30-34
08	Ages 35-39
09	Ages 40-44
10	Ages 45-49
11	Ages 50-54
12	Ages 55-59
13	Ages 60-64
14	Ages 65-69
15	Ages 70-74
16	Ages 75-79
17	Ages 80-84
18	Ages 85+
29	Unknown Age

## SITE RECODE ICD-O-3/WHO 2008

## NAACCR Item #: N/A SAS Variable Name: Site\_recode\_ICD\_O\_3\_WHO\_2008 Research Plus Limited-Field: Yes

*Field Description:* A recode based on Primary Site and ICD-O-3 Histology in order to make analyses of site/histology groups easier. For example, the lymphomas are excluded from stomach and Kaposi and mesothelioma are separate categories based on histology. For more information, see <u>http://seer.cancer.gov/siterecode/icdo3\_dwhoheme/index.html</u>

# **SITE RECODE – RARE TUMORS**

## NAACCR Item #: N/A SAS Variable Name: Site\_recode\_rare\_tumors Research Plus Limited-Field: Yes

*Field Description:* Cancer type grouping to define clinically relevant, histologically defined rare cancers. For more information, see https://seer.cancer.gov/seerstat/variables/seer/raresiterecode/

## **BEHAVIOR RECODE FOR ANALYSIS**

# NAACCR Item #: N/A SAS Variable Name: Behavior\_recode\_for\_analysis Research Plus Limited-Field: Yes

*Field Description*: This recode was created so that data analyses could eliminate major groups of histologies/behaviors that weren't collected consistently over time, for example benign brain, myelodysplastic syndromes, and borderline tumors of the ovary. Created from ICD-O-3 behavior and histology. For more information, see <a href="http://seer.cancer.gov/behavrecode">http://seer.cancer.gov/behavrecode</a>.

Code	Description
0	Benign
1	Borderline malignancy
2	In situ
3	Malignant
4	Only malignant in ICD-O-3
5	No longer reportable in ICD-O-3
6	Only malignant 2010+

# HISTOLOGY RECODE—BROAD GROUPINGS

# NAACCR Item #: N/A SAS Variable Name: Histologyrecode\_broad\_groupings Research Plus Limited-Field: Yes

Field Description: Based on Histologic Type ICD-O-3.

Code	Description
00	8000-8009 : unspecified neoplasms
01	8010-8049 : epithelial neoplasms, NOS
02	8050-8089 : squamous cell neoplasms
03	8090-8119 : basal cell neoplasms
04	8120-8139 : transitional cell papillomas and carcinomas
05	8140-8389 : adenomas and adenocarcinomas
06	8390-8429 : adnexal and skin appendage neoplasms
07	8430-8439 : mucoepidermoid neoplasms
08	8440-8499 : cystic, mucinous and serous neoplasms
09	8500-8549 : ductal and lobular neoplasms
10	8550-8559 : acinar cell neoplasms
11	8560-8579 : complex epithelial neoplasms
12	8580-8589 : thymic epithelial neoplasms
13	8590-8679 : specialized gonadal neoplasms
14	8680-8719 : paragangliomas and glumus tumors
15	8720-8799 : nevi and melanomas
16	8800-8809 : soft tissue tumors and sarcomas, NOS
17	8810-8839 : fibromatous neoplasms
18	8840-8849 : myxomatous neoplasms
19	8850-8889 : lipomatous neoplasms
20	8890-8929 : myomatous neoplasms
21	8930-8999 : complex mixed and stromal neoplasms
22	9000-9039 : fibroepithelial neoplasms
23	9040-9049 : synovial-like neoplasms
24	9050-9059 : mesothelial neoplasms
25	9060-9099 : germ cell neoplasms
26	9100-9109 : trophoblastic neoplasms
27	9110-9119 : mesonephromas
28	9120-9169 : blood vessel tumors
29	9170-9179 : lymphatic vessel tumors

(Continued from	n HISTOLOGY	RECODE-	-BROAD	GROUPINGS)
-----------------	-------------	---------	--------	------------

Code	Description
30	9180-9249 : osseous and chondromatous neoplasms
31	9250-9259 : giant cell tumors
32	9260-9269 : miscellaneous bone tumors (C40,C41)
33	9270-9349 : odontogenic tumors ( C41)
34	9350-9379 : miscellaneous tumors
35	9380-9489 : gliomas
36	9490-9529 : neuroepitheliomatous neoplasms
37	9530-9539: meningiomas
38	9540-9579 : nerve sheath tumors
39	9580-9589 : granular cell tumors & alveolar soft part sarcomas
40	9590-9599 : malignant lymphomas, NOS or diffuse
41	9650-9669 : hodgkin lymphomas
42	9670-9699 : nhl - mature b-cell lymphomas
43	9700-9719 : nhl - mature t and nk-cell lymphomas
44	9720-9729 : nhl - precursor cell lymphoblastic lymphoma
45	9730-9739 : plasma cell tumors
46	9740-9749 : mast cell tumors
47	9750-9759 : neoplasms of histiocytes and accessory lymphoid cells
48	9760-9769 : immunoproliferative diseases
49	9800-9805: leukemias, nos
50	9820-9839 : lymphoid leukemias (C42.1)
51	9840-9939 : myeloid leukemias (C42.1)
52	9940-9949 : other leukemias (C42.1)
53	9950-9969 : chronic myeloproliferative disorders (C42.1)
54	9970-9979 : other hematologic disorders
55	9980-9989 : myelodysplastic syndrome
98	other

# HISTOLOGY RECODE—BRAIN GROUPINGS

# NAACCR Item #: N/A SAS Variable Name: Histologyrecode\_Brain\_groupings Research Plus Limited-Field: Yes

Field Description: Based on Histologic Type ICD-O-3.

Code	Description
01	Diffuse astrocytoma (protoplasma, fibrillary)
02	Anaplastic astrocytoma
03	Glioblastoma
04	Pilocytic astrocytoma
05	Unique astrocytoma variants
06	Oligodendroglioma
07	Anaplastic oligodendroglioma
08	Ependymoma/anaplastic ependymoma
09	Ependymoma variants
10	Mixed glioma
11	Astrocytoma, NOS
12	Glioma, NOS
13	Choroid plexus
14	Neuroepithelial
15	Benign & malignant neuronal/glial, neuronal & mixed
16	Pineal parenchymal
17	Embryonal/primitive/medulloblastoma
18	Nerve sheath, benign and malignant
19	Meningioma, benign and malignant
20	Other mesenchymal, benign and malignant
21	Hemangioma and hemagioblastoma
22	Lymphoma
23	Germ cell tumors, cysts, and heterotopias
24	Chordoma/chondrosarcoma
25	Pituitary
26	Craniopharyngioma
27	Neoplasm, unspecified, benign and malignant
97	Other Brain Histologies
98	Not Brain

## ICCC SITE RECODE EXTENDED 3RD EDITION/IARC 2017

## NAACCR Item #: N/A SAS Variable Name: ICCCsiterecodeextended3rdeditio Research Plus Limited-Field: Yes

*Field Description:* Based on ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site/histology recode, see https://seer.cancer.gov/iccc. While the recode is normally used for childhood cancers, it is on the file for all ages so that childhood cancers could be compared across age groups. For more information, see https://seer.cancer.gov/iccc/iccc-iarc-2017.html

## TNM 7/CS v0204+ Schema (thru 2017)

# NAACCR Item #: N/A SAS Variable Name: TNM\_7\_CS\_v0204\_Schema\_thru\_2017 Research Plus Limited-Field: No

*Field Description:* Information is collected under the specifications of a particular schema based on site and histology. This recode should be used in any analysis of 7th ed stage and T, N, M.

(Table begins on next page)

Code	Description
001	AdnexaUterineOther
002	AdrenalGland
003	AmpullaVater
004	Anus
005	Appendix
006	BileDuctsDistal
007	BileDuctsIntraHepat
008	BileDuctsPerihilar
009	BiliaryOther
010	Bladder
011	Bone
012	Brain
013	Breast
014	BuccalMucosa
015	CarcinoidAppendix
016	Cervix
017	CNSOther
018	Colon
019	Conjunctiva
020	CorpusAdenosarcoma
021	CorpusCarcinoma
022	CorpusSarcoma
023	CysticDuct
024	DigestiveOther
025	EndocrineOther
026	EpiglottisAnterior
027	Esophagus
028	EsophagusGEJunction
027 028	Esophagus

Code	Description
029	EyeOther
030	FallopianTube
031	FloorMouth
032	Gallbladder
033	GenitalFemaleOther
034	GenitalMaleOther
035	GISTAppendix
036	GISTColon
037	GISTEsophagus
038	GISTPeritoneum
039	GISTRectum
040	GISTSmallIntestine
041	GISTStomach
042	GumLower
043	GumOther
044	GumUpper
045	HeartMediastinum
046	HemeRetic
047	Hypopharynx
048	IllDefinedOther
049	IntracranialGland
050	KaposiSarcoma
051	KidneyParenchyma
052	KidneyRenalPelvis
053	LacrimalGland
054	LacrimalSac
055	LarynxGlottic
056	LarynxOther
057	LarynxSubglottic
058	LarynxSupraglottic
059	LipLower
060	LipOther
061	LipUpper
062	Liver
063	Lung

Code	Description
064	Lymphoma
065	LymphomaOcularAdnexa
066	MelanomaBuccalMucosa
067	MelanomaChoroid
068	MelanomaCiliaryBody
069	MelanomaConjunctiva
070	MelanomaEpiglottisAnterior
071	MelanomaEyeOther
072	MelanomaFloorMouth
073	MelanomaGumLower
074	MelanomaGumOther
075	MelanomaGumUpper
076	MelanomaHypopharynx
077	MelanomaIris
078	MelanomaLarynxGlottic
079	MelanomaLarynxOther
080	MelanomaLarynxSubglottic
081	MelanomaLarynxSupraglottic
082	MelanomaLipLower
083	MelanomaLipOther
084	MelanomaLipUpper
085	MelanomaMouthOther
086	MelanomaNasalCavity
087	MelanomaNasopharynx
088	MelanomaOropharynx
089	MelanomaPalateHard
090	MelanomaPalateSoft
091	MelanomaPharynxOther
092	MelanomaSinusEthmoid
093	MelanomaSinusMaxillary
094	MelanomaSinusOther
095	MelanomaSkin
096	MelanomaTongueAnterior
097	MelanomaTongueBase
098	MerkelCellPenis

Code	Description
099	MerkelCellScrotum
100	MerkelCellSkin
101	MerkelCellVulva
102	MiddleEar
103	MouthOther
104	MycosisFungoides
105	MyelomaPlasmaCellDisorder
106	NasalCavity
107	Nasopharynx
108	NETAmpulla
109	NETColon
110	NETRectum
111	NETSmallIntestine
112	NETStomach
113	Orbit
114	Oropharynx
115	Ovary
116	PalateHard
117	PalateSoft
118	PancreasBodyTail
119	PancreasHead
120	PancreasOther
121	ParotidGland
122	Penis
123	Peritoneum
124	PeritoneumFemaleGen
125	PharyngealTonsil
126	PharynxOther
127	Placenta
128	Pleura
129	Prostate
130	Rectum
131	RespiratoryOther
132	Retinoblastoma
133	Retroperitoneum

Code	Description
134	SalivaryGlandOther
135	Scrotum
136	SinusEthmoid
137	SinusMaxillary
138	SinusOther
139	Skin
140	SkinEyelid
141	SmallIntestine
142	SoftTissue
143	Stomach
144	SubmandibularGland
145	Testis
146	Thyroid
147	TongueAnterior
148	TongueBase
149	Trachea
150	Urethra
151	UrinaryOther
152	Vagina
153	Vulva

## TNM 7/CS V0204+ SCHEMA RECODE

# NAACCR Item #: N/A SAS Variable Name: TNM\_7\_CS\_v0204\_Schema\_recode Research Plus Limited-Field: No

*Field Description:* Allows the identification of categories consistent with TNM 7/CS v0204+ Schema to include cases 2018+. This variable will facilitate the analyses of the 2010+ SSDI recodes, which require consistent cohorts over time. Stomach and Esophagus GE Junction combined into a single grouping.

# RACE RECODE (WHITE, BLACK, OTHER)

## NAACCR Item #: N/A SAS Variable Name: Race\_recode\_White\_Black\_Other Research Plus Limited-Field: Yes

*Field Description:* Race recode is based on the race variables and the American Indian/Native American IHS link variable. This recode should be used to link to the populations for white, black and other. It is independent of Hispanic ethnicity. For more information, see <a href="http://seer.cancer.gov/seerstat/variables/seer/race\_ethnicity">http://seer.cancer.gov/seerstat/variables/seer/race\_ethnicity</a>.

Description
White Black
Other (American Indian/AK Native, Asian/Pacific Islander)
Other unspecified (1991+)
Unknown

# RACE RECODE (W, B, AI, API)

# NAACCR Item #: N/A SAS Variable Name: Race\_recode\_W\_B\_AI\_API Research Plus Limited-Field: Yes

*Field Description:* Caution should be exercised when using this variable. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/race\_ethnicity</u>.

Code	Description
1	White
2	Black
3	American Indian/Alaska Native
4	Asian or Pacific Islander
7	Other unspecified (1991+)
9	Unknown

## **ORIGIN RECODE NHIA (HISPANIC, NON-HISP)**

# NAACCR Item #: N/A SAS Variable Name: OriginrecodeNHIAHispanicNonHisp Research Plus Limited-Field: Yes

*Field Description:* Caution should be exercised when using this variable. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/race\_ethnicity</u>.

Code	Description
0	Non-Spanish-Hispanic-Latino
1	Spanish-Hispanic-Latino

## RACE AND ORIGIN RECODE (NHW, NHB, NHAIAN, NHAPI, HISPANIC)

## NAACCR Item #: N/A SAS Variable Name: RaceandoriginrecodeNHWNHBNHAIAN Research Plus Limited-Field: Yes

*Field Description:* Caution should be exercised when using this variable. For more information, see http://seer.cancer.gov/seerstat/variables/seer/race\_ethnicity.

## **SEER HISTORIC STAGE A (1973-2015)**

## NAACCR Item #: N/A SAS Variable Name: SEER\_historic\_stage\_A\_1973\_2015 Research Plus Limited-Field: No

*Field Description:* Derived from Collaborative Stage (CS) for 2004-2015 and Extent of Disease (EOD) from 1973-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Over time several different EOD schemes have been used. Thus caution should be used when doing trend analysis.

For more information including sites and years for which it isn't calculated, see <u>http://seer.cancer.gov/seerstat/variables/seer/lrd-stage</u>.

Code	Description
0	In situ — A noninvasive neoplasm; a tumor which has not penetrated the basement membrane nor extended beyond the epithelial tissue. Some synonyms are intraepithelial (confined to epithelial tissue), noninvasive and noninfiltrating.
1	Localized — An invasive neoplasm confined entirely to the organ of origin. It may include intraluminal extension where specified. For example for colon, intraluminal extension limited to immediately contiguous segments of the large bowel is localized, if no lymph nodes are involved. Localized may exclude invasion of the serosa because of the poor survival of the patient once the serosa is invaded.
2	Regional — A neoplasm that has extended 1) beyond the limits of the organ of origin directly into surrounding organs or tissues; 2) into regional lymph nodes by way of the lymphatic system; or 3) by a combination of extension and regional lymph nodes.
4	Distant — A neoplasm that has spread to parts of the body remote from the primary tumor either by direct extension or by discontinuous metastasis (e.g., implantation or seeding) to distant organs, issues, or via the lymphatic system to distant lymph nodes.
8	Localized/Regional – Only used for Prostate cases.
9	Unstaged — Information is not sufficient to assign a stage.
14	Blank

## AJCC STAGE 3rd EDITION (1988-2003)

## NAACCR Item #: N/A SAS Variable Name: AJCCstage\_3rd\_edition\_1988\_2003 Research Plus Limited-Field: No

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see: http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

## SEER MODIFIED AJCC STAGE 3<sup>rd</sup> ED (1988-2003)

## NAACCR Item #: N/A SAS Variable Name: SEERmodifiedAJCCstage3rd1988200 Research Plus Limited-Field: No

Field Description: Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. The modified version stages cases that would be unstaged under strict AJCC staging rules. For example, it assumes NX is N0.

For codes and descriptions, see: http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

## FIRST MALIGNANT PRIMARY INDICATOR

NAACCR Item #: N/A SAS Variable Name: Firstmalignantprimary\_indicator Research Plus Limited-Field: Yes

*Field Description:* Based on all the tumors in SEER. Tumors not reported to SEER are assumed malignant.

Code	Description
0	no
1	yes

## STATE-COUNTY

NAACCR Item #: N/A SAS Variable Name: State\_county Research Plus Limited-Field: Yes

*Field Description:* This item is a state-county combination where the first two characters represent the state FIPS code. The last three digits represent the FIPS county code.

## **COUNTY ATRRIBUTES**

## NAACCR Item #: SAS Variable Names: Medianhouseholdincomeinflationa, Rural\_Urban\_Continuum\_Code Research Plus Limited-Field: Yes

Field Description: County attribute data from the U.S. Census are also linked to the SEER\*Stat databases. Variables available are dependent on the type of database. For more information, see https://seer.cancer.gov/seerstat/variables/countyattribs/. If using the linked attribute database: "County Attributes - Time Dependent (1990-2018) Income/Rurality, 1969-2019 Counties", which only includes 2 categorical attributes (income and rurality), these fields can be included in case listings. Research Plus and Research Plus Limited-Field databases also have additional linked county attribute databases available. If using these databases, the attributes are not available in case listing.

# **PRCDA 2017**

NAACCR Item #: N/A SAS Variable Name: PRCDA\_2017 Research Plus Limited-Field: Yes

*Field Description:* This data item identifies whether or not the county of diagnosis is served by PRCDA. The primary use of this field is to be able to limit analyses of AI/AN race to areas served by PRCDA. See <u>https://seer.cancer.gov/seerstat/variables/seer/race\_ethnicity</u>OR https://seer.cancer.gov/seerstat/variables/countyattribs/

## **PRCDA REGION**

## NAACCR Item #: N/A SAS Variable Name: PRCDA\_Region Research Plus Limited-Field: Yes

*Field Description:* This data item is a grouping of states that is primarily used when working with PRCDA 2017. See <u>https://seer.cancer.gov/seerstat/variables/seer/race\_ethnicity</u> OR <u>https://seer.cancer.gov/seerstat/variables/countyattribs/</u>

Code	Description
1	Alaska
2	East
3	Northern Plains
5	Pacific Coast
6	Southwest

# **COD TO SITE RECODE**

## NAACCR Item #: N/A SAS Variable Name: COD\_to\_site\_recode Research Plus Limited-Field: No (Not available for MA)

*Field Description:* This recode was introduced to account for several newly valid ICD-10 codes and includes both cancer and non-cancer causes of death.

See the following website for details: http://seer.cancer.gov/codrecode/1969+\_d03012018/index.html

## COD TO SITE REC KM

## NAACCR Item #: N/A SAS Variable Name: COD\_to\_site\_rec\_KM Research Plus Limited-Field: No (Not available for MA)

*Field Description:* This is a recode based on underlying cause of death to designate cause of death into groups similar to the incidence site recode with KS and mesothelioma. For more information, see <a href="http://seer.cancer.gov/codrecode/1969+\_d03012018/index.html">http://seer.cancer.gov/codrecode/1969+\_d03012018/index.html</a>. Study cutoff date has been applied, i.e. coded as alive if death occurred after study cutoff.

## VITAL STATUS RECODE (STUDY CUTOFF USED)

## NAACCR Item #: N/A SAS Variable Name: Vitalstatusrecodestudycutoffuse Research Plus Limited-Field: No (Not available for MA)

*Field Description:* Any patient that dies after the follow-up cut-off date is recoded to alive as of the cut-off date. (Date of death per Medicaid is available for all persons with Medicaid\_Flag=1)

Code	Description
1	Alive
0	Dead

## IHS LINK

# NAACCR Item #: 192 SAS Variable Name: IHS\_Link Research Plus Limited-Field: Yes

*Field Description:* Incidence files are periodically linked with Indian Health Service (IHS) files to identify Native Americans. The race recode uses information from this field and race to determine if a person is Native American or not. See <a href="http://www.seer.cancer.gov/seerstat/variables/seer/race\_ethnicity">http://www.seer.cancer.gov/seerstat/variables/seer/race\_ethnicity</a>.

Code	Description
0	Record sent for linkage, no IHS match
1	Record sent for linkage, IHS match
2	Blank

#### SUMMARY STAGE 2000 (1998-2017)

## NAACCR Item #: N/A SAS Variable Name: Summary\_stage\_2000\_1998\_2017 Research Plus Limited-Field: No

*Field Description:* Summary Stage 2000 is derived from Collaborative Stage (CS) for 2004+ and Extent of Disease (EOD) from 1998-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Used in the SEER CSR and more recent SEER publications. For more information including sites and years for which it isn't calculated, see <u>http://seer.cancer.gov/seerstat/variables/seer/lrd-stage</u>.

## AYA SITE RECODE/WHO 2008

## NAACCR Item #: N/A SAS Variable Name: AYA\_site\_recode\_WHO\_2008 Research Plus Limited-Field: Yes

*Field Description:* A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. For more information, see http://www.seer.cancer.gov/ayarecode/index.html.

## AYA SITE RECODE 2020 REVISION

# NAACCR Item #: N/A SAS Variable Name: AYA\_site\_recode\_2020\_Revision Research Plus Limited-Field: Yes

*Field Description:* A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. For more information, see https://seer.cancer.gov/ayarecode/

## LYMPHOID NEOPLASM RECODE 2021 REVISION

# NAACCR Item #: N/A SAS Variable Name: Lymphoidneoplasmrecode2021Revis Research Plus Limited-Field: Yes

*Field Description:* A site/histology recode that is mainly used to analyze data on lymphoma subtypes. Based on ICD-O-3. Note that cases diagnosed before 2001 were not coded under ICD-O-3 and were converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For more information, see <u>https://seer.cancer.gov/lymphomarecode/</u>

## LYMPHOMA SUBTYPE RECODE/WHO 2008 (thru 2017)

# NAACCR Item #: N/A SAS Variable Name: LymphomasubtyperecodeWHO2008thr Research Plus Limited-Field: Yes

*Field Description:* A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. For more information, see <a href="http://seer.cancer.gov/lymphomarecode/">http://seer.cancer.gov/lymphomarecode/</a>.

#### **SEER BRAIN AND CNS RECODE**

#### NAACCR Item #: N/A SAS Variable Name: SEER\_Brain\_and\_CNS\_Recode Research Plus Limited-Field: Yes

*Field Description:* For analyses of brain/CNS tumors according to major histological categories, based on the 2016 World Health Organization Classification of Tumors of the Central Nervous System (CNS). For more information, see <a href="https://seer.cancer.gov/seerstat/variables/seer/brain\_cns-recode/">https://seer.cancer.gov/seerstat/variables/seer/brain\_cns-recode/</a>

#### **ICCC SITE RECODE 3RD EDITION/IARC 2017**

#### NAACCR Item #: N/A SAS Variable Name: ICCCsiterecode3rdeditionIARC201 Research Plus Limited-Field: Yes

*Field Description*: A site/histology recode that is mainly used to analyze data on children. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. Based on ICD-O-3. Note that cases diagnosed before 2001 were not coded under ICD-O-3 and were converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site recode, see https://seer.cancer.gov/iccc

#### SEER CAUSE-SPECIFIC DEATH CLASSIFICATION

#### NAACCR Item #: N/A SAS Variable Name: SEERcausespecificdeathclassific Research Plus Limited-Field: No (Not available for MA)

*Field Description*: Created for use in cause-specific survival. This variable designates that the person died of their cancer for cause-specific survival. For more information, see <u>http://seer.cancer.gov/causespecific</u>.

Code	Description
0	Alive or dead of other cause
1	Dead
8	Dead (missing/unknown COD)
9	N/A

#### SEER OTHER CAUSE OF DEATH CLASSIFICATION

#### NAACCR Item #: N/A SAS Variable Name: SEERothercauseofdeathclassifica Research Plus Limited-Field: No (Not available for MA)

*Field Description*: Created for use in left-truncated life table session. This variable designates that the person died of causes other than their cancer. For more information, see <u>http://seer.cancer.gov/causespecific</u>.

Code	Description
0	Alive or dead due to cancer
1	Dead
8	Dead (missing/unknown COD)
9	N/A

#### CS TUMOR SIZE/EXT EVAL (2004-2015)

NAACCR Item #: 2820 SAS Variable Name: CSTumor\_Size\_Ext\_Eval\_2004\_2015 Research Plus Limited-Field: No

*Field Description*: Available for 2004-2015, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</u>.

#### CS REG NODE EVAL (2004-2015)

NAACCR Item #: 2840 SAS Variable Name: CS\_Reg\_Node\_Eval\_2004\_2015 Research Plus Limited-Field: No

*Field Description*: Available for 2004-2015, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</u>.

#### **CS METS EVAL (2004-2015)**

#### NAACCR Item #: 2860 SAS Variable Name: CS\_Mets\_Eval\_2004\_2015 Research Plus Limited-Field: No

*Field Description*: Available for 2004-2015,, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage</u>.

#### PRIMARY BY INTERNATIONAL RULES

#### NAACCR Item #: N/A SAS Variable Name: Primary\_by\_international\_rules Research Plus Limited-Field: Yes

*Field Description*: Created using IARC multiple primary rules. Did not include benign tumors or non-bladder in situ tumors in algorithm. No tumor information was modified on any records.

Code	Description
0	No
1	Yes
9	Excluded from IARC multiple primary algorithm due to behavior

#### ER STATUS RECODE BREAST CANCER (1990+)

#### NAACCR Item #: N/A SAS Variable Name: ERStatusRecodeBreastCancer\_1990 Research Plus Limited-Field: No

*Field Description*: Created with combined information from Tumor marker 1 (1990-2003) (NAACCR Item #1150), with information from CS site-specific factor 1 (2004-2017) (NAACCR Item #2880) and Estrogen Receptor Summary (2018+) (NAACCR Item #3827). Coded for cases coded as Breast in TNM 7/CS v0204+ Schema AND EOD Schema Id AND Site recode ICD-O-3/WHO 2008.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Recode Not Available

#### PR STATUS RECODE BREAST CANCER (1990+)

#### NAACCR Item #: N/A SAS Variable Name: PRStatusRecodeBreastCancer\_1990 Research Plus Limited-Field: No

*Field Description*: Created with combined information from Tumor marker 2 (1990-2003) (NAACCR Item #1160), with information from CS site-specific factor 2 (2004-2017) (NAACCR Item #2890) and Progesterone Receptor Summary (2018+) (NAACCR Item #3915). Coded for cases coded as Breast in TNM 7/CS v0204+ Schema AND EOD Schema Id AND Site recode ICD-O-3/WHO 2008.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Recode Not Available

# CS SCHEMA—AJCC 6<sup>TH</sup> EDITION

#### NAACCR Item #: N/A SAS Variable Name: CS\_Schema\_AJCC\_6th\_Edition Research Plus Limited-Field: No

# *Field Description*: CS information is collected under the specifications of a particular schema based on site and histology. This recode should be used in any analysis of AJCC 6th ed stage and T, N, M. Based on CS version 1, it should not be used for SSFs collected or modified under CS v02.

Code	Description
01	LipUpper
02	LipLower
03	OthLip
04	BaseTongue
05	AntTongue
06	GumUpper
07	GumLower
08	OthGum
09	FOM
10	HardPalate
11	SoftPalate
12	OthMouth
13	BuccalMucosa
14	ParotidGland

(Continued from CS SCHEMA—AJCC 6TH EDITION)

<		
Code	Description	
15	SubmandibularGland	
16	OthSalivary	
17	Oropharynx	
18	AntEpiglottis	
19	Nasopharynx	
20	Hypopharynx	
21	OthPharynx	
22	Esophagus	
23	Stomach	
24	SmallIntestine	
25	Colon	
26	Rectum	
27	Anus	
28	Liver	
29	Gallbladder	
30	ExtraHepaticDucts	
31	Ampulla	
32	OthBiliary	
33	PancreasHead	
34	PancreasBodyTail	
35	OthPancreas	
36	OthDigestive	
37	NasalCavity	
38	MiddleEar	
39	MaxillarySinus	
40	EthmoidSinus	
41	OthSinus	
42	GlotticLarynx	
43	SupraLarynx	
44	SubLarynx	
45	OthLarynx	
46	Trachea	
47	Lung	
48	HeartMediastinum	
49	Pleura	
50	OthRespiratory	
51	Bone	

Description Code 52 Skin 53 SkinEyelid 54 Melanoma 55 MF 56 SoftTissue 57 Peritoneum 58 Breast 59 Vulva Vagina 60 61 Cervix 62 Corpus 63 Ovary FallopianTube 64 65 OthAdnexa OthFemaleGen 66 67 Placenta 68 Penis 69 Prostate Testis 70 71 OthMaleGen 72 Scrotum 73 Kidney 74 RenalPelvis 75 Bladder 76 Urethra 77 OthUrinary 78 Conjunctiva MelanomaConjunctiva 79 80 OthEye MelanomaIrisCiliary 81 MelanomaChoroid 82 83 MelanomaOthEye LacrimalGland 84 85 Orbit 86 Retinoblastoma 87 Brain OthCNS 88 Thyroid 89 90 OthEndocrine 91 KS 92 Lymphoma 93 HemeRetic 94 OthIllDef

(Continued from CS SCHEMA—AJCC 6<sup>TH</sup> EDITION)

#### LYMPH-VASCULAR INVASION (2004+ VARYING BY SCHEMA)

#### NAACCR Item #: 1182 SAS Variable Name: LymphvascularInvasion2004varyin Research Plus Limited-Field: No

*Field Description:* LVI is required for cases originally coded under CSv2 or diagnosed 2010+ for the schemas for penis and testis only. On the research file LVI is shown only for testis because it is needed for AJCC 6th ed staging. For penis, LVI is needed for AJCC 7th ed staging only which isn't calculated until 2010.

Code	Description
0	Lymph-vascular Invasion Not Present (absent)/Not Identified
1	Lymph-vascular Invasion Present/Identified
8	Not Applicable
9	Unknown/Indeterminate
14	Blank

#### SURVIVAL MONTHS

#### NAACCR Item #: N/A SAS Variable Name: Survival\_months Research Plus Limited-Field: No (Not available for MA)

*Field Description:* Created using complete dates, including days, therefore may differ from survival time calculated from year and month only. For more information, see <u>http://seer.cancer.gov/survivaltime</u>. (Date of death per Medicaid is available for all persons with Medicaid\_Flag=1)

Code	Description
000-9998	000-9998 months
9999	Unknown

#### SURVIVAL MONTHS FLAG

#### NAACCR Item #: N/A SAS Variable Name: Survival\_months\_flag Research Plus Limited-Field: No (Not available for MA)

*Field Description:* Created using complete dates, including days, therefore may differ from survival time calculated from year and month only. For more information, see <u>http://seer.cancer.gov/survivaltime</u>. (Date of death per Medicaid is available for all persons with Medicaid\_Flag=1)

Code	Description
0	Complete dates are available and there are 0 days of survival
1	Complete dates are available and there are more than 0 days of survival
2	Incomplete dates are available and there could be zero days of follow-up
3	Incomplete dates are available and there cannot be zero days of follow-up
8	Not calculated because a Death Certificate Only or Autopsy Only case
9	Unknown

# **DERIVED AJCC T, 7<sup>TH</sup> ED (2010-2015)**

#### NAACCR Item #: 3400 SAS Variable Name: Derived\_AJCC\_T\_7<sup>th</sup>\_ed\_2010\_2015 Research Plus Limited-Field: No

*Field Description:* This is the AJCC "T" component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details: (http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).

Code	Description
999	TX
000	Т0
010	Та
050	Tis
060	Tispu (Urethra only)
070	Tispd (Urethra only)
100	T1
110	T1mic
199	T1 NOS
120	Tla
130	Tlal
140	T1a2
150	T1b
160	T1b1
170	T1b2
180	T1c
181	T1d
200	T2
299	T2 NOS
210	T2a
211	T2a1
212	T2a2
213	T2a NOS
220	T2b
230	T2c
240	T2d
300	T3
399	T3 NOS
310	T3a
320	T3b
330	T3c
400	T4
499	T4 NOS

Code	Description
410	T4a
420	T4b
430	T4c
440	T4d
450	T4e
800	T1a NOS
810	T1b NOS
888	Not applicable
1022	Blank

(Continued from DERIVED AJCC T, 7<sup>TH</sup> ED (2010-2015))

# **DERIVED AJCC N, 7<sup>TH</sup> ED (2010-2015)**

#### NAACCR Item #: 3410 SAS Variable Name: Derived\_AJCC\_N\_7th\_ed\_2010\_2015 Research Plus Limited-Field: No

*Field Description:* This is the AJCC "N" component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details: (http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).

Code	Description
999	NX
000	N0
010	N0(i-)
020	N0(i+)
030	N0(mol-)
040	N0(mol+)
100	N1
199	N1 NOS
110	Nla
120	N1b
130	N1c
180	N1mi
200	N2
299	N2 NOS
210	N2a
220	N2b
230	N2c
300	N3

# (Continued from DERIVED AJCC N, 7TH ED (2010-2015))

Code	Description
399	N3 NOS
310	N3a
320	N3b
330	N3c
400	N4
888	Not applicable
1022	Blank

# DERIVED AJCC M, 7<sup>TH</sup> ED (2010-2015)

#### NAACCR Item #: 3420 SAS Variable Name: Derived\_AJCC\_M\_7th\_ed\_2010\_2015 Research Plus Limited-Field: No

Field Description:	This is the AJCC "M" component that is derived from CS coded fields, using	
	the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-	
	specific schema for details:	
	(http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).	

Code	Description
999	MX
000	M0
010	M0(i+)
100	M1
110	M1a
120	M1b
130	M1c
140	M1d
150	M1e
199	M1 NOS
888	Not applicable
1022	Blank

# DERIVED AJCC STAGE GROUP, 7<sup>TH</sup> ED (2010-2015)

#### NAACCR Item #: 3430 SAS Variable Name: DerivedAJCCStageGroup7thed20102 Research Plus Limited-Field: No

*Field Description:* This is the AJCC "Stage Group" component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details: (http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage).

Code	Description
000	Stage 0
010	Stage 0a
020	Stage 0is
100	Stage I
110	Stage I NOS
120	Stage IA
130	Stage IA1
140	Stage IA2
121	Stage IA NOS
150	Stage IB
160	Stage IB1
170	Stage IB2
151	Stage IB NOS
180	Stage IC
190	Stage IS
230	Stage ISA (lymphoma only)
240	Stage ISB (lymphoma only)
200	Stage IEA (lymphoma only)
210	Stage IEB (lymphoma only)
220	Stage IE (lymphoma only)
300	Stage II
310	Stage II NOS
320	Stage IIA
321	Stage IIA NOS
322	Stage IIA1
323	Stage IIA NOS
330	Stage IIB
340	Stage IIC
350	Stage IIEA (lymphoma only)
360	Stage IIEB (lymphoma only)

Code	Description
370	Stage IIE (lymphoma only)
380	Stage IISA (lymphoma only)
390	Stage IISB (lymphoma only)
400	Stage IIS (lymphoma only)
410	Stage IIESA (lymphoma only)
420	Stage IIESB (lymphoma only)
430	Stage IIES (lymphoma only)
500	Stage III
510	Stage III NOS
520	Stage IIIA
530	Stage IIIB
540	Stage IIIC
541	Stage IIIC1
542	Stage IIIC2
550	Stage IIIEA (lymphoma only)
560	Stage IIIEB (lymphoma only)
570	Stage IIIE (lymphoma only)
580	Stage IIISA (lymphoma only)
590	Stage IIISB (lymphoma only)
600	Stage IIIS (lymphoma only)
610	Stage IIIESA (lymphoma only)
620	Stage IIIESB (lymphoma only)
630	Stage IIIES (lymphoma only)
700	Stage IV
710	Stage IV NOS
720	Stage IVA
730	Stage IVB
740	Stage IVC
888	Not applicable
900	Stage Occult
999	Stage Unknown
1022	Blank

(Continued from DERIVED AJCC STAGE GROUP, 7TH ED (2010-2015)

# BREAST—ADJUSTED AJCC 6<sup>TH</sup> T (1988-2015)

#### NAACCR Item #: N/A SAS Variable Name: BreastAdjustedAJCC6thT1988\_2015 Research Plus Limited-Field: No

*Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.</u>

Code	Description
00	T0
01	Та
05	Tis
06	Tispu
07	Tispd
10	T1
11	T1mic
12	Tla
13	Tlal
14	T1a2
15	T1b
16	T1b1
17	T1b2
18	Tlc
19	T1NOS
20	T2
21	T2a
22	T2b
23	T2c
29	T2NOS
30	T3
31	T3a
32	T3b
33	T3c
39	T3NOS
40	T4
41	T4a
42	T4b
43	T4c
44	T4d
49	T4NOS
60	Any T, Mets
80	T1aNOS

#### **FIELD DESCRIPTIONS**

(Continued from BREAST—ADJUSTED AJCC 6TH T (1988-2015)

Code	Description
81	T1bNOS
88	N/A
99	TX Adjusted
126	Blank

## BREAST—ADJUSTED AJCC 6<sup>TH</sup> N (1988-2015)

#### NAACCR Item #: N/A SAS Variable Name: BreastAdjustedAJCC6thN1988\_2015 Research Plus Limited-Field: No

# *Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.</u>

Code	Description
00	N0
01	N0(i-)
02	N0(i+)
03	N0(mo1-)
04	N0(mo1+)
09	N0NOS
10	N1
11	Nla
12	N1b
13	N1c
18	N1mi
19	N1NOS
20	N2
21	N2a
22	N2b
23	N2c
29	N2NOS
30	N3
31	N3a

Code	Description
32	N3b
33	N3c
39	N3NOS
60	Any N, Mets
70	NXr
80	NXa
88	N/A
99	NX Adjusted
126	Blank

(Continued from BREAST—ADJUSTED AJCC 6<sup>TH</sup> N (1988-2015))

# BREAST—ADJUSTED AJCC 6<sup>TH</sup> M (1988-2015)

#### NAACCR Item #: N/A SAS Variable Name: BreastAdjustedAJCC6thM1988\_2015 Research Plus Limited-Field: No

*Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.</u>

Code	Description
00	M0
10	M1
11	Mla
12	M1b
13	M1c
19	M1NOS
88	N/A
99	MX
126	Blank

#### BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015)

#### NAACCR Item #: N/A SAS Variable Name: BreastAdjustedAJCC6thStage19882 Research Plus Limited-Field: No

*Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th.</u>

Code	Description
00	0
01	0a
02	0is
10	Ι
11	INOS
12	IA
13	IA1
14	IA2
15	IB
16	IB1
17	IB2
18	IC
19	IS
20	IEA
21	IEB
22	IE
23	ISA
24	ISB
30	II
31	IINOS
32	IIA
33	IIB
34	IIC
35	IIEA
36	IIEB
37	IIE
38	IISA
39	IISB
40	IIS
41	IIESA

Code	Description
43	IIES
50	III
51	IIINOS
52	IIIA
53	IIIB
54	IIIC
55	IIIEA
56	IIIEB
57	IIIE
58	IIISA
59	IIISB
60	IIIS
61	IIIESA
62	IIIESB
63	IIIES
70	IV
71	IVNOS
72	IVA
73	IVB
74	IVC
88	N/A
90	OCCULT
99	UNK Stage
126	Blank

(Continued from BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015))

#### **DERIVED HER2 RECODE (2010+)**

#### NAACCR Item #: N/A SAS Variable Name: Derived\_HER2\_Recode\_2010 Research Plus Limited-Field: No

*Field Description:* Created with combined information from several CS site-specific factors (2010-2017) and HER2 Overall Summary (2018+) (NAACCR Item #=3855). For more information, see https://seer.cancer.gov/seerstat/databases/ssf/her2-derived.html. Coded for cases coded as Breast in TNM 7/CS v0204+ Schema AND EOD Schema Id.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Recode Not Available

#### **BREAST SUBTYPE (2010+)**

#### NAACCR Item #: N/A SAS Variable Name: Breast\_Subtype\_2010 Research Plus Limited-Field: Yes

*Field Description:* Created with combined information from ER Status Recode Breast Cancer (1990+), PR Status Recode Breast Cancer (1990+), and Derived HER2 Recode (2010+). For more information, see https://seer.cancer.gov/seerstat/databases/ssf/breast-subtype.html. Coded for cases coded as Breast in TNM 7/CS v0204+ Schema AND EOD Schema Id.

Code	Description
1	Her2+/HR+
2	Her2+/HR-
3	Her2-/HR+
4	Triple Negative
5	Unknown
9	Recode Not Available

#### LYMPHOMAS: ANN ARBOR STAGING (1983-2015)

#### NAACCR Item #: N/A SAS Variable Name: LymphomaAnnArborStage\_1983\_2015 Research Plus Limited-Field: No

*Field Description:* For information on how this field is created, visit <u>http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/ann-arbor/</u>

#### SEER COMBINED METS AT DX-BONE (2010+)

#### NAACCR Item #: N/A SAS Variable Name: SEERCombinedMetsat\_DX\_bone\_2010 Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2851 (2010-2015) and #1112 (2016+).

Code	Description
0	None; no bone metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
14	Blank

#### SEER COMBINED METS AT DX-BRAIN (2010+)

#### NAACCR Item #: N/A SAS Variable Name: SEERCombinedMetsatDX\_brain\_2010 Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2852 (2010-2015) and #1113 (2016+).

Code	Description
0	None; no brain metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
14	Blank

#### SEER COMBINED METS AT DX-LIVER (2010+)

#### NAACCR Item #: N/A SAS Variable Name: SEERCombinedMetsatDX\_liver\_2010 Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2853 (2010-2015) and #1115 (2016+).

Code	Description
0	None; no liver metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
14	Blank

# SEER COMBINED METS AT DX-LUNG (2010+)

#### NAACCR Item #: N/A SAS Variable Name: SEERCombinedMetsat\_DX\_lung\_2010 Research Plus Limited-Field: No

Field Description: Created from NAACR Item #2854 (2010-2015) and #1116 (2016+).

Code	Description
0	None; no lung metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
14	Blank

#### T VALUE - BASED ON AJCC 3rd (1988-2003)

#### NAACCR Item #: N/A SAS Variable Name: TvaluebasedonAJCC\_3rd\_1988\_2003 Research Plus Limited-Field: No

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see: http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

#### N VALUE - BASED ON AJCC 3rd (1988-2003)

#### NAACCR Item #: N/A SAS Variable Name: NvaluebasedonAJCC\_3rd\_1988\_2003 Research Plus Limited-Field: No

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see: http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

#### M VALUE - BASED ON AJCC 3rd (1988-2003)

#### NAACCR Item #: N/A SAS Variable Name: MvaluebasedonAJCC\_3rd\_1988\_2003 Research Plus Limited-Field: No

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see: http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html

#### TOTAL NUMBER OF IN SITU/MALIGNANT TUMORS FOR PATIENT

#### NAACCR Item #: N/A SAS Variable Name: Totalnumberofinsitumalignanttum Research Plus Limited-Field: No

*Field Description:* Count of a patient's total reported in situ/malignant cancers, based on maximum sequence number of any in situ/malignant tumors in SEER through the last released year of diagnosis. This value is the same across all tumors for a person.

Valid values: 00-98; 99 (unknown)

#### TOTAL NUMBER OF BENIGN/BORDERLINE TUMORS FOR PATIENT

NAACCR Item #: N/A SAS Variable Name: Totalnumberofbenignborderlinetu Research Plus Limited-Field: No

*Field Description:* Count of a patient's total reported benign/borderline cancers, based on maximum sequence number of any benign/borderline tumors in SEER through the last released year of diagnosis. This value is the same across all tumors for a person.

Valid values: 00-98; 99 (unknown)

#### **RADIATION TO BRAIN OR CNS RECODE (1988-1997)**

#### NAACCR Item #: N/A SAS Variable Name: RadiationtoBrainorCNSRecode1988 Research Plus Limited-Field: No

*Field Description:* This variable was only collected for years 1988-1997 for lung and leukemia cases only. It codes for radiation given to the brain or central nervous system at all facilities as part of the first course of therapy, and is a recode of NAACCR Item #1370. This field is blank for cases diagnosed prior to 1988 and after 1997.

Code	Description
0	None/Unknown
1	Radiation
7	Refused
8	Recommended, unknown if administered

#### TUMOR SIZE SUMMARY (2016+)

#### NAACCR Item #: 756 SAS Variable Name: Tumor\_Size\_Summary\_2016 Research Plus Limited-Field: No

*Field Description:* The most accurate measurement of a solid primary tumor, usually measured on the surgical resection specimen.

Code	Description
000	No mass/tumor found
001	1 mm or described as less than 1 mm (0.1 cm or less than 0.1 cm)
002-988	Exact size in millimeters (2mm-988mm) (0.2 cm to 98.8 cm)
989	989 millimeters or larger (98.9 cm or larger)
990	Microscopic focus or foci only and no size of focus is given
998	Alternate descriptions of tumor size for specific sites
999	Unknown; size not stated; Not documented in patient record; Size of tumor cannot be assessed; No excisional biopsy or tumor resection done; The only measurement(s) describes pieces or chips; Not applicable
1022	Blank

#### DERIVED SEER CMB STG GRP (2016-2017)

#### NAACCR Item #: 3614 SAS Variable Name: DerivedSEERCmbStg\_Grp\_2016\_2017 Research Plus Limited-Field: No

*Field Description:* The results of the derived algorithmic calculation of Derived SEER Combined Stage Group.

#### **DERIVED SEER COMBINED T (2016-2017)**

#### NAACCR Item #: 3616 SAS Variable Name: DerivedSEERCombined\_T\_2016\_2017 Research Plus Limited-Field: No

*Field Description:* The results of the derived algorithmic calculation of Derived SEER Combined T.

#### **DERIVED SEER COMBINED N (2016-2017)**

#### NAACCR Item #: 3618 SAS Variable Name: DerivedSEERCombined\_N\_2016\_2017 Research Plus Limited-Field: No

*Field Description:* The results of the derived algorithmic calculation of Derived SEER Combined N.

#### **DERIVED SEER COMBINED M (2016-2017)**

NAACCR Item #: 3620 SAS Variable Name: DerivedSEERCombined\_M\_2016\_2017 Research Plus Limited-Field: No

*Field Description:* The results of the derived algorithmic calculation of Derived SEER Combined M.

#### **DERIVED SEER COMBINED T SRC (2016-2017)**

#### NAACCR Item #: 3622 SAS Variable Name: DerivedSEERCombinedTSrc20162017 Research Plus Limited-Field: No

*Field Description:* The source information selected for the derived algorithmic calculation of Derived SEER Combined T #3616.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown
14	Blank

#### **DERIVED SEER COMBINED N SRC (2016-2017)**

#### NAACCR Item #: 3624 SAS Variable Name: DerivedSEERCombinedNSrc20162017 Research Plus Limited-Field: No

*Field Description:* The source information selected for the derived algorithmic calculation of Derived SEER Combined N #3618.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown
14	Blank

#### DERIVED SEER COMBINED M SRC (2016-2017)

#### NAACCR Item #: 3626 SAS Variable Name: DerivedSEERCombinedMSrc20162017 Research Plus Limited-Field: No

*Field Description:* The source information selected for the derived algorithmic calculation of Derived SEER Combined M #3620.

Code	Description
1	Clinical
2	Pathologic
3	Clinical and pathologic information used
9	Unknown
14	Blank

#### **TNM EDITION NUMBER (2016-2017)**

#### NAACCR Item #: 1060 SAS Variable Name: TNM\_Edition\_Number\_2016\_2017 Research Plus Limited-Field: No

*Field Description:* The edition of the AJCC manual used to stage the case. This applies to the manually coded AJCC fields. It does not apply to the Derived AJCC T, N, M and AJCC Stage Group fields [2940, 2960, 2980, and 3000].

SEER used UICC 7th edition as well as AJCC 7th edition rules. UICC 7th edition and AJCC 7th edition TNM categories and stage groups are very similar.

Code	Description
07	Seventh Edition (published 2009), recommended
07	for use with cases diagnosed 2010-2017
U7	Seventh Edition with UICC modifications
88	Not applicable (cases that do not have an AJCC
00	staging scheme)
14	Blank

## METS AT DX—DISTANT LN (2016+)

#### NAACCR Item #: 1114 SAS Variable Name: Mets\_at\_DX\_Distant\_LN\_2016 Research Plus Limited-Field: No

Field Description: Identifies whether distant lymph node(s) are an involved metastatic site.

Code	Description
0	None; no distant lymph node metastases
1	Yes; distant lymph node metastases
8	Not applicable
9	Unknown whether distant lymph node(s) are involved metastatic site. Not documented in patient record.
14	Blank

#### METS AT DX-OTHER (2016+)

#### NAACCR Item #: 1117 SAS Variable Name: Mets\_at\_DX\_Other\_2016 Research Plus Limited-Field: No

*Field Description:* Identifies any type of distant involvement not captured in the Mets at Dx-Bone [1112], Mets at Dx-Brain [1113], Mets at Dx-Liver [1115], Mets at Dx-Lung [1116], and Mets at Dx-Distant LN [1114] fields. It includes involvement of other specific sites and more generalized metastases such as carcinomatosis. Some examples include but are not limited to the adrenal gland, bone marrow, pleura, malignant pleural effusion, peritoneum, and skin.

Code	Description
0	None; no other metastases
1	Yes; distant metastases in known site(s) other than bone, brain, liver, lung or distant lymph nodes (Note: includes bone marrow involvement for lymphomas)
2	Generalized metastases such as carcinomatosis
8	Not applicable
9	Unknown whether any other metastatic site or generalized metastases. Not documented in patient record.
14	Blank

#### AJCC ID (2018+)

#### NAACCR Item #: 995 SAS Variable Name: AJCC\_ID\_2018 Research Plus Limited-Field: Yes

*Field Description:* Based on the chapters of the AJCC manual and will be derived primarily from the site/histology fields and other data items as required. IDs are assigned to cases for which AJCC staging is applicable. When staging is not applicable, code 'XX' is used.

#### EOD SCHEMA ID RECODE (2010+)

#### NAACCR Item #: N/A SAS Variable Name: EOD\_Schema\_ID\_Recode\_2010 Research Plus Limited-Field: Yes

*Field Description:* Allows the identification of categories consistent with Schema ID to include cases 2010+. This variable will facilitate the analyses of the 2010+ SSDI recodes, which require consistent cohorts over time.

#### **DERIVED EOD 2018 T (2018+)**

NAACCR Item #: 785 SAS Variable Name: Derived\_EOD\_2018\_T\_2018 Research Plus Limited-Field: No

*Field Description:* See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.

#### **DERIVED EOD 2018 N (2018+)**

NAACCR Item #: 815 SAS Variable Name: Derived\_EOD\_2018\_N\_2018 Research Plus Limited-Field: No

*Field Description:* See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.

#### **DERIVED EOD 2018 M (2018+)**

NAACCR Item #: 795 SAS Variable Name: Derived\_EOD\_2018\_M\_2018 Research Plus Limited-Field: No

*Field Description:* See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.

#### DERIVED EOD 2018 STAGE GROUP (2018+)

#### NAACCR Item #: 818 SAS Variable Name: DerivedEOD2018\_Stage\_Group\_2018 Research Plus Limited-Field: No

*Field Description:* See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.

#### EOD PRIMARY TUMOR (2018+)

NAACCR Item #: 772 SAS Variable Name: EOD\_Primary\_Tumor\_2018 Research Plus Limited-Field: No

*Field Description:* See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.

#### **EOD REGIONAL NODES (2018+)**

NAACCR Item #: 774 SAS Variable Name: EOD\_Regional\_Nodes\_2018 Research Plus Limited-Field: No

*Field Description:* See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.

#### EOD METS (2018+)

NAACCR Item #: 776 SAS Variable Name: EOD\_Mets\_2018 Research Plus Limited-Field: No

*Field Description:* See the most current version of EOD (https://staging.seer.cancer.gov/) for rules and site-specific codes and coding structures.

#### MONTHS FROM DIAGNOSIS TO TREATMENT

#### NAACCR Item #: N/A SAS Variable Name: Monthsfromdiagnosisto\_treatment Research Plus Limited-Field: No

*Field Description:* Value = ((Year initial treatment started \* 12) + Month initial treatment started) - ((Year of DX \* 12) + Month of DX);

Blank if any date component unknown or calculated value > 24

#### **CENSUS TRACT 1970/1980/1990**

#### NAACCR Item #: 110 SAS Variable Name: Census\_Tract\_1990 Research Plus Limited-Field: Yes

Field Description: Identifies the patient's census tract of residence at the time the tumor was diagnosed. Census Tract 70/80/90 is a derived (geocoded) variable based on the Census Boundary files from 1970, 1980, 1990 Decennial Census. See Census Tract 2000 [130]; Census Tract 2010 [135]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 1970, 1980 or 1990 Census. Refer to Census Cod Sys 1970/80/90 [120] to ascertain the decade of reference. For consolidated records, the geocoded state should be based on the best address at diagnosis information identified.

#### **CENSUS TRACT 2000**

NAACCR Item #: 130 SAS Variable Name: Census\_Tract\_2000 Research Plus Limited-Field: Yes

*Field Description:* Identifies the patient's census tract of residence at the time the tumor was diagnosed. Census Tract 2000 is a derived (geocoded) variable based on the Census Boundary files from 2000. See Census Tract 70/80/90 [110]; Census Tract 2010 [135]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 2000 Census. For consolidated records, the geocoded state should be based on the best address at diagnosis information identified.

#### **CENSUS TRACT 2010**

#### NAACCR Item #: 135 SAS Variable Name: Census\_Tract\_2010 Research Plus Limited-Field: Yes

*Field Description:* Identifies the patient's census tract of residence at the time the tumor was diagnosed. Census Tract 2010 is a derived (geocoded) variables based on the Census Boundary files from 2010. See Census Tract 1970/80/90 [110]; Census Tract 2000 [130]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 2010 Census. For consolidated records, the geocoded state should be based on the best address at diagnosis information identified.

#### CODING SYSTEM FOR CENSUS TRACT 1970/80/90

NAACCR Item #: 120 SAS Variable Name: Census\_Coding\_System Research Plus Limited-Field: Yes

*Field Description:* Identified the set of Census Bureau census tract definitions (boundaries) that were used to code the census tract in Census Tract 1970/80/90 [110] for a specific record.

#### CENSUS TRACT CERTAINTY 1970/80/90

NAACCR Item #: 364 SAS Variable Name: Census\_Tract\_Certainty\_1990 Research Plus Limited-Field: Yes

*Field Description:* Code indicating basis of assignment of census tract or block numbering area (BNA) for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. This item is not coded by the hospital. Central registry staff manually assign the code.

(continued from CENSUS TRACT CERTAINTY 1970/80/90))

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract/BNA based on residence ZIP + 4
3	Census tract/BNA based on residence ZIP + 2
4	Census tract/BNA based on residence ZIP code only
5	Census tract/BNA based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

#### **CENSUS TRACT CERTAINTY 2000**

#### NAACCR Item #: 365 SAS Variable Name: Census\_Tract\_Certainty\_2000 Research Plus Limited-Field: Yes

*Field Description:* Code indicating basis of assignment of census tract for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. This item is not coded by the hospital. Central registry staff assign the code.

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract based on residence ZIP + 4
3	Census tract based on residence ZIP + 2
4	Census tract based on residence ZIP code only
5	Census tract based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

#### **CENSUS TRACT CERTAINTY 2010**

#### NAACCR Item #: 367 SAS Variable Name: Census\_Tract\_Certainty\_2010 Research Plus Limited-Field: Yes

*Field Description:* Code indicating basis of assignment of census tract for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. (continued on next page) (continued from CENSUS TRACT CERTAINTY 2010)

Box. This item is not coded by the hospital. Central registry staff assign the code.

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract based on residence ZIP + 4
3	Census tract based on residence ZIP + 2
4	Census tract based on residence ZIP code only
5	Census tract based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

#### **RURAL URBAN CONTINUUM 1993**

#### NAACCR Item #: 3300 SAS Variable Name: Rural\_Urban\_Continuum\_Code\_1993 Research Plus Limited-Field: Yes

*Field Description:* The Rural-Urban Continuum (1993) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and non-metropolitan counties by degree of urbanization and proximity to metro areas.

These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at <a href="http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx">http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx</a>

#### **Metropolitan Counties (00-03)**

Metropontan Countres (00-05)	
Code	Description
00	Central counties of metropolitan areas of 1 million population or more
01	Fringe counties of metropolitan areas of 1 million population or more
02	Counties in metropolitan areas of 250,000-1,000,000 population
03	Counties in metropolitan areas of less than 250,000 population

#### Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metropolitan area
05	Urban population of 20,000 or more, not adjacent to a metropolitan area
06	Urban population of 2,500-19,999, adjacent to a metropolitan area
07	Urban population of 2,500-19,999, not adjacent to a metropolitan area
08	Completely rural (no places with a population of 2,500 or more) adjacent to a metropolitan area
09	Completely rural (no places with a population of 2,500 or more) not adjacent to a metropolitan area
98	Program run, but: (1) area is not included in Rural-Urban Continuum code table, or (2) record is for resident outside of state of reporting institution
99	Unknown
Blank	Program not run; record not coded

#### **RURAL URBAN CONTINUUM 2003**

#### NAACCR Item #: 3310 SAS Variable Name: Rural\_Urban\_Continuum\_Code\_2003 Research Plus Limited-Field: Yes

*Field Description:* The Rural-Urban Continuum (2003) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and non-metropolitan counties by degree of urbanization and proximity to metro areas.

These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at <a href="http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx">http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx</a>

#### **Metropolitan Counties (01-03)**

Code	Description
01	Counties in metro areas of 1 million population or more
02	Counties in metro areas of 250,000 to 1 million population
03	Counties in metro areas of fewer than 250,000 population

#### Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metro area
05	Urban population of 20,000 or more, not adjacent to a metro area
06	Urban population of 2,500 to 19,999, adjacent to a metro area
07	Urban population of 2,500 to 19,999, not adjacent to a metro area
08	Completely rural or less than 2,500 urban population, adjacent to a metro area
09	Completely rural or less than 2,500 urban population, not adjacent to a metro area
98	Program run, but: (1) area is not included in Rural-Urban Continuum code table, or (2) record is for resident outside of state of reporting institution
99	Unknown
Blank	Program not run; record not coded

#### **RURAL URBAN CONTINUUM 2013**

# NAACCR Item #: 3312 SAS Variable Name: Rural\_Urban\_Continuum\_Code\_2013 Research Plus Limited-Field: Yes

*Field Description:* The Rural-Urban Continuum (2013) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and non-metropolitan counties by degree of urbanization and proximity to metro areas.

These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at <a href="http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx">http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx</a>

#### Metropolitan Counties (01-03)

Code	Description
01	Counties in metro areas of 1 million population or more
02	Counties in metro areas of 250,000 to 1 million population
03	Counties in metro areas of fewer than 250,000 population

#### Nonmetropolitan Counties (04-09)

05 Urban	population of 20,000 or more, adjacent to a metro area population of 20,000 or more, not adjacent to a metro area population of 2,500 to 19,999, adjacent to a metro area
06 Urban	population of 2,500 to 19,999, adjacent to a metro area
07 Urban	population of 2,500 to 19,999, not adjacent to a metro area
08 Compl	letely rural or less than 2,500 urban population, adjacent to a metro area
09 Compl	letely rural or less than 2,500 urban population, not adjacent to a metro area
UX U	Im run, but: (1) area is not included in Rural-Urban Continuum code table, or ord is for resident outside of state of reporting institution
99 Unkno	own
Blank Program	m not run; record not coded

# **HEALTH SERVICE AREA**

# NAACCR Item #: N/A SAS Variable Name: Health\_Service\_Area Research Plus Limited-Field: Yes

*Field Description*: This variable was derived from the original Health Service Area definitions and is described in more detail on this website: <u>https://seer.cancer.gov/seerstat/variables/countyattribs/hsa.html</u>

#### HEALTH SERVICE AREA NCI MODIFIED

# NAACCR Item #: N/A SAS Variable Name: HealthService\_Area\_NCI\_Modified Research Plus Limited-Field: Yes

*Field Description*: This variable was derived from the original Health Service Area definitions and is described in more detail on this website: <u>https://seer.cancer.gov/seerstat/variables/countyattribs/hsa.html</u>

# **COUNTY AT DX GEOCODE 1990**

# NAACCR Item #: 94 SAS Variable Name: County\_at\_DX\_Geocode\_1990 Research Plus Limited-Field: Yes

*Field Description*: County at Diagnosis 1990 Code for the county of the patient's residence at the time the tumor was diagnosed is a derived (geocoded) variable based on Census Boundary files from 1990 Decennial Census. This code should be used for county and county-based (such as CHSDA) rates and analysis for all cases diagnosed prior to 2000.

Code	Description
001-997	County at diagnosis. Valid FIPS code
998	Known town, city, state or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria). Use this code for Canadian residents.
999	County unknown. The county of the patient is unknown, or the patient is not a United States resident. County is not documented in the patient's medical record.

#### **COUNTY AT DX GEOCODE 2000**

#### NAACCR Item #: 95 SAS Variable Name: County\_at\_DX\_Geocode\_2000 Research Plus Limited-Field: Yes

*Field Description*: Code for the county of the patient's residence at the time the tumor was diagnosed is a derived (geocoded) variable based on Census Boundary files from 2000 Decennial Census. This code should be used for county and county-based (such as CHSDA) rates and analysis for all cases diagnosed in 2000-2009.

(Continued on the next page)

# (Continued from COUNTY AT DX GEOCODE 2000)

Code	Description
001-997	County at diagnosis. Valid FIPS code
998	Known town, city, state or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria). Use this code for Canadian residents.
999	County unknown. The county of the patient is unknown, or the patient is not a United States resident. County is not documented in the patient's medical record.

# **COUNTY AT DX GEOCODE 2010**

# NAACCR Item #: 96 SAS Variable Name: County\_at\_DX\_Geocode\_2010 Research Plus Limited-Field: Yes

*Field Description:* County at Diagnosis 2010 Code for the county of the patient's residence at the time the tumor was diagnosed is a derived (geocoded) variable based on the Census Boundary files from 2010 Decennial Census. This code should be used for county and county-based (such as CHSDA) rates and analysis for all cases diagnosed in 2010-2019.

Code	Description
001-997	County at diagnosis. Valid FIPS code
998	Known town, city, state or country of residence but county code not known AND a resident outside of the state of reporting institution (must meet all criteria). Use this code for Canadian residents.
999	County unknown. The county of the patient is unknown, or the patient is not a United States resident. County is not documented in the patient's medical record.

# **DERIVED SS1977--FLAG**

# NAACCR Item #: 3040 SAS Variable Name: Derived\_SS1977\_flag Research Plus Limited-Field: No

*Field Description:* Flag to indicate whether the derived SEER Summary Stage 1977 was derived from CS or EOD codes.

Code	Description
1	SS1977 derived from Collaborative Stage
2	SS1977 derived from EOD (prior to 2004)
Blank	Not derived

#### **DERIVED SS2000--FLAG**

# NAACCR Item #: 3050 SAS Variable Name: Derived\_SS2000\_flag Research Plus Limited-Field: No

*Field Description:* Flag to indicate whether the derived SEER Summary Stage 2000 was derived from CS or EOD codes.

Code	Description
1	SS2000 derived from Collaborative Stage
2	SS2000 derived from EOD (prior to 2004)
Blank	Not derived

#### **RX SUMM—RADIATION**

# NAACCR Item #: 1360 SAS Variable Name: Radiation Research Plus Limited-Field: No

*Field Description:* This data item indicates the method of radiation therapy performed as part of the first course of treatment.

Code	Description
0	None; diagnosed at autopsy
1	Beam radiation
2	Radioactive implants
3	Radioisotopes
4	Combination of 1 with 2 or 3
5	Radiation, NOS – method or source not specified
6	Other radiation (1973-1987 cases only)
7	Patient or patient's guardian refused radiation therapy
8	Radiation recommended, unknown if administered
9	Unknown if radiation administered

# RADIATION TO BRAIN OR CNS (1988-1997)

# NAACCR Item #: 1370 SAS Variable Name: RadiationtoBrainorCNS\_1988\_1997 Research Plus Limited-Field: No

*Field Description:* This variable was only collected for years 1988-1997 for lung and leukemia cases only. This data item codes for radiation given to the brain or central nervous system at all facilities as part of the first course of therapy.

(continued on next page)

(continued from RADIATION TO BRAIN OR CNS (1988-1997))

Code	Description
0	None
1	Radiation
7	Refused
8	Recommended, unknown if administered
9	Unknown

# **SEER DATE OF DEATH**

NAACCR Item #: N/A SAS Variable Name: SEER\_DateofDeath\_Month, SEER\_DateofDeath\_Year Research Plus Limited-Field: No (Not available for MA)

Field Description: Date of Death (Date of death per Medicaid is available for all persons with Medicaid\_Flag=1)

<u>Allowable values for month</u> MM = 01 - 12

Allowable values for year YYYY=1999-2020

#### **SEER DATE OF FOLLOW-UP RECODE**

NAACCR Item #: N/A SAS Variable Name: Month\_of\_last\_follow\_up\_recode, Year\_of\_last\_follow\_up\_recode Research Plus Limited-Field: No (Not available for MA)

*Field Description:* Date of Last Follow-up Recode, study cut off used (Date of death per Medicaid is available for all persons with Medicaid\_Flag=1)

<u>Allowable values for month</u> MM = 01 - 12

<u>Allowable values for year</u> YYYY=1975+

# YEAR OF BIRTH

NAACCR Item #: 240 SAS Variable Name: Year\_of\_birth Research Plus Limited-Field: Yes

Field Description: Birth year.

Allowable values YYYY=1800+

# DATE OF DIAGNOSIS FLAG

# NAACCR Item #: 391 SAS Variable Name: Date\_of\_diagnosis\_flag Research Plus Limited-Field: Yes

Field Description: This flag explains why no appropriate value is in the field, Date of Diagnosis.

Code	Description
12	A proper value is applicable but not known (i.e., diagnosis date is unknown)
Blank	A valid date value is provided in item Date of Diagnosis or the date was not expected to have been transmitted.

# DATE OF THERAPY STARTED FLAG

# NAACCR Item #: 1261 SAS Variable Name: Date\_therapy\_started\_flag Research Plus Limited-Field: Yes

*Field Description:* This flag explains why no appropriate value is in the field, Date of Therapy Started.

Code	Description
10	No information whatsoever can be inferred from this exceptional value
11	No proper value is applicable in this context (i.e., therapy was not administered)
12	A proper value is applicable but not known (i.e., therapy was administered and date is unknown)
Blank	A valid date value is provided in item Date of Therapy or the date was not expected to have been transmitted.

# DATE OF BIRTH FLAG

# NAACCR Item #: 241 SAS Variable Name: Date\_of\_birth\_flag Research Plus Limited-Field: Yes

Field Description: This flag explains why no appropriate value is in the field, Date of Birth.

Code	Description
12	A proper value is applicable but not known (i.e., birth date is unknown)
Blank	A valid date value is provided in item Date of Birth or the date was not expected to have been transmitted.

# DATE OF LAST FOLLOW-UP FLAG

# NAACCR Item #: 1751 SAS Variable Name: Date\_of\_last\_follow\_up\_flag Research Plus Limited-Field: Yes

*Field Description:* This flag explains why no appropriate value is in the field, Date of Last Follow-up.

Code	Description
12	A proper value is applicable but not known (i.e., date of last follow-up is unknown)
Blank	A valid date value is provided in item Date of Last Follow-up or the date was not expected to have been transmitted.

# DATE THERAPY STARTED

# NAACCR Item #: 1260 SAS Variable Name: month\_therapy\_started, Year\_therapy\_started Research Plus Limited-Field: Yes

*Field Description:* Date of initiation of the first course therapy for the tumor being reported, using the SEER definition of first course.

<u>Allowable values for month</u> MM = 01 - 1214=Blank

Allowable values for year YYYY=1975+

#### **RX SUMM--OTHER**

# NAACCR Item #: 1420 SAS Variable Name: Other\_cancer\_directed\_therapy Research Plus Limited-Field: Yes

*Field Description:* Identifies other treatment given at all facilities that cannot be defined as surgery, radiation, or systemic therapy according to the defined data items in this manual. Treatment for reportable hematopoietic diseases can be supportive care, observation, or any treatment that does not meet the usual definition in which treatment modifies, controls, removes, or destroys proliferating cancer tissue. Such treatments include phlebotomy, transfusions, and aspirin.

(continued on the next page)

# (continued from RX SUMM—OTHER)

Code	Description
0	None
1	Other
2	Other Experimental
3	Other-Double Blind
6	Other-Unproven
7	Refusal
8	Recommended
9	Unknown; unknown if administered

# DERIVED AJCC—FLAG

# NAACCR Item #: 3030 SAS Variable Name: Derived\_AJCC\_flag Research Plus Limited-Field: No

*Field Description:* Flag to indicate whether the derived AJCC stage was derived from CS or EOD codes.

Code	Description
0	AJCC Sixth Edition derived from Collaborative Staging
	Manual and Coding Instructions, Version 1.0
1	AJCC Sixth Edition derived from EOD (prior to 2004)
Blank	Not derived

# **DERIVED SS1977**

# NAACCR Item #: 3010 SAS Variable Name: Derived\_SS1977 Research Plus Limited-Field: No

*Field Description:* This item is the derived "SEER Summary Stage 1977" from the CS algorithm, effective with 2004+ diagnosis.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension
3	Regional, lymph nodes only
4	Regional, extension and nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

# **DERIVED SS2000**

# NAACCR Item #: 3020 SAS Variable Name: Derived\_SS2000 Research Plus Limited-Field: No

*Field Description:* This item is the derived "SEER Summary Stage 2000" from the CS algorithm, effective with 2004+ diagnosis.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension
3	Regional, lymph nodes only
4	Regional, extension and nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

# **SEER SUMMARY STAGE 1977**

# NAACCR Item #: 760 SAS Variable Name: SEER\_Summary\_stage\_1977\_9500 Research Plus Limited-Field: No

*Field Description:* Code for summary stage at the initial diagnosis or treatment of the reportable tumor. This has traditionally been used by central registries to monitor time trends. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see the SEER Summary Staging Guide.

SEER Summary Stage 1977 is limited to information available within 2 months of the date of diagnosis. NAACCR approved extension of this time period to 4 months for prostate tumors diagnosed beginning January 1, 1995...

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional nodes only
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

# **SEER SUMMARY STAGE 2000**

# NAACCR Item #: 759 SAS Variable Name: SEER\_Summary\_stage\_2000\_0103 Research Plus Limited-Field: No

*Field Description:* Code for summary stage at the initial diagnosis or treatment of the reportable tumor. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see SEER Summary Staging Manual 2000.

Summary stage should include all information available through completion of surgery(ies) in the first course of treatment or within 4 months of diagnosis in the absence of disease progression, whichever is longer.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional nodes only
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

# PRIMARY PAYER AT DX

# NAACCR Item #: 630 SAS Variable Name: Primary\_Payer\_at\_DX Research Plus Limited-Field: Yes

# *Field Description:* Primary payer/insurance carrier at the time of initial diagnosis and/or treatment at the reporting facility.

# \*Special permission is required to receive this variable

Code	Description
01	Not insured
02	Not insured, self-pay
10	Insurance, NOS
20	Private Insurance: Managed care, HMO, or PPO
21	Private Insurance: Fee-for-Service
31	Medicaid
35	Medicaid – Administered through a Managed Care plan
60	Medicare/Medicare, NOS
61	Medicare with supplement, NOS
62	Medicare – Administered through a Managed Care plan
63	Medicare with private supplement
64	Medicare with Medicaid eligibility
65	TRICARE
66	Military
67	Veterans Affairs
68	Indian/Public Health Service
99	Insurance status unknown

#### **RECODE ICD-O-2 TO 9**

# NAACCR Item #: N/A SAS Variable Name: Recode\_ICD\_0\_2\_to\_9 Research Plus Limited-Field: Yes

*Field Description:* Primary site/type recoded into ICD-9. An underscore in the right-most position of an unlabeled value represents a blank. i.e., 140\_-1409 is all values starting with 140.

Code	Description
0001-9998	0001-9998
9999	Unable to convert

#### **RECODE ICD-O-2 TO 10**

# NAACCR Item #: N/A SAS Variable Name: Recode\_ICD\_0\_2\_to\_10 Research Plus Limited-Field: Yes

*Field Description:* Primary site/type recoded into ICD-10. An underscore in the right-most position of an unlabeled value represents a blank. i.e., C00\_-C009 is all values starting with C00.

Code	Description
A00Z999	A00Z999
8888	Needs to be hand reviewed
9999	Unable to convert

#### NHIA DERIVED HISPANIC ORIGIN

# NAACCR Item #: 190 SAS Variable Name: NHIA\_Derived\_Hisp\_Origin Research Plus Limited-Field: No

*Field Description:* Code identifying persons of Spanish or Hispanic origin. This code is used by hospital and central registries to show the "best guess" as to whether or not the person should be classified as Hispanic for purposes of calculating cancer rates. If the patient has multiple tumors, all records should have the same code.

Code	Description
0	Non-Spanish-Hispanic-Latino
1	Mexican
2	Puerto Rican
3	Cuban
4	South or Central American excluding Brazil
5	Other specified Spanish/Hispanic origin including Europe
6	Spanish/Hispanic/Latino, NOS
7	NHIA Spanish surname match only
8	Dominican Republic
9	Unknown whether Spanish or not

# **OVER-RIDE AGE/SITE/MORPH**

NAACCR Item #: 1990 SAS Variable Name: Age\_site\_edit\_override Research Plus Limited-Field: No

(continued on the next page)

# (continued from OVER-RIDE AGE/SITE/MORPH)

Code	Description
Blank	Not reviewed
1	Reviewed and confirmed that age/site/histology combination is correct as coded
2	Reviewed and confirmed that case was diagnosed in utero
3	Reviewed and confirmed that conditions 1 and 2 apply

# **OVER-RIDE SEQNO/DXCONF**

# NAACCR Item #: 2000 SAS Variable Name: Sequencenumber\_dx\_conf\_override Research Plus Limited-Field: No

Code	Description
Blank	Not reviewed
1	Reviewed: Multiple primaries of special sites in which at least one diagnosis has not been microscopically confirmed have been reviewed.

# **OVER-RIDE SIT/LAT/SEQNO**

# NAACCR Item #: 2010 SAS Variable Name: Site\_type\_lat\_seq\_override Research Plus Limited-Field: No

Code	Description
Blank	Not reviewed
1	Reviewed: Multiple primaries of the same histology (3 digit) in the same primary site group have been reviewed.

# **OVER-RIDE SURG/DXCONF**

# NAACCR Item #: 2020 SAS Variable Name: Surgerydiagnostic\_conf\_override Research Plus Limited-Field: No

Code	Description
Blank	Not reviewed
1	Reviewed: A patient who had (cancer-directed) surgery,
but the tissue removed was not sufficient for mic	but the tissue removed was not sufficient for microscopic
	confirmation.

# **OVER-RIDE SITE/TYPE**

#### NAACCR Item #: 2030 SAS Variable Name: Site\_type\_edit\_override Research Plus Limited-Field: No

Code	Description
Blank	Not Reviewed
1	Reviewed: The coding of an unusual combination of primary site and histologic type has been reviewed.

# **OVER-RIDE HISTOLOGY**

# NAACCR Item #: 2040 SAS Variable Name: Histology\_edit\_override Research Plus Limited-Field: No

Code	Description
blank	Not Reviewed
1	Unusual Histology behavior combination reviewed.
2	Unusual Diagnostic Confirmation/Behavior combination reviewed.
3	Both scenarios above reviewed

# **OVER-RIDE REPORT SOURCE**

# NAACCR Item #: 2050 SAS Variable Name: Report\_source\_sequence\_override Research Plus Limited-Field: No

Code	Description
blank	Not reviewed
1	Reviewed: A second or subsequent primary with a reporting source of death certificate only has been reviewed and is indeed an independent primary.

# **OVER-RIDE ILL-DEFINE SITE**

NAACCR Item #: 2060 SAS Variable Name: Seq\_ill\_defined\_site\_override Research Plus Limited-Field: No

Code	Description
blank	Not reviewed
1	Reviewed: A second or subsequent primary reported with an ill-defined primary site (C76.0-C76.8, C80.9) has been reviewed and is an independent primary.

#### **OVER-RIDE LEUK, LYMPHOMA**

# NAACCR Item #: 2070 SAS Variable Name: LeukLymphdxconfirmationoverride Research Plus Limited-Field: No

Code	Description
blank	Not reviewed
1	Reviewed: A patient was diagnosed with leukemia or
	lymphoma and the diagnosis was not microscopically
	confirmed.

#### **OVER-RIDE SITE/BEHAVIOR**

# NAACCR Item #: 2071 SAS Variable Name: Site\_behavior\_override Research Plus Limited-Field: No

*Field Description:* The IF39 edit does not allow in situ cases of nonspecific sites, such as gastrointestinal tract, NOS; uterus, NOS; female genital tract, NOS; male genital organs, NOS; and others. This over-ride indicates that the conflict has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient has an in situ cancer of a nonspecific site and no further information about the primary site is available.

# **OVER-RIDE SITE/EOD/DX DT**

# NAACCR Item #: 2072 SAS Variable Name: Site\_EOD\_dx\_date\_override Research Plus Limited-Field: No

*Field Description:* The IF40 edit does not allow "localized" disease with non-specific sites, such as mouth, NOS; colon, NOS (except histology 8220); bone, NOS; female genital system, NOS; male genital organs, NOS; and others. This over-ride indicates that the conflict has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient had "localized" disease with a non- specific site and no further information about the primary site is available.

#### **OVER-RIDE SITE/LAT/EOD**

# NAACCR Item #: 2073 SAS Variable Name: Site\_laterality\_EOD\_override Research Plus Limited-Field: No

*Field Description:* The IF41 edit for paired organs does not allow EOD to be specified as in situ, localized, or regional by direct extension if laterality is coded as "bilateral, side unknown" or "laterality unknown." This over-ride indicates that the conflict has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient had laterality coded non-specifically and EOD coded specifically.

#### **OVER-RIDE SITE/LAT/MORPH**

# NAACCR Item #: 2074 SAS Variable Name: Site\_laterality\_morph\_override Research Plus Limited-Field: No

*Field Description:* The IF42 edit does not allow behavior code of "in situ" with non-specific laterality codes. This over-ride indicates that the conflict has been reviewed.

Code	Description
blank	Not reviewed
1	Reviewed: A patient had behavior code of "in situ" and laterality is not stated as right: origin of primary; left: origin of primary; or only one side involved, right or left origin not specified.

#### SUMMARY STAGE 2000

#### NAACCR Item #: 759 SAS Variable Name: SEER\_Summary\_Stage\_2000newonly Research Plus Limited-Field: Yes

*Field Description:* Code for summary stage at the initial diagnosis or treatment of the reportable tumor. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see SEER Summary Staging Manual 2000.

Summary stage should include all information available through completion of surgery(ies) in the first course of treatment or within 4 months of diagnosis in the absence of disease progression, whichever is longer.

# Available only for NY, MA, ID and Texas registries for diagnosis years 2001-2003.

(continued on the next page)

#### (continued from SUMMARY STAGE 2000)

Code	Description
0	In situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional lymph nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unstaged

#### **INSURANCE RECODE 2007+**

# NAACCR Item #: N/A SAS Variable Name: Insurance\_Recode\_2007 Research Plus Limited-Field: Yes

*Field Description:* Created from NAACCR Field Primary Payer at DX, Item #630. Caution is urged when using this variable. Most patients who were 65 years of age and older at the time of diagnosis that were classified as "Uninsured", having "Private Insurance", or as "Insurance status unknown" were Medicare eligible, while patients diagnosed before 65 years of age were not. Stratification of this variable by these age groups may be warranted.

# \*Special permission is required to receive this variable

Code	Description
1	Uninsured
2	Any Medicaid
3	Insured
4	Insured/No specifics
5	Insurance status unknown
9	Not Available (Los Angeles)

#### YOST (ACS 2006-2010)

# NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2006\_2010 Research Plus Limited-Field: Yes

*Field Description:* Yost Index calculated from ACS 2006-2010.

<u>Allowable values</u> 8119 – 11901, 65534=Blank

#### **YOST (ACS 2010-2014)**

NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2010\_2014 Research Plus Limited-Field: Yes

*Field Description:* Yost Index calculated from ACS 2010-2014.

Allowable values 8122 - 11890, 65534=Blank

## YOST (ACS 2013-2017)

NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2013\_2017 Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2013-2017.

Allowable values 8126 – 11888, 65534=Blank

#### YOST (ACS 2006-2010) – STATE BASED

NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2006\_2010\_State\_based Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2006-2010.

Allowable values 8051 – 11983, 65534=Blank

#### YOST (ACS 2010-2014) – STATE BASED

NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2010\_2014\_State\_based Research Plus Limited-Field: Yes

*Field Description:* Yost Index calculated from ACS 2010-2014.

<u>Allowable values</u> 8038 – 11935, 65534=Blank

# YOST (ACS 2013-2017) - STATE BASED

NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2013\_2017\_State\_based Research Plus Limited-Field: Yes

Field Description: Yost Index calculated from ACS 2013-2017.

Allowable values 8060 - 11940, 65534=Blank

#### YOST (ACS 2006-2010) QUINTILE

# NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2006\_2010\_quintile Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the Yost Index calculated from ACS 2006-2010.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 2 Group 3 Group 4
4	Group 4
5	Group 5 (highest SES)
6	Blanks

#### YOST (ACS 2010-2014) QUINTILE

NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2010\_2014\_quintile Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the Yost Index calculated from ACS 2010-2014.

Description
Group 1 (lowest SES)
Group 2 Group 3 Group 4
Group 3
Group 4
Group 5 (highest SES)
Blanks

# YOST (ACS 2013-2017) QUINTILE

# NAACCR Item #: N/A SAS Variable Name: Yost\_ACS\_2013\_2017\_quintile Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the Yost Index calculated from ACS 2013-2017.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
6	Blanks

# YOST (ACS 2006-2010) – STATE BASED QUINTILE

# NAACCR Item #: N/A SAS Variable Name: YostACS20062010Statebas Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the state based Yost Index from ACS 2006-2010.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 3 Group 4
5	Group 5 (highest SES)
6	Blanks

# YOST (ACS 2010-2014) – STATE BASED QUINTILE

# NAACCR Item #: N/A SAS Variable Name: YostACS20102014Statebas Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the state based Yost Index from ACS 2010-2014.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
6	Blanks

# YOST (ACS 2013-2017) - STATE BASED QUINTILE

#### NAACCR Item #: N/A SAS Variable Name: YostACS20132017Statebas Research Plus Limited-Field: Yes

Field Description: Quintile grouping for the state based Yost Index from ACS 2013-2017.

Code	Description
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
6	Blanks

# **BRAIN MOLECULAR MARKERS 2018**

NAACCR Item #: 3816 SAS Variable Name: Brain\_Molecular\_Markers\_2018 Research Plus Limited-Field: Yes

*Field Description:* Multiple brain molecular markers have become standard pathology components necessary for diagnosis. This data item captures clinically important brain cancer subtypes identified by molecular markers that are not distinguishable by ICD-O-3 codes.

Code	Description
01	Diffuse astrocytoma, IDH-mutant (9400/3)
02	Diffuse astrocytoma, IDH-wildtype (9400/3)
03	Anaplastic astrocytoma, IDH-mutant (9401/3)
04	Anaplastic astrocytoma, IDH-wildtype (9401/3)
05	Glioblastoma, IDH-wildtype (9440/3)
06	Oligodendroglioma, IDH-mutant and 1 p/19q co-deleted (9450/3)
07	Anaplastic oligodendroglioma, IDH-mutant and 1 p/19q co-deleted (9451/3)
08	Medulloblastoma, SHH-activated and TP53-wildtype (9471/3)
09	Embryonal tumor with multilayered rosettes, C19MC-altered (9478/3)
85	Not applicable: Histology not 9400/3, 9401/3, 9440/3, 9450/3, 9451/3, 9471/3, 9478/3
86	Benign or borderline tumor
87	Test ordered, results not in chart
88	Not applicable: Information not collected for this case (If this item is required by your standard setter, use of code 88 will result in an edit error.)
99	Not documented in patient record No microscopic confirmation Brain molecular markers not assessed or unknown if assessed

(Continued from BRAIN MOLECULAR MARKERS 2018)

\*Each Site-Specific Data Item (SSDI) applies only to selected primary sites, histologies, and years of diagnosis. Depending on applicability and standard-setter requirements, SSDIs may be left blank.

# SITE-SPECIFIC DATA ITEMS (SSDI)

NAACCR Item #: N/ SAS Variable Names	A : AFPPostOrchiectomyLabValueRecod, AFPPretreatmentInterpretationRe,	
Research Plus Limit	 Ulceration_Recode_2010 VisceralandParietalPleuralInvas ed-Field: Yes	
Field Description:	The Site Specific Data Items can be found here	

Field Description:The Site Specific Data Items can be found here:<br/><br/>https://seer.cancer.gov/seerstat/variables/seer/ssdi/<br/>Each Site-Specific Data Item (SSDI) applies only to selected primary<br/>sites, histologies, and years of diagnosis. Depending on applicability and<br/>standard-setter requirements, SSDIs may be left blank.

#### **MEDICAID FLAG**

# NAACCR Item #: N/A SAS Variable Name: Medicaid\_Flag Research Plus Limited-Field: Yes

Field Description: Identifies patients who matched to Medicaid.

Code	Description
1	High confidence match (linked to Medicaid data)- persons had a complete match on SSN, sex, year of birth and, if applicable, date of death in SEER and Medicaid was within 6 mons.
2	Low confidence match (no Medicaid data)- persons had an invalid SSN in SEER; more than three CMS identifiers (bene_ids) assigned to their SSN; had more than one bene_id assigned in the same month; appeared in more than one state Medicaid enrollment file in the same month; had more than one SSN assigned to a bene_id; or did not have a complete match on SSN, sex, year of birth, or, if applicable, date of death in SEER and Medicaid was more than 6 mons apart.
3	No Match (no Medicaid data)- persons with no evidence of also being in Medicaid data. SEER cancer data available to allow comparisons to persons identified as matches in the Medicaid data. * <i>Special permission is required to receive data on persons in this group.</i>

# DATE OF DEATH FLAG CREATED

# NAACCR Item #: N/A SAS Variable Name: Date\_of\_Death\_Flag\_Created Research Plus Limited-Field: No (Not available for MA)

*Field Description:* Shows the level of agreement between the SEER and Medicaid on the patients death date. Dates of death after 12/20 were treated as not dead for comparison purposes. (Date of death per Medicaid is available for all persons with Medicaid\_Flag=1)

Code	Description
0	Not dead by 12/20
1	Dead, both files agree
2	Dead, off by 1-3 months
3	Dead, off by 4-6 months
4	Dead in MEDICAID only
5	Dead in SEER only
6	Dead but number of months could not be calculated due to the fact that month was missing for either SEER or MEDICAID.

# **DATE OF BIRTH FLAG CREATED**

# NAACCR Item #: N/A SAS Variable Name: Date\_of\_Birth\_Flag\_Created Research Plus Limited-Field: Yes

*Field Description:* Shows the level of agreement between SEER and Medicaid on the patient's birth date. (Only available for patients with Medicaid\_Flag=1)

Code	Description
0	Both files agree on birth date
1	Birth date off by 1-3 months
2	Birth date off by 4-6 months
3	Birth date off by 7-11 months
4	Birth date off by one year
5	Birth date off by 13-23 months
6	Birth date off by 2 years
7	Birth date off by 25-35 months
8	Birth date off by 3 years
9	Birth date off by 37+ months
Blank	Birth date is missing

# **ONCOTYPE DX BREAST RECURRENCE SCORE**

# NAACCR Item #: N/A SAS Variable Name: OncotypeDXBreastRecurrenceScore Research Plus Limited-Field: No

*Note:* Available for diagnosis years 2000-2017 for all registries, except MA and TX. **\*Special permission is required to receive this variable** 

Codes		
000-100		

# ONCOTYPE DX RS GROUP (RS < 18, RS 18-30, RS > 30)

# NAACCR Item #: N/A SAS Variable Name: OncotypeDXRSgroupRS18RS1830RS30 Research Plus Limited-Field: No

*Note:* Available for diagnosis years 2000-2017 for all registries, except MA and TX. **\*Special permission is required to receive this variable** 

Codes	Description
1	Low
2	Intermediate
3	High

# **ONCOTYPE DX REASON NO SCORE LINKED**

# NAACCR Item #: N/A SAS Variable Name: OncotypeDXreasonno\_score\_linked Research Plus Limited-Field: No

*Note:* Available for diagnosis years 2000-2017 for all registries, except MA and TX. **\*Special permission is required to receive this variable** 

Codes	Description
1	Cancelled Test – Cancelled by physician or patients before result was returned
2	Failed Test – Inadequate tissue sample
3	Outside Analysis Criteria
4	Non-Unique – Patient had multiple tumors

# **ONCOTYPE DX DELIVERED DATE**

# NAACCR Item #: N/A SAS Variable Name: Oncotype\_DX\_year\_of\_test\_report, OncotypeDX\_month\_of\_test\_report Research Plus Limited-Field: No

*Note:* Available for diagnosis years 2000-2017 for all registries, except MA and TX. **\*Special permission is required to receive this variable** 

 $\frac{Allowable values for month}{MM = 01 - 12}$ 14=Blank

Allowable values for year YYYY=2004-2017

# **ONCOTYPE DX MONTHS SINCE DIAGNOSIS**

# NAACCR Item #: N/A SAS Variable Name: OncotypeDXmonthssince\_diagnosis Research Plus Limited-Field: No

*Note:* Available for diagnosis years 2000-2017 for all registries, except MA and TX. **\*Special permission is required to receive this variable** 

Codes	Description
000-996	Valid months
997	Unknown
998	Test before DX

\*Unknown occurs when month of diagnosis is unknown and year of diagnosis is not greater than test year.