

**SEER-MEDICAID CANCER FILE DATA DICTIONARY**

**CASES DIAGNOSED IN 2006-2013\***

**Submission:** *November 2015*

**Follow-up Cutoff Date:** *December 31, 2018*

**Documentation Version:** *January 2021*

**Diagnosis Years:** *2006-2013\**

\*This dataset is restricted to persons who were diagnosed with a tumor between 2006-2013 based on the November 2015 SEER submission. If an included person had prior tumor diagnoses (e.g., between 1975-2005) as reported to SEER, then the information for these prior tumor diagnoses are also included in this dataset.















































































---

## FIELD DESCRIPTIONS

---

### CS VERSION DERIVED (2004-2015)

**NAACCR Item #: 2936**

**SAS Variable Name: CS\_version\_derived\_2004\_2015**

*Field Description:* This item indicates the number of the version of the CS used most recently to derive the CS output fields. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

---

### CS VERSION INPUT CURRENT (2004-2015)

**NAACCR Item #: 2937**

**SAS Variable Name: CSversioninputcurrent\_2004\_2015**

*Field Description:* This item indicates the number of the version of the CS after input fields have been updated or recoded. The first two digits represent the major version number; the second two digits represent minor version changes; and, the last two digits represent even less significant changes, such as corrections of typographical errors that do not affect coding or derivation of results.

This data item along with CS version input original gives info on what document to use for the CS codes. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

---

### RX SUMM—SURG PRIM SITE (1998+)

**NAACCR Item #: 1290**

**SAS Variable Name: RX\_Summ\_Surg\_Prim\_Site\_1998**

*Field Description:* Surgery of Primary Site describes a surgical procedure that removes and/or destroys tissue of the primary site performed as part of the initial work-up or first course of therapy. The actual coding schemes for individual sites and diagnosis years can be viewed [here](#)

#### General Coding Structure

Code	Description
00	None; no surgical procedure of primary site; diagnosed at autopsy only
10-19	Site-specific codes. Tumor destruction; no pathologic specimen or unknown whether there is a pathologic specimen
20-80	Site-specific codes. Resection; pathologic specimen
90	Surgery, NOS. A surgical procedure to the primary site was done, but no information on the type of surgical procedure is provided.

---

(continued on the next page)

## FIELD DESCRIPTIONS

---

(continued from RX SUMM-Surg Prim Site (1998+))

Code	Description
98	Special codes for hematopoietic, reticuloendothelial, immunoproliferative, myeloproliferative diseases; ill-defined sites; and unknown primaries (See site-specific codes for the sites and histologies), except death certificate only
99	Unknown if surgery performed; death certificate only Blank

---

For diagnosis years 1998-2002, SEER registries were required to convert field RX Summ—Surg Site 98-02 (NAACCR Item #1646) to RX Summ—Surg Prim Site.

---

### RX SUMM—SCOPE REG LN SUR (2003+)

NAACCR Item #: 1292

SAS Variable Name: `RX_Summ_Scope_Reg_LN_Sur_2003`

*Field Description:* Scope of Regional Lymph Node Surgery describes the procedure of removal, biopsy, or aspiration of **regional** lymph nodes performed during the initial work-up or first course of therapy at all facilities.

Changed to Unknown or Not Applicable for breast cancer cases. See [http://seer.cancer.gov/seerstat/variables/seer/regional\\_ln/](http://seer.cancer.gov/seerstat/variables/seer/regional_ln/) for more information.

Code	Description
0	No regional lymph nodes removed or aspirated; diagnosed at autopsy.
1	Biopsy or aspiration of regional lymph node, NOS
2	Sentinel lymph node biopsy [only]
3	Number of regional lymph nodes removed unknown, not stated; regional lymph nodes removed, NOS
4	1 to 3 regional lymph nodes removed
5	4 or more regional lymph nodes removed
6	Sentinel node biopsy and code 3, 4, or 5 at same time or timing not noted
7	Sentinel node biopsy and code 3, 4, or 5 at different times
9	Unknown or not applicable; death certificate only Blank

---

---

**FIELD DESCRIPTIONS**

---

**RX SUMM-SURG OTH REG/DIS (2003+)****NAACCR Item #: 1294****SAS Variable Name: RX\_Summ\_Surg\_Oth\_Reg\_Dis\_2003**

*Field Description:* Surgical procedure of Other Site describes the surgical removal of distant lymph node(s) or other tissue(s) or organ(s) beyond the primary site.

<b>Code</b>	<b>Description</b>
0	None; diagnosed at autopsy
1	Nonprimary surgical procedure performed
2	Nonprimary surgical procedure to other regional sites
3	Non-primary surgical procedure to distant lymph node(s)
4	Nonprimary surgical procedure to distant site
5	Combination of codes 2, 3, or 4
9	Unknown; death certificate only
	Blank

---

**RX SUMM-REG LN EXAMINED (1998-2002)****NAACCR Item #: 1296****SAS Variable Name: RXSummReg\_LN\_Examined\_1998\_2002**

*Field Description:* This data item records the number of regional lymph nodes examined in conjunction with surgery performed as part of the first course of treatment at all facilities. This item is only available for cases diagnosed 1998-2002.

<b>Code</b>	<b>Description</b>
00	No regional lymph nodes examined
01	One regional lymph node examined
02	Two regional lymph nodes examined
..	(Actual number of lymph nodes examined)
90	90 or more regional lymph nodes examined
95	No regional lymph nodes examined
96	Regional lymph node removal documented as sampling, and number of lymph nodes unknown/not stated
97	Regional lymph node removal documented as dissection, and number of lymph nodes unknown/not stated
98	Regional lymph nodes surgically removed, but number of lymph nodes unknown/not stated and not documented as sampling or dissection
99	Unknown; not stated; death certificate-only
	Blank

---

---

## FIELD DESCRIPTIONS

---

### RX SUMM-SYSTEMIC SUR SEQ

**NAACCR Item #: 1639**

**SAS Variable Name: RX\_Summ\_Systemic\_Surg\_Seq**

*Field Description:* This data item records the sequencing of systemic therapy and surgical procedures given as part of first course of treatment.

Code	Description
0	No systemic therapy and/or surgical procedures; unknown if surgery and/or systemic therapy given
2	Systemic therapy before surgery
3	Systemic therapy after surgery
4	Systemic therapy both before and after surgery
5	Intraoperative systemic therapy
6	Intraoperative systemic therapy with other therapy administered before and/or after surgery
7	Surgery both before and after systemic therapy
9	Sequence unknown, but both surgery and systemic therapy given

---

### RX SUMM--SURG/RAD SEQ

**NAACCR Item #: 1380**

**SAS Variable Name: RX\_Summ\_Surg\_Rad\_Seq**

*Field Description:* This data item records the sequencing of radiation and surgical procedures given as part of first course of treatment.

Code	Description
0	No radiation and/or no surgery; unknown if surgery and/or radiation given
2	Radiation before surgery
3	Radiation after surgery
4	Radiation both before and after surgery
5	Intraoperative radiation
6	Intraoperative radiation with other radiation given before and/or after surgery
7	Surgery both before and after radiation
9	Sequence unknown, but both surgery and radiation were given

---



---

## FIELD DESCRIPTIONS

---

### REASON NO CANCER-DIRECTED SURGERY

NAACCR Item #: 1340

SAS Variable Name: Reasonnocancer\_directed\_surgery

*Field Description:* This data item documents the reason that surgery was not performed.

Code	Description
0	Surgery performed

#### No surgery

Code	Description
1*	Surgery not recommended
2*	Contraindicated due to other conditions; Autopsy Only case (1973-2002)
5	Patient died before recommended surgery
6	Unknown reason for no surgery
7*	Patient or patient's guardian refused

#### Unknown if surgery performed

Code	Description
8	Recommended, unknown if done
9	Unknown if surgery performed; Death Certificate Only case; Autopsy only case (2003+)

\*Codes not used prior to 1988. Code '2' used only for Autopsy Only cases prior to 1988.

---

### RADIATION RECODE

NAACCR Item #: N/A

SAS Variable Name: Radiation\_recode

*Field Description:* Recoded to combine No and Unknown. For more information:  
<https://seer.cancer.gov/data/treatment.html>

**\*Special permission is required to receive this variable**

---

### CHEMOTHERAPY RECODE

NAACCR Item #: N/A

SAS Variable Name: Chemotherapy\_recode\_yes\_no\_unk

*Field Description:* Recoded to combine No and Unknown. For more information:  
<https://seer.cancer.gov/data/treatment.html>

**\*Special permission is required to receive this variable**

---

## FIELD DESCRIPTIONS

---

### SITE SPECIFIC SURGERY (1973-1997 VARYING DETAIL BY YEAR AND SITE)

**NAACCR Item #: 1640**

**SAS Variable Name: Sitespecificsurgery19731997vary**

*Field Description:* For detailed information on individual sites and time periods please see:

<http://seer.cancer.gov/seerstat/variables/seer/surgery/>

This field specifies information on surgery during first course of therapy whether it was cancer-directed or not. (Prior to 1988 SEER did not collect information on surgical procedures if not cancer-directed.) The Reason for No Cancer-directed Surgery field must be used to distinguish among no cancer-directed surgery performed; cancer-directed surgery recommended, unknown if performed; and unknown if cancer-directed surgery performed.

---

### SCOPE OF REG LYMPH ND SURG (1998-2002)

**NAACCR Item #: 1647**

**SAS Variable Name: Scopeofreglymphndsurg\_1998\_2002**

*Field Description:* This field describes the removal, biopsy or aspiration of regional lymph node(s) at the time of surgery of the primary site or during a separate surgical event at all facilities for cases diagnosed 1998-2002.

Changed to Unknown or Not Applicable for breast cancer cases. See [http://seer.cancer.gov/seerstat/variables/seer/regional\\_ln/](http://seer.cancer.gov/seerstat/variables/seer/regional_ln/) for more information.

See <http://seer.cancer.gov/manuals/historic/AppendC.pdf> for a list of valid codes.

---

### SURGERY OF OTH REG/DIS SITES (1998-2002)

**NAACCR Item #: 1648**

**SAS Variable Name: Surgeryofothregdissites19982002**

*Field Description:* This field records the removal of distant lymph nodes or other tissue(s)/organ(s) beyond the primary site given at all facilities as part of the first course of treatment for cases diagnosed 1998-2002.

See <http://seer.cancer.gov/manuals/historic/AppendC.pdf> for a list of valid codes.

---

---

## FIELD DESCRIPTIONS

---

### RECORD NUMBER RECODE

**NAACCR Item #: 1775**

**SAS Variable Name: Record\_number\_recode**

*Field Description:* This variable sequentially numbers a person's tumors. The ordered values are based on date of diagnosis and then sequence number. This variable is used as part of the algorithm for calculating the survival time recode variables (NAACCR items 1782-1788) and is used for survival, prevalence, and multiple primary – standardized incidence ratio analyses in SEER\*Stat.

---

<b>Code</b>	<b>Description</b>
01	Record number 01 for patient
02	Record number 02 for patient
..	..
..	..
99	Record number 99 for patient

---

---

## FIELD DESCRIPTIONS

---

### AGE RECODE WITH <1 YEAR OLDS

**NAACCR Item #: N/A**

**SAS Variable Name: Age\_recode\_with\_1\_year\_olds**

*Field Description:* The age recode variable is based on Age at Diagnosis (single-year ages). The groupings used in the age recode variable are determined by the age groupings in the population data. This recode has 19 age groups in the age recode variable (< 1 year, 1-4 years, 5-9 years, ..., 85+ years).

Code	Description
00	Age 00
01	Ages 01-04
02	Ages 05-09
03	Ages 10-14
04	Ages 15-19
05	Ages 20-24
06	Ages 25-29
07	Ages 30-34
08	Ages 35-39
09	Ages 40-44
10	Ages 45-49
11	Ages 50-54
12	Ages 55-59
13	Ages 60-64
14	Ages 65-69
15	Ages 70-74
16	Ages 75-79
17	Ages 80-84
18	Ages 85+
99	Unknown Age

---

### SITE RECODE ICD-O-3/WHO 2008

**NAACCR Item #: N/A**

**SAS Variable Name: Site\_recode\_ICD\_O\_3\_WHO\_2008**

*Field Description:* A recode based on Primary Site and ICD-O-3 Histology in order to make analyses of site/histology groups easier. For example, the lymphomas are excluded from stomach and Kaposi and mesothelioma are separate categories based on histology. For more information, see [http://seer.cancer.gov/siterecode/icdo3\\_dwhohome/index.html](http://seer.cancer.gov/siterecode/icdo3_dwhohome/index.html)

---

---

## FIELD DESCRIPTIONS

---

### ICCC SITE RECODE ICD-O-3/WHO 2008

**NAACCR Item #:** N/A

**SAS Variable Name:** ICCCsiterecode\_ICD\_O\_3\_WHO\_2008

*Field Description:* A site/histology recode that is mainly used to analyze data on children. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. Based on ICD-O-3. Note that cases diagnosed before 2001 were not coded under ICD-O-3 and were converted to ICD-O-3 and may not have the specificity of cases after 2000 that were coded directly under ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site recode, see <http://seer.cancer.gov/iccc>.

---

### ICCC SITE REC EXTENDED ICD-O-3/WHO 2008

**NAACCR Item #:** N/A

**SAS Variable Name:** ICCCsiterecextendedICDO3WHO2008

*Field Description:* Based on ICD-O-3. For more information on this International Classification of Childhood Cancer (ICCC) site/histology recode, see <http://seer.cancer.gov/iccc>. While the recode is normally used for childhood cancers, it is on the file for all ages so that childhood cancers could be compared across age groups.

---

### BEHAVIOR RECODE FOR ANALYSIS

**NAACCR Item #:** N/A

**SAS Variable Name:** Behavior\_recode\_for\_analysis

*Field Description:* This recode was created so that data analyses could eliminate major groups of histologies/behaviors that weren't collected consistently over time, for example benign brain, myelodysplastic syndromes, and borderline tumors of the ovary. Created from ICD-O-3 behavior and histology. For more information, see <http://seer.cancer.gov/behavrecode>.

Code	Description
0	Benign
1	Borderline malignancy
2	In situ
3	Malignant
4	Only malignant in ICD-O-3
5	No longer reportable in ICD-O-3
6	Only malignant 2010+

---

**FIELD DESCRIPTIONS**

---

**HISTOLOGY RECODE—BROAD GROUPINGS**

**NAACCR Item #: N/A**

**SAS Variable Name: Histologyrecode\_broad\_groupings**

*Field Description:* Based on Histologic Type ICD-O-3.

<b>Code</b>	<b>Description</b>
00	8000-8009 : unspecified neoplasms
01	8010-8049 : epithelial neoplasms, NOS
02	8050-8089 : squamous cell neoplasms
03	8090-8119 : basal cell neoplasms
04	8120-8139 : transitional cell papillomas and carcinomas
05	8140-8389 : adenomas and adenocarcinomas
06	8390-8429 : adnexal and skin appendage neoplasms
07	8430-8439 : mucoepidermoid neoplasms
08	8440-8499 : cystic, mucinous and serous neoplasms
09	8500-8549 : ductal and lobular neoplasms
10	8550-8559 : acinar cell neoplasms
11	8560-8579 : complex epithelial neoplasms
12	8580-8589 : thymic epithelial neoplasms
13	8590-8679 : specialized gonadal neoplasms
14	8680-8719 : paragangliomas and glomus tumors
15	8720-8799 : nevi and melanomas
16	8800-8809 : soft tissue tumors and sarcomas, NOS
17	8810-8839 : fibromatous neoplasms
18	8840-8849 : myxomatous neoplasms
19	8850-8889 : lipomatous neoplasms
20	8890-8929 : myomatous neoplasms
21	8930-8999 : complex mixed and stromal neoplasms
22	9000-9039 : fibroepithelial neoplasms
23	9040-9049 : synovial-like neoplasms
24	9050-9059 : mesothelial neoplasms
25	9060-9099 : germ cell neoplasms
26	9100-9109 : trophoblastic neoplasms
27	9110-9119 : mesonephromas
28	9120-9169 : blood vessel tumors
29	9170-9179 : lymphatic vessel tumors

(Continued on next page)

## FIELD DESCRIPTIONS

---

(Continued from HISTOLOGY RECODE—BROAD GROUPINGS)

Code	Description
30	9180-9249 : osseous and chondromatous neoplasms
31	9250-9259 : giant cell tumors
32	9260-9269 : miscellaneous bone tumors (C40._,C41._)
33	9270-9349 : odontogenic tumors ( C41._)
34	9350-9379 : miscellaneous tumors
35	9380-9489 : gliomas
36	9490-9529 : neuroepitheliomatous neoplasms
37	9530-9539: meningiomas
38	9540-9579 : nerve sheath tumors
39	9580-9589 : granular cell tumors & alveolar soft part sarcomas
40	9590-9599 : malignant lymphomas, NOS or diffuse
41	9650-9669 : hodgkin lymphomas
42	9670-9699 : nhl - mature b-cell lymphomas
43	9700-9719 : nhl - mature t and nk-cell lymphomas
44	9720-9729 : nhl - precursor cell lymphoblastic lymphoma
45	9730-9739 : plasma cell tumors
46	9740-9749 : mast cell tumors
47	9750-9759 : neoplasms of histiocytes and accessory lymphoid cells
48	9760-9769 : immunoproliferative diseases
49	9800-9805: leukemias, nos
50	9820-9839 : lymphoid leukemias (C42.1)
51	9840-9939 : myeloid leukemias (C42.1)
52	9940-9949 : other leukemias (C42.1)
53	9950-9969 : chronic myeloproliferative disorders (C42.1)
54	9970-9979 : other hematologic disorders
55	9980-9989 : myelodysplastic syndrome
98	other

---

---

**FIELD DESCRIPTIONS**

---

**HISTOLOGY RECODE—BRAIN GROUPINGS****NAACCR Item #: N/A****SAS Variable Name: Histologyrecode\_Brain\_groupings***Field Description:* Based on Histologic Type ICD-O-3.

---

<b>Code</b>	<b>Description</b>
01	Diffuse astrocytoma (protoplasma, fibrillary)
02	Anaplastic astrocytoma
03	Glioblastoma
04	Pilocytic astrocytoma
05	Unique astrocytoma variants
06	Oligodendroglioma
07	Anaplastic oligodendroglioma
08	Ependymoma/anaplastic ependymoma
09	Ependymoma variants
10	Mixed glioma
11	Astrocytoma, NOS
12	Glioma , NOS
13	Choroid plexus
14	Neuroepithelial
15	Benign & malignant neuronal/glial, neuronal & mixed
16	Pineal parenchymal
17	Embryonal/primitive/medulloblastoma
18	Nerve sheath, benign and malignant
19	Meningioma, benign and malignant
20	Other mesenchymal, benign and malignant
21	Hemangioma and hemangioblastoma
22	Lymphoma
23	Germ cell tumors, cysts, and heterotopias
24	Chordoma/chondrosarcoma
25	Pituitary
26	Craniopharyngioma
27	Neoplasm, unspecified, benign and malignant
97	Other Brain Histologies
98	Not Brain

---



## FIELD DESCRIPTIONS

---

### TNM 7/CS v0204+ Schema

NAACCR Item #: N/A

SAS Variable Name: TNM\_7\_CS\_v0204\_Schema

*Field Description:* Information is collected under the specifications of a particular schema based on site and histology. This recode should be used in any analysis of 7th ed stage and T, N, M.

Code	Description
001	AdnexaUterineOther
002	AdrenalGland
003	AmpullaVater
004	Anus
005	Appendix
006	BileDuctsDistal
007	BileDuctsIntraHepat
008	BileDuctsPerihilar
009	BiliaryOther
010	Bladder
011	Bone
012	Brain
013	Breast
014	BuccalMucosa
015	CarcinoidAppendix
016	Cervix
017	CNSOther
018	Colon
019	Conjunctiva
020	CorpusAdenosarcoma
021	CorpusCarcinoma
022	CorpusSarcoma
023	CysticDuct
024	DigestiveOther
025	EndocrineOther
026	EpiglottisAnterior
027	Esophagus
028	EsophagusGEJunction

(Continued on next page)

## FIELD DESCRIPTIONS

---

(Continued from TNM 7/CS v0204+)

<b>Code</b>	<b>Description</b>
029	EyeOther
030	FallopianTube
031	FloorMouth
032	Gallbladder
033	GenitalFemaleOther
034	GenitalMaleOther
035	GISTAppendix
036	GISTColon
037	GISTEsophagus
038	GISTPeritoneum
039	GISTRectum
040	GISTSmallIntestine
041	GISTStomach
042	GumLower
043	GumOther
044	GumUpper
045	HeartMediastinum
046	HemeRetic
047	Hypopharynx
048	IllDefinedOther
049	IntracranialGland
050	KaposiSarcoma
051	KidneyParenchyma
052	KidneyRenalPelvis
053	LacrimalGland
054	LacrimalSac
055	LarynxGlottic
056	LarynxOther
057	LarynxSubglottic
058	LarynxSupraglottic
059	LipLower
060	LipOther
061	LipUpper
062	Liver
063	Lung

(Continued on next page)

---

**FIELD DESCRIPTIONS**

---

(Continued from TNM 7/CS v0204+)

<b>Code</b>	<b>Description</b>
064	Lymphoma
065	LymphomaOcularAdnexa
066	MelanomaBuccalMucosa
067	MelanomaChoroid
068	MelanomaCiliaryBody
069	MelanomaConjunctiva
070	MelanomaEpiglottisAnterior
071	MelanomaEyeOther
072	MelanomaFloorMouth
073	MelanomaGumLower
074	MelanomaGumOther
075	MelanomaGumUpper
076	MelanomaHypopharynx
077	MelanomaIris
078	MelanomaLarynxGlottic
079	MelanomaLarynxOther
080	MelanomaLarynxSubglottic
081	MelanomaLarynxSupraglottic
082	MelanomaLipLower
083	MelanomaLipOther
084	MelanomaLipUpper
085	MelanomaMouthOther
086	MelanomaNasalCavity
087	MelanomaNasopharynx
088	MelanomaOropharynx
089	MelanomaPalateHard
090	MelanomaPalateSoft
091	MelanomaPharynxOther
092	MelanomaSinusEthmoid
093	MelanomaSinusMaxillary
094	MelanomaSinusOther
095	MelanomaSkin
096	MelanomaTongueAnterior
097	MelanomaTongueBase
098	MerkelCellPenis

(Continued on next page)

## FIELD DESCRIPTIONS

---

(Continued from TNM 7/CS v0204+)

<b>Code</b>	<b>Description</b>
099	MerkelCellScrotum
100	MerkelCellSkin
101	MerkelCellVulva
102	MiddleEar
103	MouthOther
104	MycosisFungoides
105	MyelomaPlasmaCellDisorder
106	NasalCavity
107	Nasopharynx
108	NETAmpulla
109	NETColon
110	NETRectum
111	NETSmallIntestine
112	NETStomach
113	Orbit
114	Oropharynx
115	Ovary
116	PalateHard
117	PalateSoft
118	PancreasBodyTail
119	PancreasHead
120	PancreasOther
121	ParotidGland
122	Penis
123	Peritoneum
124	PeritoneumFemaleGen
125	PharyngealTonsil
126	PharynxOther
127	Placenta
128	Pleura
129	Prostate
130	Rectum
131	RespiratoryOther
132	Retinoblastoma
133	Retroperitoneum

(Continued on next page)

## FIELD DESCRIPTIONS

---

(Continued from TNM 7/CS v0204+)

Code	Description
134	SalivaryGlandOther
135	Scrotum
136	SinusEthmoid
137	SinusMaxillary
138	SinusOther
139	Skin
140	SkinEyelid
141	SmallIntestine
142	SoftTissue
143	Stomach
144	SubmandibularGland
145	Testis
146	Thyroid
147	TongueAnterior
148	TongueBase
149	Trachea
150	Urethra
151	UrinaryOther
152	Vagina
153	Vulva

---

### RACE RECODE (WHITE, BLACK, OTHER)

NAACCR Item #: N/A

SAS Variable Name: Race\_recode\_White\_Black\_Other

*Field Description:* Race recode is based on the race variables and the American Indian/Native American IHS link variable. This recode should be used to link to the populations for white, black and other. It is independent of Hispanic ethnicity. For more information, see [http://seer.cancer.gov/seerstat/variables/seer/race\\_ethnicity](http://seer.cancer.gov/seerstat/variables/seer/race_ethnicity).

Code	Description
1	White
2	Black
3	Other (American Indian/AK Native, Asian/Pacific Islander)
9	Unknown

---

---

## FIELD DESCRIPTIONS

---

### RACE RECODE (W, B, AI, API)

**NAACCR Item #:** N/A

**SAS Variable Name:** Race\_recode\_W\_B\_AI\_API

*Field Description:* Caution should be exercised when using this variable. For more information, see [http://seer.cancer.gov/seerstat/variables/seer/race\\_ethnicity](http://seer.cancer.gov/seerstat/variables/seer/race_ethnicity).

Code	Description
1	White
2	Black
3	American Indian/Alaska Native
4	Asian or Pacific Islander
9	Unknown

---

### ORIGIN RECODE NHIA (HISPANIC, NON-HISP)

**NAACCR Item #:** N/A

**SAS Variable Name:** OriginrecodeNHIAHispanicNonHisp

*Field Description:* Caution should be exercised when using this variable. For more information, see [http://seer.cancer.gov/seerstat/variables/seer/race\\_ethnicity](http://seer.cancer.gov/seerstat/variables/seer/race_ethnicity).

Code	Description
0	Non-Spanish-Hispanic-Latino
1	Spanish-Hispanic-Latino

---

---

## FIELD DESCRIPTIONS

---

### SEER HISTORIC STAGE A (1973-2015)

NAACCR Item #: N/A

SAS Variable Name: SEER\_historic\_stage\_A\_1973\_2015

*Field Description:* Derived from Collaborative Stage (CS) for 2004-2015 and Extent of Disease (EOD) from 1973-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Over time several different EOD schemes have been used. Thus caution should be used when doing trend analysis.

For more information including sites and years for which it isn't calculated, see <http://seer.cancer.gov/seerstat/variables/seer/lrd-stage>.

Code	Description
0	In situ — A noninvasive neoplasm; a tumor which has not penetrated the basement membrane nor extended beyond the epithelial tissue. Some synonyms are intraepithelial (confined to epithelial tissue), noninvasive and noninfiltrating.
1	Localized — An invasive neoplasm confined entirely to the organ of origin. It may include intraluminal extension where specified. For example for colon, intraluminal extension limited to immediately contiguous segments of the large bowel is localized, if no lymph nodes are involved. Localized may exclude invasion of the serosa because of the poor survival of the patient once the serosa is invaded.
2	Regional — A neoplasm that has extended 1) beyond the limits of the organ of origin directly into surrounding organs or tissues; 2) into regional lymph nodes by way of the lymphatic system; or 3) by a combination of extension and regional lymph nodes.
4	Distant — A neoplasm that has spread to parts of the body remote from the primary tumor either by direct extension or by discontinuous metastasis (e.g., implantation or seeding) to distant organs, tissues, or via the lymphatic system to distant lymph nodes.
8	Localized/Regional – Only used for Prostate cases.
9	Unstaged — Information is not sufficient to assign a stage.
	Blank

---

### AJCC STAGE 3<sup>rd</sup> EDITION (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: AJCCstage3rd\_edition\_1988\_2003

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

---

---

## FIELD DESCRIPTIONS

---

### SEER MODIFIED AJCC STAGE 3<sup>rd</sup> ED (1988-2003)

**NAACCR Item #:** N/A

**SAS Variable Name:** SEERmodifiedAJCCstage3rd1988200

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites. The modified version stages cases that would be unstaged under strict AJCC staging rules. For example, it assumes NX is N0.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

---

### FIRST MALIGNANT PRIMARY INDICATOR

**NAACCR Item #:** N/A

**SAS Variable Name:** Firstmalignantprimary\_indicator

*Field Description:* Based on all the tumors in SEER. Tumors not reported to SEER are assumed malignant.

Code	Description
0	no
1	yes

---

### STATE-COUNTY

**NAACCR Item #:** N/A

**SAS Variable Name:** state\_county

*Field Description:* This item is a state-county combination where the first two characters represent the state FIPS code. The last three digits represent the FIPS county code.

---

### PRCDA 2017

**NAACCR Item #:** N/A

**SAS Variable Name:** PRCDA\_2017

*Field Description:* This data item identifies whether or not the county of diagnosis is served by PRCDA. The primary use of this field is to be able to limit analyses of AI/AN race to areas served by PRCDA.

See [https://seer.cancer.gov/seerstat/variables/seer/race\\_ethnicity](https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity)

OR <https://seer.cancer.gov/seerstat/variables/countyattribs/>

---



---

## FIELD DESCRIPTIONS

---

### PRCDA REGION

**NAACCR Item #:** N/A

**SAS Variable Name:** PRCDA\_Region

*Field Description:* This data item is a grouping of states that is primarily used when working with PRCDA 2017. See

[https://seer.cancer.gov/seerstat/variables/seer/race\\_ethnicity](https://seer.cancer.gov/seerstat/variables/seer/race_ethnicity)  
OR <https://seer.cancer.gov/seerstat/variables/countyattrs/>

---

Code	Description
1	Alaska
2	East
3	Northern Plains
5	Pacific Coast
6	Southwest

---

---

### COD TO SITE RECODE

**NAACCR Item #:** N/A

**SAS Variable Name:** COD\_to\_site\_recode

*Field Description:* This recode was introduced to account for several newly valid ICD-10 codes and includes both cancer and non-cancer causes of death.

See the following website for details:

[http://seer.cancer.gov/codrecode/1969+\\_d09172004/index.html](http://seer.cancer.gov/codrecode/1969+_d09172004/index.html)

---

### COD TO SITE REC KM

**NAACCR Item #:** N/A

**SAS Variable Name:** COD\_to\_site\_rec\_KM

*Field Description:* This is a recode based on underlying cause of death to designate cause of death into groups similar to the incidence site recode with KS and mesothelioma. For more information, see [http://seer.cancer.gov/codrecode/1969+\\_d04162012](http://seer.cancer.gov/codrecode/1969+_d04162012). Study cutoff date has been applied, i.e. coded as alive if death occurred after study cutoff.

---

---

## FIELD DESCRIPTIONS

---

### VITAL STATUS RECODE (STUDY CUTOFF USED)

**NAACCR Item #: N/A**

**SAS Variable Name: Vitalstatusrecodestudycutoffuse**

*Field Description:* Any patient that dies after the follow-up cut-off date is recoded to alive as of the cut-off date.

Code	Description
1	Alive
0	Dead

---

### IHS LINK

**NAACCR Item #: 192**

**SAS Variable Name: IHS\_Link**

*Field Description:* Incidence files are periodically linked with Indian Health Service (IHS) files to identify Native Americans. The race recode uses information from this field and race to determine if a person is Native American or not. See [http://www.seer.cancer.gov/seerstat/variables/seer/race\\_ethnicity](http://www.seer.cancer.gov/seerstat/variables/seer/race_ethnicity).

Code	Description
0	Record sent for linkage, no IHS match
1	Record sent for linkage, IHS match
	Record not sent for linkage

---

### SUMMARY STAGE 2000 (1998+)

**NAACCR Item #: N/A**

**SAS Variable Name: Summary\_stage\_2000\_1998**

*Field Description:* Summary Stage 2000 is derived from Collaborative Stage (CS) for 2004+ and Extent of Disease (EOD) from 1998-2003. It is a simplified version of stage: in situ, localized, regional, distant, & unknown. Used in the SEER CSR and more recent SEER publications. For more information including sites and years for which it isn't calculated, see <http://seer.cancer.gov/seerstat/variables/seer/lrd-stage>.

---

## FIELD DESCRIPTIONS

---

### AYA SITE RECODE/WHO 2008

**NAACCR Item #:** N/A

**SAS Variable Name:** AYA\_site\_recode\_WHO\_2008

*Field Description:* A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. For more information, see <http://www.seer.cancer.gov/ayarecode/index.html>.

---

### LYMPHOMA SUBTYPE RECODE/WHO 2008

**NAACCR Item #:** N/A

**SAS Variable Name:** Lymphomasubtype\_recode\_WHO\_2008

*Field Description:* A site/histology recode that is mainly used to analyze data on adolescent and young adults. The recode was applied to all cases no matter the age in order that age comparisons can be made with these groupings. For more information, see <http://seer.cancer.gov/lymphomarecode/>.

---

### SEER CAUSE-SPECIFIC DEATH CLASSIFICATION

**NAACCR Item #:** N/A

**SAS Variable Name:** SEERcausespecificdeathclassific

*Field Description:* Created for use in cause-specific survival. This variable designates that the person died of their cancer for cause-specific survival. For more information, see <http://seer.cancer.gov/causespecific>.

Code	Description
0	Alive or dead of other cause
1	Dead
8	Dead (missing/unknown COD)
9	N/A

---

### SEER OTHER CAUSE OF DEATH CLASSIFICATION

**NAACCR Item #:** N/A

**SAS Variable Name:** SEERothercauseofdeathclassifica

*Field Description:* Created for use in left-truncated life table session. This variable designates that the person died of causes other than their cancer. For more information, see <http://seer.cancer.gov/causespecific>.

(continued on next page)

## FIELD DESCRIPTIONS

---

(continue from SEER OTHER CAUSE OF DEATH CLASSIFICATION)

Code	Description
0	Alive or dead due to cancer
1	Dead
8	Dead (missing/unknown COD)
9	N/A

---

### CS TUMOR SIZE/EXT EVAL (2004-2015)

**NAACCR Item #: 2820**

**SAS Variable Name: CSTumor\_Size\_Ext\_Eval\_2004\_2015**

*Field Description:* Available for 2004-2015, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

---

### CS REG NODE EVAL (2004-2015)

**NAACCR Item #: 2840**

**SAS Variable Name: CS\_Reg\_Node\_Eval\_2004\_2015**

*Field Description:* Available for 2004-2015, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

---

### CS METS EVAL (2004-2015)

**NAACCR Item #: 2860**

**SAS Variable Name: CS\_Mets\_Eval\_2004\_2015**

*Field Description:* Available for 2004-2015,, but not required for the entire timeframe. Will be blank in cases not collected. For more information, see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>.

---

### PRIMARY BY INTERNATIONAL RULES

**NAACCR Item #: N/A**

**SAS Variable Name: Primary\_by\_international\_rules**

*Field Description:* Created using IARC multiple primary rules. Did not include benign tumors or non-bladder in situ tumors in algorithm. No tumor information was modified on any records.

(continued on next page)

---

## FIELD DESCRIPTIONS

---

(continued from PRIMARY BY INTERNATIONAL RULES)

Code	Description
0	No
1	Yes
9	Excluded from IARC multiple primary algorithm due to behavior

---

### ER STATUS RECODE BREAST CANCER (1990+)

**NAACCR Item #: N/A**

**SAS Variable Name: ERStatusRecodeBreastCancer\_1990**

*Field Description:* Created by combining information from Tumor marker 1 (1990-2003) (NAACCR Item #=1150), with information from CS site-specific factor 1 (2004+) (NAACCR Item #=2880). This field is blank for non-breast cases and cases diagnosed before 1990.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Not 1990+ Breast

---

### PR STATUS RECODE BREAST CANCER (1990+)

**NAACCR Item #: N/A**

**SAS Variable Name: PRStatusRecodeBreastCancer\_1990**

*Field Description:* Created by combining information from Tumor marker 2 (1990-2003) (NAACCR Item #=1150), with information from CS site-specific factor 2 (2004+) (NAACCR Item #=2880). This field is blank for non-breast cases and cases diagnosed before 1990.

Code	Description
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Not 1990+ Breast

---

## FIELD DESCRIPTIONS

---

### CS SCHEMA—AJCC 6<sup>TH</sup> EDITION

**NAACCR Item #:** N/A

**SAS Variable Name:** CS\_Schema\_AJCC\_6th\_Edition

*Field Description:* CS information is collected under the specifications of a particular schema based on site and histology. This recode should be used in any analysis of AJCC 6th ed stage and T, N, M. Based on CS version 1, it should not be used for SSFs collected or modified under CS v02.

<b>Code</b>	<b>Description</b>
01	LipUpper
02	LipLower
03	OthLip
04	BaseTongue
05	AntTongue
06	GumUpper
07	GumLower
08	OthGum
09	FOM
10	HardPalate
11	SoftPalate
12	OthMouth
13	BuccalMucosa
14	ParotidGland
15	SubmandibularGland
16	OthSalivary
17	Oropharynx
18	AntEpiglottis
19	Nasopharynx
20	Hypopharynx
21	OthPharynx
22	Esophagus
23	Stomach
24	SmallIntestine
25	Colon
26	Rectum
27	Anus
28	Liver
29	Gallbladder
30	ExtraHepaticDucts
31	Ampulla
32	OthBiliary
33	PancreasHead
34	PancreasBodyTail
35	OthPancreas

Table continues on next page

## FIELD DESCRIPTIONS

<b>Code</b>	<b>Description</b>
36	OthDigestive
37	NasalCavity
38	MiddleEar
39	MaxillarySinus
40	EthmoidSinus
41	OthSinus
42	GlotticLarynx
43	SupraLarynx
44	SubLarynx
45	OthLarynx
46	Trachea
47	Lung
48	HeartMediastinum
49	Pleura
50	OthRespiratory
51	Bone
52	Skin
53	SkinEyelid
54	Melanoma
55	MF
56	SoftTissue
57	Peritoneum
58	Breast
59	Vulva
60	Vagina
61	Cervix
62	Corpus
63	Ovary
64	FallopianTube
65	OthAdnexa
66	OthFemaleGen
67	Placenta
68	Penis
69	Prostate
70	Testis
71	OthMaleGen
72	Scrotum
73	Kidney
74	RenalPelvis
75	Bladder
76	Urethra
77	OthUrinary
78	Conjunctiva
79	MelanomaConjunctiva

Table continues on next page

---

**FIELD DESCRIPTIONS**

---

<b>Code</b>	<b>Description</b>
80	OthEye
81	MelanomaIrisCiliary
82	MelanomaChoroid
83	MelanomaOthEye
84	LacrimalGland
85	Orbit
86	Retinoblastoma
87	Brain
88	OthCNS
89	Thyroid
90	OthEndocrine
91	KS
92	Lymphoma
93	HemeRetic
94	OthIllDef

---

**LYMPH-VASCULAR INVASION (2004+ VARYING BY SCHEMA)****NAACCR Item #: 1182****SAS Variable Name: LymphvascularInvasion2004varyin**

*Field Description:* LVI is required for cases originally coded under CSv2 or diagnosed 2010+ for the schemas for penis and testis only. On the research file LVI is shown only for testis because it is needed for AJCC 6th ed staging. For penis, LVI is needed for AJCC 7th ed staging only which isn't calculated until 2010.

<b>Code</b>	<b>Description</b>
0	Lymph-vascular Invasion Not Present (absent)/Not Identified
1	Lymph-vascular Invasion Present/Identified
9	Unknown/Indeterminate

---



## FIELD DESCRIPTIONS

---

### DERIVED AJCC T, 7<sup>TH</sup> ED (2010-2015)

**NAACCR Item #: 3400**

**SAS Variable Name: Derived\_AJCC\_T\_7<sup>th</sup>\_ed\_2010**

*Field Description:* This is the AJCC “T” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details:

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
999	TX
000	T0
010	Ta
050	Tis
060	Tispu (Urethra only)
070	Tispd (Urethra only)
100	T1
110	T1mic
199	T1 NOS
120	T1a
130	T1a1
140	T1a2
150	T1b
160	T1b1
170	T1b2
180	T1c
181	T1d
200	T2
299	T2 NOS
210	T2a
211	T2a1
212	T2a2
213	T2a NOS
220	T2b
230	T2c
240	T2d
300	T3
399	T3 NOS
310	T3a
320	T3b
330	T3c
400	T4
499	T4 NOS

(Continued on next page)

---

## FIELD DESCRIPTIONS

---

(Continued from DERIVED AJCC T, 7<sup>TH</sup> ED (2010-2015))

Code	Description
410	T4a
420	T4b
430	T4c
440	T4d
450	T4e
800	T1a NOS
810	T1b NOS
888	Not applicable
	Blank

---

### DERIVED AJCC N, 7<sup>TH</sup> ED (2010-2015)

**NAACCR Item #: 3410**

**SAS Variable Name: Derived\_AJCC\_N\_7th\_ed\_2010**

*Field Description:* This is the AJCC “N” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details:

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
999	NX
000	N0
010	N0(i-)
020	N0(i+)
030	N0(mol-)
040	N0(mol+)
100	N1
199	N1 NOS
110	N1a
120	N1b
130	N1c
180	N1mi
200	N2
299	N2 NOS
210	N2a
220	N2b
230	N2c
300	N3

---

(Continued on next page)

---

---

**FIELD DESCRIPTIONS**

---

(Continued from DERIVED AJCC N, 7TH ED (2010-2015))

<b>Code</b>	<b>Description</b>
399	N3 NOS
310	N3a
320	N3b
330	N3c
400	N4
888	Not applicable
	Blank

---

**DERIVED AJCC M, 7<sup>TH</sup> ED (2010-2015)**

**NAACCR Item #: 3420**

**SAS Variable Name: Derived\_AJCC\_M\_7th\_ed\_2010**

*Field Description:* This is the AJCC “M” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details:

(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

<b>Code</b>	<b>Description</b>
999	MX
000	M0
010	M0(i+)
100	M1
110	M1a
120	M1b
130	M1c
140	M1d
150	M1e
199	M1 NOS
888	Not applicable
	Blank

---

## FIELD DESCRIPTIONS

---

### DERIVED AJCC STAGE GROUP, 7<sup>TH</sup> ED (2010-2015)

**NAACCR Item #: 3430**

**SAS Variable Name: DerivedAJCCStageGroup7thed\_2010**

*Field Description:* This is the AJCC “Stage Group” component that is derived from CS coded fields, using the CS algorithm, effective with 2010-2015 diagnosis years. See the CS site-specific schema for details:  
(<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage>).

Code	Description
000	Stage 0
010	Stage 0a
020	Stage 0is
100	Stage I
110	Stage I NOS
120	Stage IA
130	Stage IA1
140	Stage IA2
121	Stage IA NOS
150	Stage IB
160	Stage IB1
170	Stage IB2
151	Stage IB NOS
180	Stage IC
190	Stage IS
230	Stage ISA (lymphoma only)
240	Stage ISB (lymphoma only)
200	Stage IEA (lymphoma only)
210	Stage IEB (lymphoma only)
220	Stage IE (lymphoma only)
300	Stage II
310	Stage II NOS
320	Stage IIA
321	Stage IIA NOS
322	Stage IIA1
323	Stage IIA NOS
330	Stage IIB
340	Stage IIC
350	Stage IIEA (lymphoma only)
360	Stage IIEB (lymphoma only)

(Continued on next page)

---

**FIELD DESCRIPTIONS**

---

(Continued from DERIVED AJCC STAGE GROUP, 7TH ED (2010-2015))

<b>Code</b>	<b>Description</b>
370	Stage IIE (lymphoma only)
380	Stage IISA (lymphoma only)
390	Stage IISB (lymphoma only)
400	Stage IIS (lymphoma only)
410	Stage IIESA (lymphoma only)
420	Stage IIESB (lymphoma only)
430	Stage IIES (lymphoma only)
500	Stage III
510	Stage III NOS
520	Stage IIIA
530	Stage IIIB
540	Stage IIIC
541	Stage IIIC1
542	Stage IIIC2
550	Stage IIIEA (lymphoma only)
560	Stage IIIEB (lymphoma only)
570	Stage IIIE (lymphoma only)
580	Stage IIISA (lymphoma only)
590	Stage IIISB (lymphoma only)
600	Stage IIIS (lymphoma only)
610	Stage IIIESA (lymphoma only)
620	Stage IIIESB (lymphoma only)
630	Stage IIIES (lymphoma only)
700	Stage IV
710	Stage IV NOS
720	Stage IVA
730	Stage IVB
740	Stage IVC
888	Not applicable
900	Stage Occult
999	Stage Unknown
	Blank

---

## FIELD DESCRIPTIONS

---

### BREAST—ADJUSTED AJCC 6<sup>TH</sup> T (1988-2015)

NAACCR Item #: N/A

SAS Variable Name: BreastAdjustedAJCC6thT1988\_2015

*Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th>.

Code	Description
00	T0
01	Ta
05	Tis
06	Tispu
07	Tispd
10	T1
11	T1mic
12	T1a
13	T1a1
14	T1a2
15	T1b
16	T1b1
17	T1b2
18	T1c
19	T1NOS
20	T2
21	T2a
22	T2b
23	T2c
29	T2NOS
30	T3
31	T3a
32	T3b
33	T3c
39	T3NOS
40	T4
41	T4a
42	T4b
43	T4c
44	T4d
49	T4NOS
60	Any T, Mets
80	T1aNOS

(Continued on next page)

## FIELD DESCRIPTIONS

---

(Continued from BREAST—ADJUSTED AJCC 6TH T (1988-2015))

Code	Description
81	T1bNOS
88	N/A
99	TX Adjusted Blank

---

### BREAST—ADJUSTED AJCC 6<sup>TH</sup> N (1988-2015)

NAACCR Item #: N/A

SAS Variable Name: **BreastAdjustedAJCC6thN1988\_2015**

*Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th>.

Code	Description
00	N0
01	N0(i-)
02	N0(i+)
03	N0(mo1-)
04	N0(mo1+)
09	N0NOS
10	N1
11	N1a
12	N1b
13	N1c
18	N1mi
19	N1NOS
20	N2
21	N2a
22	N2b
23	N2c
29	N2NOS
30	N3
31	N3a

(Continued on next page)

---

## FIELD DESCRIPTIONS

---

(Continued from BREAST—ADJUSTED AJCC 6<sup>TH</sup> N (1988-2015))

Code	Description
32	N3b
33	N3c
39	N3NOS
60	Any N, Mets
70	NXr
80	NXa
88	N/A
99	NX Adjusted
	Blank

---

### BREAST—ADJUSTED AJCC 6<sup>TH</sup> M (1988-2015)

**NAACCR Item #: N/A**

**SAS Variable Name: BreastAdjustedAJCC6thM1988\_2015**

*Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th>.

Code	Description
00	M0
10	M1
11	M1a
12	M1b
13	M1c
19	MINOS
88	N/A
99	MX
	Blank

---



## FIELD DESCRIPTIONS

---

### BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015)

NAACCR Item #: N/A

SAS Variable Name: BreastAdjustedAJCC6thStage19882

*Field Description:* Created from merged EOD 3rd Edition and Collaborative Stage disease information. Currently only available for Breast schema. For more information see <http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/6th>.

Code	Description
00	0
01	0a
02	0is
10	I
11	INOS
12	IA
13	IA1
14	IA2
15	IB
16	IB1
17	IB2
18	IC
19	IS
20	IEA
21	IEB
22	IE
23	ISA
24	ISB
30	II
31	IINOS
32	IIA
33	IIB
34	IIC
35	IEEA
36	IEEB
37	IIE
38	IISA
39	IISB
40	IIS
41	IIESA

(Continued on next page)

---

**FIELD DESCRIPTIONS**

---

(Continued from BREAST—ADJUSTED AJCC 6TH STAGE (1988-2015))

<b>Code</b>	<b>Description</b>
42	IIESB
43	IIES
50	III
51	IIINOS
52	IIIA
53	IIIB
54	IIIC
55	IIIEA
56	IIIEB
57	IIIE
58	IIISA
59	IIISB
60	IIIS
61	IIIESA
62	IIIESB
63	IIIES
70	IV
71	IVNOS
72	IVA
73	IVB
74	IVC
88	N/A
90	OCCULT
99	UNK Stage
	Blank

---

**DERIVED HER2 RECODE (2010+)**

**NAACCR Item #: N/A**

**SAS Variable Name: Derived\_HER2\_Recode\_2010**

*Field Description:* Created with combined information from several CS site-specific factors. For more information, see <http://seer.cancer.gov/seerstat/databases/ssf/her2-derived.html>.

<b>Code</b>	<b>Description</b>
1	Positive
2	Negative
3	Borderline
4	Unknown
9	Not 2010+ Breast

---

---

## FIELD DESCRIPTIONS

---

### BREAST SUBTYPE (2010+)

**NAACCR Item #:** N/A

**SAS Variable Name:** Breast\_Subtype\_2010

*Field Description:* Created with combined information from ER Status Recode Breast Cancer (1990+), PR Status Recode Breast Cancer (1990+), and Derived HER2 Recode (2010+).

For information on how this field is created, visit

<https://seer.cancer.gov/seerstat/databases/ssf/breast-subtype.html>

Code	Description
1	Her2+/HR+
2	Her2+/HR-
3	Her2-/HR+
4	Triple Negative
5	Unknown
9	Not 2010+ Breast

---

### LYMPHOMAS: ANN ARBOR STAGING (1983-2015)

**NAACCR Item #:** N/A

**SAS Variable Name:** LymphomaAnnArborStage\_1983\_2015

*Field Description:* For information on how this field is created, visit

<https://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/ann-arbor/>

---

### SEER COMBINED METS AT DX-BONE (2010+)

**NAACCR Item #:** N/A

**SAS Variable Name:** SEERCombinedMetsat\_DX\_bone\_2010

*Field Description:* Created from NAACCR Item #2851 (2010-2015) and #1112 (2016+).

Code	Description
0	None; no bone metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
	Blank

---

---

## FIELD DESCRIPTIONS

---

### SEER COMBINED METS AT DX-BRAIN (2010+)

**NAACCR Item #:** N/A

**SAS Variable Name:** SEERCombinedMetsatDX\_brain\_2010

*Field Description:* Created from NAACCR Item #2852 (2010-2015) and #1113 (2016+).

Code	Description
0	None; no brain metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
	Blank

---

### SEER COMBINED METS AT DX-LIVER (2010+)

**NAACCR Item #:** N/A

**SAS Variable Name:** SEERCombinedMetsatDX\_liver\_2010

*Field Description:* Created from NAACCR Item #2853 (2010-2015) and #1115 (2016+).

Code	Description
0	None; no liver metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
	Blank

---

### SEER COMBINED METS AT DX-LUNG (2010+)

**NAACCR Item #:** N/A

**SAS Variable Name:** SEERCombinedMetsat\_DX\_lung\_2010

*Field Description:* Created from NAACCR Item #2854 (2010-2015) and #1116 (2016+).

Code	Description
0	None; no lung metastases
1	Yes
8	Not applicable
9	Unknown; not documented in patient record
	Blank

---

---

## FIELD DESCRIPTIONS

---

### T VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: TvaluebasedonAJCC\_3rd\_1988\_2003

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

---

### N VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: NvaluebasedonAJCC\_3rd\_1988\_2003

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

<http://seer.cancer.gov/seerstat/variables/seer/ajcc-stage/3rd.html>

---

### M VALUE - BASED ON AJCC 3rd (1988-2003)

NAACCR Item #: N/A

SAS Variable Name: MvaluebasedonAJCC\_3rd\_1988\_2003

*Field Description:* Derived by algorithm from extent of disease (EOD). Not available for all years or for all sites.

For codes and descriptions, see:

[http://seer.cancer.gov/seerst\\_at/variables/seer/ajcc-stage/3rd.html](http://seer.cancer.gov/seerst_at/variables/seer/ajcc-stage/3rd.html)

---

### RADIATION TO BRAIN OR CNS RECODE (1988-1997)

NAACCR Item #: N/A

SAS Variable Name: RadiationtoBrainorCNSRecode1988

*Field Description:* Recoded to combine No and Unknown. For more information:  
<https://seer.cancer.gov/data/treatment.html>

**\*Special permission is required to receive this variable**

---

---

## FIELD DESCRIPTIONS

---

### TUMOR SIZE SUMMARY

**NAACCR Item #: 756**

**SAS Variable Name: Tumor\_Size\_Summary\_2016**

*Field Description:* The most accurate measurement of a solid primary tumor, usually measured on the surgical resection specimen.

Code	Description
000	No mass/tumor found
001	1 mm or described as less than 1 mm (0.1 cm or less than 0.1 cm)
002-988	Exact size in millimeters (2mm-988mm) (0.2 cm to 98.8 cm)
989	989 millimeters or larger (98.9 cm or larger)
990	Microscopic focus or foci only and no size of focus is given
998	Alternate descriptions of tumor size for specific sites
999	Unknown; size not stated; Not documented in patient record; Size of tumor cannot be assessed; No excisional biopsy or tumor resection done; The only measurement(s) describes pieces or chips; Not applicable
1022	Blank

---

### CENSUS TRACT 1970/1980/1990

**NAACCR Item #: 110**

**SAS Variable Name: Census\_Tract\_1990**

*Field Description:* Identifies the patient's census tract of residence at the time the tumor was diagnosed. Census Tract 70/80/90 is a derived (geocoded) variable based on the Census Boundary files from 1970, 1980, 1990 Decennial Census. See Census Tract 2000 [130]; Census Tract 2010 [135]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 1970, 1980 or 1990 Census. Refer to Census Cod Sys 1970/80/90 [120] to ascertain the decade of reference. For consolidated records, the geocoded state should be based on the best address at diagnosis information identified.

**\* Encrypted. Special permission required for unencrypted census tract.**

---

### CENSUS TRACT 2000

**NAACCR Item #: 130**

**SAS Variable Name: Census\_Tract\_2000**

*Field Description:* Identifies the patient's census tract of residence at the time the tumor was diagnosed. Census Tract 2000 is a derived (geocoded) variable based on the Census Boundary files from 2000. See Census Tract 70/80/90 [110]; Census Tract 2010 [135]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 2000 Census. For consolidated records, the geocoded state should be based on the best address at diagnosis information identified.

**\* Encrypted. Special permission required for unencrypted census tract.**

---

---

## FIELD DESCRIPTIONS

---

### CENSUS TRACT 2010

**NAACCR Item #: 135**

**SAS Variable Name: Census\_Tract\_2010**

*Field Description:* Identifies the patient's census tract of residence at the time the tumor was diagnosed. Census Tract 2010 is a derived (geocoded) variables based on the Census Boundary files from 2010. See Census Tract 1970/80/90 [110]; Census Tract 2000 [130]; Census Tract 2020 [125]. Codes are those used by the U.S. Census Bureau for the Year 2010 Census. For consolidated records, the geocoded state should be based on the best address at diagnosis information identified.

**\* Encrypted. Special permission required for unencrypted census tract.**

---

### CODING SYSTEM FOR CENSUS TRACT 1970/80/90

**NAACCR Item #: 120**

**SAS Variable Name: Census\_Coding\_System**

*Field Description:* Identified the set of Census Bureau census tract definitions (boundaries) that were used to code the census tract in Census Tract 1970/80/90 [110] for a specific record.

---

### CENSUS TRACT CERTAINTY 1970/80/90

**NAACCR Item #: 364**

**SAS Variable Name: Census\_Tract\_Certainty\_1990**

*Field Description:* Code indicating basis of assignment of census tract or block numbering area (BNA) for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. This item is not coded by the hospital. Central registry staff manually assign the code.

---

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract/BNA based on residence ZIP + 4
3	Census tract/BNA based on residence ZIP + 2
4	Census tract/BNA based on residence ZIP code only
5	Census tract/BNA based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

---

---

## FIELD DESCRIPTIONS

---

### CENSUS TRACT CERTAINTY 2000

**NAACCR Item #: 365**

**SAS Variable Name: Census\_Tract\_Certainty\_2000**

*Field Description:* Code indicating basis of assignment of census tract for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. This item is not coded by the hospital. Central registry staff assign the code.

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract based on residence ZIP + 4
3	Census tract based on residence ZIP + 2
4	Census tract based on residence ZIP code only
5	Census tract based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

---

### CENSUS TRACT CERTAINTY 2010

**NAACCR Item #: 367**

**SAS Variable Name: Census\_Tract\_Certainty\_2010**

*Field Description:* Code indicating basis of assignment of census tract for an individual record. Helpful in identifying cases tracted from incomplete information or P.O. Box. This item is not coded by the hospital. Central registry staff assign the code.

Code	Description
1	Census tract/BNA based on complete and valid street address of residence
2	Census tract based on residence ZIP + 4
3	Census tract based on residence ZIP + 2
4	Census tract based on residence ZIP code only
5	Census tract based on ZIP code of P.O. Box
6	Census tract/BNA based on residence city where city has only one census tract, or based on residence ZIP code where ZIP code has only one census tract
9	Not assigned, geocoding attempted
Blank	Not assigned, geocoding not attempted

---



---

## FIELD DESCRIPTIONS

---

### CENSUS TRACT POVERTY INDICATOR

**NAACCR Item #: 145**

**SAS Variable Name: Census\_Tract\_Poverty\_Indicator**

*Field Description:* Assigns a code for neighborhood poverty level based on the census tract of diagnosis address. Cases diagnosed between 1995 and 2004 are assigned a code based on the 2000 U.S. Census, the last decennial census for which poverty level was collected. Cases diagnosed since 2005 are assigned a code based on the American Community Survey (ACS).

The ACS publishes tract-level poverty data annually, on a rolling five-year window, with a two-year lag (e.g., poverty data for 2006-2010 will be available in 2012). Cases for a given diagnosis year are initially coded using the most recent file available when the cancer data are first released, and the item is subsequently coded using the ACS file centered on the year of diagnosis. For example, cases diagnosed in 2012 will initially be coded using the 2008-2012 ACS file, and two years later using the 2010-2014 ACS file. An exception to this rule is that cases diagnosed in 2005 and 2006 will be coded using the 2005-2009 ACS file, because this was the first such file released. Codes may be automatically assigned by running the Poverty and Census Tract Linkage Program available through the Data Analysis Tools section of the NAACCR website.

Code	Description
1	0% - <5% poverty
2	5% - <10% poverty
3	10% - <20% poverty
4	20% - 100% poverty
9	Unknown or not applicable

---

### RURAL URBAN CONTINUUM 1993

**NAACCR Item #: 3300**

**SAS Variable Name: Rural\_Urban\_Continuum\_Code\_1993**

*Field Description:* The Rural-Urban Continuum (1993) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and non-metropolitan counties by degree of urbanization and proximity to metro areas.

These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at <http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx>

(continued on the next page)

## FIELD DESCRIPTIONS

(continued from RURAL URBAN CONTINUUM 1993)

### Metropolitan Counties (00-03)

Code	Description
00	Central counties of metropolitan areas of 1 million population or more
01	Fringe counties of metropolitan areas of 1 million population or more
02	Counties in metropolitan areas of 250,000-1,000,000 population
03	Counties in metropolitan areas of less than 250,000 population

### Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metropolitan area
05	Urban population of 20,000 or more, not adjacent to a metropolitan area
06	Urban population of 2,500-19,999, adjacent to a metropolitan area
07	Urban population of 2,500-19,999, not adjacent to a metropolitan area
08	Completely rural (no places with a population of 2,500 or more) adjacent to a metropolitan area
09	Completely rural (no places with a population of 2,500 or more) not adjacent to a metropolitan area
88	Unknown/missing/no match (Alaska and Hawaii - Entire state)
99	Unknown/missing/no match

## RURAL URBAN CONTINUUM 2003

**NAACCR Item #: 3310**

**SAS Variable Name: Rural\_Urban\_Continuum\_Code\_2003**

*Field Description:* The Rural-Urban Continuum (2003) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and non-metropolitan counties by degree of urbanization and proximity to metro areas.

These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at <http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx>

### Metropolitan Counties (01-03)

Code	Description
01	Counties in metro areas of 1 million population or more
02	Counties in metro areas of 250,000 to 1 million population
03	Counties in metro areas of fewer than 250,000 population

(continued on next page)

## FIELD DESCRIPTIONS

(continued from RURAL URBAN CONTINUUM 2003)

### Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metro area
05	Urban population of 20,000 or more, not adjacent to a metro area
06	Urban population of 2,500 to 19,999, adjacent to a metro area
07	Urban population of 2,500 to 19,999, not adjacent to a metro area
08	Completely rural or less than 2,500 urban population, adjacent to a metro area
09	Completely rural or less than 2,500 urban population, not adjacent to a metro area
88	Unknown/missing/no match (Alaska and Hawaii – Entire state)
99	Unknown/missing/no match

## RURAL URBAN CONTINUUM 2013

NAACCR Item #: 3312

SAS Variable Name: Rural\_Urban\_Continuum\_Code\_2013

*Field Description:* The Rural-Urban Continuum (2013) codes (usually known as the Beale Codes) separate counties into four metropolitan and six non-metropolitan categories, based on the size their populations and form a classification scheme that distinguishes metropolitan counties by size and non-metropolitan counties by degree of urbanization and proximity to metro areas.

These codes can be derived electronically, using patients' state and county at diagnosis, so registrars do not need to provide them. FIPS state and county code mappings to Beale Codes can be obtained in an Excel file at

<http://www.ers.usda.gov/data-products/rural-urban-continuum-codes.aspx>

### Metropolitan Counties (01-03)

Code	Description
01	Counties in metro areas of 1 million population or more
02	Counties in metro areas of 250,000 to 1 million population
03	Counties in metro areas of fewer than 250,000 population

### Nonmetropolitan Counties (04-09)

Code	Description
04	Urban population of 20,000 or more, adjacent to a metro area
05	Urban population of 20,000 or more, not adjacent to a metro area
06	Urban population of 2,500 to 19,999, adjacent to a metro area
07	Urban population of 2,500 to 19,999, not adjacent to a metro area
08	Completely rural or less than 2,500 urban population, adjacent to a metro area

(continued on the next page)

---

## FIELD DESCRIPTIONS

---

(continued from RURAL URBAN CONTINUUM CODE 2013)

Code	Description
09	Completely rural or less than 2,500 urban population, not adjacent to a metro area
88	Unknown/missing/no match (Alaska and Hawaii – Entire state)
99	Unknown/missing/no match

---

### HEALTH SERVICE AREA

NAACCR Item #: N/A

SAS Variable Name: Health\_Service\_Area

*Field Description:* This variable was derived from the original Health Service Area definitions and is described in more detail on this website:

<https://seer.cancer.gov/seerstat/variables/countyattrs/hsa.html>

---

### HEALTH SERVICE AREA NCI MODIFIED

NAACCR Item #: N/A

SAS Variable Name: HealthService\_Area\_NCI\_Modified

*Field Description:* This variable was derived from the original Health Service Area definitions and is described in more detail on this website:

<https://seer.cancer.gov/seerstat/variables/countyattrs/hsa.html>

---

### DERIVED SS1977--FLAG

NAACCR Item #: 3040

SAS Variable Name: Derived\_SS1977\_flag

*Field Description:* Flag to indicate whether the derived SEER Summary Stage 1977 was derived from CS or EOD codes.

Code	Description
1	SS1977 derived from Collaborative Stage
2	SS1977 derived from EOD (prior to 2004)
Blank	Not derived

---

---

## FIELD DESCRIPTIONS

---

### DERIVED SS2000--FLAG

**NAACCR Item #: 3050**

**SAS Variable Name: Derived\_SS2000\_flag**

*Field Description:* Flag to indicate whether the derived SEER Summary Stage 2000 was derived from CS or EOD codes.

Code	Description
1	SS2000 derived from Collaborative Stage
2	SS2000 derived from EOD (prior to 2004)
Blank	Not derived

---

### RECONSTRUCTION-FIRST COURSE (1998-2002)

**NAACCR Item #: 1330**

**SAS Variable Name: Firstcourseofreconstruct1998200**

*Field Description:* The SEER program collects information in this field only for breast cancer and only for reconstruction begun as part of first course of treatment. This item is only available for diagnosis years 1998-2002.

Code	Description
0	No reconstruction/restoration
1	Reconstruction, NOS (unknown if flap)
2	Implant; reconstruction WITHOUT flap
3	Reconstruction WITH flap, NOS
4	Latissimus dorsi flap
5	Abdominus recti flap
6	Flap, NOS plus implant
7	Latissimus dorsi flap plus implant
8	Abdominus recti plus implant
9	Unknown; not stated; death certificate only

---

---

**FIELD DESCRIPTIONS**

---

**RX SUMM—RADIATION**

**NAACCR Item #: 1360**

**SAS Variable Name: Radiation**

*Field Description:* This data item indicates the method of radiation therapy performed as part of the first course of treatment.

<b>Code</b>	<b>Description</b>
0	None; diagnosed at autopsy
1	Beam radiation
2	Radioactive implants
3	Radioisotopes
4	Combination of 1 with 2 or 3
5	Radiation, NOS – method or source not specified
6	Other radiation (1973-1987 cases only)
7	Patient or patient's guardian refused radiation therapy
8	Radiation recommended, unknown if administered
9	Unknown if radiation administered

**\*Special permission is required to receive this variable**

---

**RADIATION TO BRAIN OR CNS (1988-1997)**

**NAACCR Item #: 1370**

**SAS Variable Name: RadiationtoBrainorCNS\_1988\_1997**

*Field Description:* This variable was only collected for years 1988-1997 for lung and leukemia cases only. This data item codes for radiation given to the brain or central nervous system at all facilities as part of the first course of therapy.

<b>Code</b>	<b>Description</b>
0	None
1	Radiation
7	Refused
8	Recommended, unknown if administered
9	Unknown

**\*Special permission is required to receive this variable**

---

---

## FIELD DESCRIPTIONS

---

### SEER DATE OF DEATH

**NAACCR Item #:** N/A

**SAS Variable Name:** SEER\_DateofDeath\_Month, SEER\_DateofDeath\_Year

*Field Description:* Date of Death

Allowable values for month

MM = 01 – 12

Allowable values for year

YYYY=2006-2017

---

### SEER DATE OF FOLLOW-UP RECODE

**NAACCR Item #:** N/A

**SAS Variable Name:** Month\_of\_last\_follow\_up\_recode, Year\_of\_last\_follow\_up\_recode

*Field Description:* Date of Last Follow-up Recode, study cut off used

Allowable values for month

MM = 01 – 12

Allowable values for year

YYYY=2006-2017

---

### YEAR OF BIRTH

**NAACCR Item #:** 240

**SAS Variable Name:** Year\_of\_birth

*Field Description:* Birth year.

Allowable values

YYYY=1800+

---

---

## FIELD DESCRIPTIONS

---

### DATE OF DIAGNOSIS FLAG

**NAACCR Item #: 391**

**SAS Variable Name: Date\_of\_diagnosis\_flag**

*Field Description:* This flag explains why no appropriate value is in the field, Date of Diagnosis.

---

Code	Description
12	A proper value is applicable but not known (i.e., diagnosis date is unknown)
Blank	A valid date value is provided in item Date of Diagnosis or the date was not expected to have been transmitted.

---

---

### DATE OF THERAPY STARTED FLAG

**NAACCR Item #: 1261**

**SAS Variable Name: Date\_therapy\_started\_flag**

*Field Description:* This flag explains why no appropriate value is in the field, Date of Therapy Started.

---

Code	Description
10	No information whatsoever can be inferred from this exceptional value
11	No proper value is applicable in this context (i.e., therapy was not administered)
12	A proper value is applicable but not known (i.e., therapy was administered and date is unknown)
Blank	A valid date value is provided in item Date of Therapy or the date was not expected to have been transmitted.

---

---

### DATE OF BIRTH FLAG

**NAACCR Item #: 241**

**SAS Variable Name: Date\_of\_birth\_flag**

*Field Description:* This flag explains why no appropriate value is in the field, Date of Birth.

---

Code	Description
12	A proper value is applicable but not known (i.e., birth date is unknown)
Blank	A valid date value is provided in item Date of Birth or the date was not expected to have been transmitted.

---



---

## FIELD DESCRIPTIONS

---

### DATE OF LAST FOLLOW-UP FLAG

**NAACCR Item #: 1751**

**SAS Variable Name: Date\_of\_last\_follow\_up\_flag**

*Field Description:* This flag explains why no appropriate value is in the field, Date of Last Follow-up.

---

Code	Description
12	A proper value is applicable but not known (i.e., date of last follow-up is unknown)
Blank	A valid date value is provided in item Date of Last Follow-up or the date was not expected to have been transmitted.

---

### DATE THERAPY STARTED

**NAACCR Item #: 1260**

**SAS Variable Name: month\_therapy\_started, Year\_therapy\_started**

*Field Description:* Date of initiation of the first course therapy for the tumor being reported, using the SEER definition of first course.

Allowable values for month

MM = 01 – 12

Blank

Allowable values for year

YYYY=1975+

---

### RX SUMM--OTHER

**NAACCR Item #: 1420**

**SAS Variable Name: Other\_cancer\_directed\_therapy**

*Field Description:* Identifies other treatment given at all facilities that cannot be defined as surgery, radiation, or systemic therapy according to the defined data items in this manual. Treatment for reportable hematopoietic diseases can be supportive care, observation, or any treatment that does not meet the usual definition in which treatment modifies, controls, removes, or destroys proliferating cancer tissue. Such treatments include phlebotomy, transfusions, and aspirin.

(continued on the next page)

---

**FIELD DESCRIPTIONS**

---

(continued from RX SUMM—OTHER)

<b>Code</b>	<b>Description</b>
0	None
1	Other
2	Other Experimental
3	Other-Double Blind
6	Other-Unproven
7	Refusal
8	Recommended
9	Unknown; unknown if administered

---

**DERIVED AJCC—FLAG**

**NAACCR Item #: 3030**

**SAS Variable Name: Derived\_AJCC\_flag**

*Field Description:* Flag to indicate whether the derived AJCC stage was derived from CS or EOD codes.

<b>Code</b>	<b>Description</b>
0	AJCC Sixth Edition derived from <i>Collaborative Staging Manual and Coding Instructions, Version 1.0</i>
1	AJCC Sixth Edition derived from EOD (prior to 2004)
Blank	Not derived

---

**DERIVED SS1977**

**NAACCR Item #: 3010**

**SAS Variable Name: Derived\_SS1977**

*Field Description:* This item is the derived “SEER Summary Stage 1977” from the CS algorithm, effective with 2004+ diagnosis.

<b>Code</b>	<b>Description</b>
0	In Situ
1	Localized
2	Regional, direct extension
3	Regional, lymph nodes only
4	Regional, extension and nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

---

---

## FIELD DESCRIPTIONS

---

### DERIVED SS2000

**NAACCR Item #: 3020**

**SAS Variable Name: Derived\_SS2000**

*Field Description:* This item is the derived “SEER Summary Stage 2000” from the CS algorithm, effective with 2004+ diagnosis.

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension
3	Regional, lymph nodes only
4	Regional, extension and nodes
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

---

### SEER SUMMARY STAGE 1977

**NAACCR Item #: 760**

**SAS Variable Name: SEER\_Summary\_stage\_1977\_9500**

*Field Description:* Code for summary stage at the initial diagnosis or treatment of the reportable tumor. This has traditionally been used by central registries to monitor time trends. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see the SEER Summary Staging Guide.

SEER Summary Stage 1977 is limited to information available within 2 months of the date of diagnosis. NAACCR approved extension of this time period to 4 months for prostate tumors diagnosed beginning January 1, 1995..

Code	Description
0	In Situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional nodes only
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

---

---

**FIELD DESCRIPTIONS**

---

**SEER SUMMARY STAGE 2000**

**NAACCR Item #: 759**

**SAS Variable Name: SEER\_Summary\_stage\_2000\_0103**

*Field Description:* Code for summary stage at the initial diagnosis or treatment of the reportable tumor. For hospital registries, CoC requires its use in the absence of a defined AJCC classification. For site-specific definitions of categories, see *SEER Summary Staging Manual 2000*.

Summary stage should include all information available through completion of surgery(ies) in the first course of treatment or within 4 months of diagnosis in the absence of disease progression, whichever is longer.

<b>Code</b>	<b>Description</b>
0	In Situ
1	Localized
2	Regional, direct extension only
3	Regional, regional lymph nodes only
4	Regional, direct extension and regional nodes only
5	Regional, NOS
7	Distant
8	Not applicable
9	Unknown/Unstaged

---

---

**FIELD DESCRIPTIONS**

---

**NAPIIA DERIVED API RACE****NAACCR Item #: 193****SAS Variable Name: NAPIIA\_Derived\_API\_Race**

*Field Description:* NAPIIA is an acronym for NAACCR Asian and Pacific Islander Identification Algorithm. Race--NAPIIA(derived API) recodes some single-race cases with a Race 1 [160] code of 96 to a more specific Asian race category, based on an algorithm that makes use of the birthplace and name fields (first, last, and maiden names). For single-race cases with a Race 1 code other than 96, it returns the Race 1 code.

---

<b>Code</b>	<b>Description</b>
01	White
02	Black
03	American Indian/Alaska Native
04	Chinese
05	Japanese
06	Filipino
07	Hawaiian
08	Korean
10	Vietnamese (1988+)
11	Laotian (1988+)
12	Hmong (1988+)
13	Kampuchean (1988+)
14	Thai (1994+)
15	Asian Indian or Pakistani, NOS (1988+)
16	Asian Indian (2010+)
17	Pakistani (2010+)
20	Micronesian, NOS
21	Chamorroan
22	Guamanian, NOS
25	Polynesian, NOS
26	Tahitian
27	Samoan
28	Tongan
30	Melanesian, NOS
31	Fiji Islander
32	New Guinean
96	Other Asian
97	Pacific Islander, NOS
98	Other
88	No further race documented
99	Unknown

---

---

**FIELD DESCRIPTIONS**

---

**PRIMARY PAYER AT DX**

**NAACCR Item #: 630**

**SAS Variable Name: Primary\_Payer\_at\_DX**

*Field Description:* Primary payer/insurance carrier at the time of initial diagnosis and/or treatment at the reporting facility.

<b>Code</b>	<b>Description</b>
01	Not insured
02	Not insured, self-pay
10	Insurance, NOS
20	Private Insurance: Managed care, HMO, or PPO
21	Private Insurance: Fee-for-Service
31	Medicaid
35	Medicaid – Administered through a Managed Care plan
60	Medicare/Medicare, NOS
61	Medicare with supplement, NOS
62	Medicare – Administered through a Managed Care plan
63	Medicare with private supplement
64	Medicare with Medicaid eligibility
65	TRICARE
66	Military
67	Veterans Affairs
68	Indian/Public Health Service
99	Insurance status unknown

---

**\*Special permission is required to receive this variable**

---

**CAUSE OF DEATH ICD CODE**

**NAACCR Item #: 1920**

**SAS Variable Name: COD\_ICD\_code**

*Field Description:* Indicator for the coding scheme used to code the cause of death.

<b>Code</b>	<b>Description</b>
0	Patient alive at last follow-up
1	ICD-10
8	ICDA-8
9	ICD-9

---

---

**FIELD DESCRIPTIONS**

---

**CAUSE OF DEATH (ICD-8 or 9)****NAACCR Item #: 1910****SAS Variable Name: Cause\_of\_Death\_ICD\_8\_or\_9**

*Field Description:* Coded according to ICD-8 or 9 as specified in COD ICD code. Last digit set to 9 for non-numeric. Study cutoff date has been applied.

<b>Code</b>	<b>Description</b>
0000	Patient alive at last contact
0001-7776	0001-7776
7778-7796	7778-7796
7798-9999	7798-9999
7777	State death certificate not available
7797	State death certificate available but underlying cause of death is not coded

---

**CAUSE OF DEATH (ICD-10)****NAACCR Item #: 1910****SAS Variable Name: Cause\_of\_Death\_ICD\_10**

*Field Description:* Coded according to ICD-10. Last digit set to 9 for non-numeric. Study cutoff date has been applied.

<b>Code</b>	<b>Description</b>
0000	Patient alive at last contact
A00_-Z999	A00_-Z999
7777	State death certificate not available
7797	State death certificate available but underlying cause of death is not coded

---

**RECODE ICD-O-2 TO 9****NAACCR Item #: N/A****SAS Variable Name: Recode\_ICD\_0\_2\_to\_9**

*Field Description:* Primary site/type recoded into ICD-9. An underscore in the right-most position of an unlabeled value represents a blank. i.e., 140\_-1409 is all values starting with 140.

<b>Code</b>	<b>Description</b>
0001-9998	0001-9998
9999	Unable to convert

---

---

## FIELD DESCRIPTIONS

---

### RECODE ICD-O-2 TO 10

**NAACCR Item #:** N/A

**SAS Variable Name:** Recode\_ICD\_0\_2\_to\_10

*Field Description:* Primary site/type recoded into ICD-10. An underscore in the right-most position of an unlabeled value represents a blank. i.e., C00\_-C009 is all values starting with C00.

Code	Description
A00_-Z999	A00_-Z999
8888	Needs to be hand reviewed
9999	Unable to convert

---

### NHIA DERIVED HISPANIC ORIGIN

**NAACCR Item #:** 190

**SAS Variable Name:** NHIA\_Derived\_Hisp\_Origin

*Field Description:* Code identifying persons of Spanish or Hispanic origin. This code is used by hospital and central registries to show the “best guess” as to whether or not the person should be classified as Hispanic for purposes of calculating cancer rates. If the patient has multiple tumors, all records should have the same code.

Code	Description
0	Non-Spanish-Hispanic-Latino
1	Mexican
2	Puerto Rican
3	Cuban
4	South or Central American excluding Brazil
5	Other specified Spanish/Hispanic origin including Europe
6	Spanish/Hispanic/Latino, NOS
7	NHIA Spanish surname match only
8	Dominican Republic
9	Unknown whether Spanish or not

---



---

**FIELD DESCRIPTIONS**

---

**OVER-RIDE AGE/SITE/MORPH****NAACCR Item #: 1990****SAS Variable Name: Age\_site\_edit\_override**

---

<b>Code</b>	<b>Description</b>
Blank	Not reviewed
1	Reviewed and confirmed that age/site/histology combination is correct as coded
2	Reviewed and confirmed that case was diagnosed in utero
3	Reviewed and confirmed that conditions 1 and 2 apply

---

**OVER-RIDE SEQNO/DXCONF****NAACCR Item #: 2000****SAS Variable Name: Sequencenumber\_dx\_conf\_override**

---

<b>Code</b>	<b>Description</b>
Blank	Not reviewed
1	Reviewed: Multiple primaries of special sites in which at least one diagnosis has not been microscopically confirmed have been reviewed.

---

**OVER-RIDE SIT/LAT/SEQNO****NAACCR Item #: 2010****SAS Variable Name: Site\_type\_lat\_seq\_override**

---

<b>Code</b>	<b>Description</b>
Blank	Not reviewed
1	Reviewed: Multiple primaries of the same histology (3 digit) in the same primary site group have been reviewed.

---

---

**FIELD DESCRIPTIONS**

---

**OVER-RIDE SURG/DXCONF****NAACCR Item #: 2020****SAS Variable Name: Surgerydiagnostic\_conf\_override**

<b>Code</b>	<b>Description</b>
Blank	Not reviewed
1	Reviewed: A patient who had (cancer-directed) surgery, but the tissue removed was not sufficient for microscopic confirmation.

---

---

**OVER-RIDE SITE/TYPE****NAACCR Item #: 2030****SAS Variable Name: Site\_type\_edit\_override**

<b>Code</b>	<b>Description</b>
Blank	Not Reviewed
1	Reviewed: The coding of an unusual combination of primary site and histologic type has been reviewed.

---

---

**OVER-RIDE HISTOLOGY****NAACCR Item #: 2040****SAS Variable Name: Histology\_edit\_override**

<b>Code</b>	<b>Description</b>
blank	Not Reviewed
1	Unusual Histology behavior combination reviewed.
2	Unusual Diagnostic Confirmation/Behavior combination reviewed.
3	Both scenarios above reviewed

---

---

**OVER-RIDE REPORT SOURCE****NAACCR Item #: 2050****SAS Variable Name: Report\_source\_sequence\_override**

<b>Code</b>	<b>Description</b>
blank	Not reviewed
1	Reviewed: A second or subsequent primary with a reporting source of death certificate only has been reviewed and is indeed an independent primary.

---

---

## FIELD DESCRIPTIONS

---

### OVER-RIDE ILL-DEFINE SITE

NAACCR Item #: 2060

SAS Variable Name: Seq\_ill\_defined\_site\_override

---

Code	Description
blank	Not reviewed
1	Reviewed: A second or subsequent primary reported with an ill-defined primary site (C76.0-C76.8, C80.9) has been reviewed and is an independent primary.

---

---

### OVER-RIDE LEUK, LYMPHOMA

NAACCR Item #: 2070

SAS Variable Name: LeukLymphdxconfirmationoverride

---

Code	Description
blank	Not reviewed
1	Reviewed: A patient was diagnosed with leukemia or lymphoma and the diagnosis was not microscopically confirmed.

---

---

### OVER-RIDE SITE/BEHAVIOR

NAACCR Item #: 2071

SAS Variable Name: Site\_behavior\_override

*Field Description:* The IF39 edit does not allow in situ cases of nonspecific sites, such as gastrointestinal tract, NOS; uterus, NOS; female genital tract, NOS; male genital organs, NOS; and others. This over-ride indicates that the conflict has been reviewed.

---

Code	Description
blank	Not reviewed
1	Reviewed: A patient has an in situ cancer of a nonspecific site and no further information about the primary site is available.

---

---

## FIELD DESCRIPTIONS

---

### OVER-RIDE SITE/EOD/DX DT

**NAACCR Item #: 2072**

**SAS Variable Name: Site\_EOD\_dx\_date\_override**

*Field Description:* The IF40 edit does not allow “localized” disease with non-specific sites, such as mouth, NOS; colon, NOS (except histology 8220); bone, NOS; female genital system, NOS; male genital organs, NOS; and others. This over-ride indicates that the conflict has been reviewed.

---

Code	Description
blank	Not reviewed
1	Reviewed: A patient had “localized” disease with a non-specific site and no further information about the primary site is available.

---

### OVER-RIDE SITE/LAT/EOD

**NAACCR Item #: 2073**

**SAS Variable Name: Site\_laterality\_EOD\_override**

*Field Description:* The IF41 edit for paired organs does not allow EOD to be specified as in situ, localized, or regional by direct extension if laterality is coded as “bilateral, side unknown” or “laterality unknown.” This over-ride indicates that the conflict has been reviewed.

---

Code	Description
blank	Not reviewed
1	Reviewed: A patient had laterality coded non-specifically and EOD coded specifically.

---

### OVER-RIDE SITE/LAT/MORPH

**NAACCR Item #: 2074**

**SAS Variable Name: Site\_laterality\_morph\_override**

*Field Description:* The IF42 edit does not allow behavior code of “in situ” with non-specific laterality codes. This over-ride indicates that the conflict has been reviewed.

---

Code	Description
blank	Not reviewed
1	Reviewed: A patient had behavior code of “in situ” and laterality is not stated as right: origin of primary; left: origin of primary; or only one side involved, right or left origin not specified.

---

---

**FIELD DESCRIPTIONS**

---

**INSURANCE RECODE 2007+**

**NAACCR Item #: N/A**

**SAS Variable Name: Insurance\_Recode\_2007**

*Field Description:* Created from NAACCR Field Primary Payer at DX, Item #630. Caution is urged when using this variable. Most patients who were 65 years of age and older at the time of diagnosis that were classified as "Uninsured", having "Private Insurance", or as "Insurance status unknown" were Medicare eligible, while patients diagnosed before 65 years of age were not. Stratification of this variable by these age groups may be warranted.

<b>Code</b>	<b>Description</b>
1	Uninsured
2	Any Medicaid
3	Insured
4	Insured/No specifics
5	Insurance status unknown
9	Not Available (Los Angeles)

**\*Special permission is required to receive this variable**

---

**YOST (ACS 2006-2010)**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2006\_2010**

*Field Description:* Yost Index calculated from ACS 2006-2010.

Allowable values

8119 – 11901, Blank

---

**YOST (ACS 2010-2014)**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2010\_2014**

*Field Description:* Yost Index calculated from ACS 2010-2014.

Allowable values

8122 – 11890, Blank

---

---

**FIELD DESCRIPTIONS**

---

**YOST (ACS 2013-2017)**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2013\_2017**

*Field Description:* Yost Index calculated from ACS 2013-2017.

Allowable values

8126 – 11888, Blank

---

**YOST (ACS 2006-2010) – STATE BASED**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2006\_2010\_State\_based**

*Field Description:* Yost Index calculated from ACS 2006-2010.

Allowable values

8051 – 11983, Blank

---

**YOST (ACS 2010-2014) – STATE BASED**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2010\_2014\_State\_based**

*Field Description:* Yost Index calculated from ACS 2010-2014.

Allowable values

8038 – 11935, Blank

---

**YOST (ACS 2013-2017) – STATE BASED**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2013\_2017\_State\_based**

*Field Description:* Yost Index calculated from ACS 2013-2017.

Allowable values

8060 – 11940, Blank

---

---

**FIELD DESCRIPTIONS**

---

**YOST (ACS 2006-2010) QUINTILE**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2006\_2010\_quintile**

*Field Description:* Quintile grouping for the Yost Index calculated from ACS 2006-2010.

---

<b>Code</b>	<b>Description</b>
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
	Blanks

---

---

**YOST (ACS 2010-2014) QUINTILE**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2010\_2014\_quintile**

*Field Description:* Quintile grouping for the Yost Index calculated from ACS 2010-2014.

---

<b>Code</b>	<b>Description</b>
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
	Blanks

---

---

**FIELD DESCRIPTIONS**

---

**YOST (ACS 2013-2017) QUINTILE**

**NAACCR Item #: N/A**

**SAS Variable Name: Yost\_ACS\_2013\_2017\_quintile**

*Field Description:* Quintile grouping for the Yost Index calculated from ACS 2013-2017.

---

<b>Code</b>	<b>Description</b>
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
	Blanks

---

---

**YOST (ACS 2006-2010) – STATE BASED QUINTILE**

**NAACCR Item #: N/A**

**SAS Variable Name: YostACS20062010Statebas**

*Field Description:* Quintile grouping for the state based Yost Index from ACS 2006-2010.

---

<b>Code</b>	<b>Description</b>
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
	Blanks

---

---

**YOST (ACS 2010-2014) – STATE BASED QUINTILE**

**NAACCR Item #: N/A**

**SAS Variable Name: YostACS20102014Statebas**

*Field Description:* Quintile grouping for the state based Yost Index from ACS 2010-2014.

---

<b>Code</b>	<b>Description</b>
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
	Blanks

---



---

**FIELD DESCRIPTIONS**

---

**YOST (ACS 2013-2017) – STATE BASED QUINTILE****NAACCR Item #: N/A****SAS Variable Name: YostACS20132017Statebas***Field Description:* Quintile grouping for the state based Yost Index from ACS 2013-2017.

---

<b>Code</b>	<b>Description</b>
1	Group 1 (lowest SES)
2	Group 2
3	Group 3
4	Group 4
5	Group 5 (highest SES)
	Blanks

---

---

**HPV RECODE (2010+)****NAACCR Item #: N/A****SAS Variable Name: HPV\_recode\_2010****\*Special permission is required to receive this variable**

---

<b>Code</b>	<b>Description</b>
0	HPV Negative
1	HPV Positive
8	Unknown/NA
9	Not 2013+ or selected schema

---

---

**MEDICAID FLAG****NAACCR Item #: N/A****SAS Variable Name: In\_Medicaid\_Flag***Field Description:* Identifies patients linked to Medicaid.

---

<b>Code</b>	<b>Description</b>
0	No
1	Yes

---